
Component Catalogue
UK Edition





UK Edition 02 | 2023

PERI UK
Formwork Scaffolding Engineering
Market Harborough Road
Clifton upon Dunsmore
Rugby
CV23 0AN

Tel +44 (0)1788 861600

www.peri.ltd.uk

Important information

Without exception, all current safety regulations and guidelines must be observed in those countries where our products are used.

Computer graphics are used which are to be understood as system representations. For ensuring a better understanding, this and the detailed illustration shown have been partially reduced to certain aspects. The safety installations which have possibly not been shown in these detailed descriptions must nevertheless be available.

The systems or items shown might not be available subject to change.

'Notes' as well as 'Technical Data' are to be strictly observed at all times. Separate structural calculations are required for any deviations from the standard configuration and represent an unintended use with a potential safety risk.

The information contained herein is subject to technical changes in the interests of progress. Errors and typographical mistakes reserved.

Content

5 Wall Formwork
6 MAXIMO MX 15 Panel Formwork
49 TRIO Panel Formwork
71 DOMINO Panel Formwork
91 DUO
115 VARIO GT 24 Girder Wall Formwork
131 RUNDFLEX Circular Formwork
165 RS and RSS Push-Pull Props
175 Tie System DW 15, 20, 26 B 15, 20
189 Tie System DK, SK, KKV

199 Column Formwork
201 TRIO Column Formwork
209 VARIO GT 24 Column Formwork
91 DUO

219 Slab Formwork
221 SKYDECK Panel Slab Formwork
233 MULTIFLEX Girder Slab Formwork
245 Lifting Fork
91 DUO

251 Climbing Systems
253 CB Climbing Formwork
277 Ladder Access for Climbing Systems
283 BR Shaft Platform
294 RCS Rail Climbing System
351 SCS Single-Sided Climbing System

375 Bridge and Tunnel Formwork
377 VARIOKIT Engineering Construction Kit - Core Elements

391 Shoring
393 MULTIPROP Single Props and System
405 PERI UP Flex Heavy Duty Prop

415 Scaffolding
417 PERI UP Flex Reinforcement Scaffold R75/R100 UDI/UDG
431 PERI UP Easy
445 PERI UP ULS Flex

449 Stair Towers
451 PERI UP Flex Staircase 75
465 PERI UP Flex Staircase 100, 125

475 Weather Protecion
477 PERI UP Flex LGS 75 Weather Protection Roof Components
491 PERI UP Flex LGS 150 Weather Protection Roof Components

511 System Indep. Products, Safety Systems
513 GT 24 Formwork Girder
517 PROKIT EP 110
523 PROKIT EP 200
527 Combisafe Edge Protection
533 Construction Site Equipment
539 Accessories for Logistics
547 Plywood
553 Machines and Tools
558 Bolts, Nails, Pins
573 Accessories

578 PERI
578 Index
598 Numerical Index

620 PERI International Map

PERI

Wall Formwork

6 MAXIMO MX 15 Panel Formwork
49 TRIO Panel Formwork
71 DOMINO Panel Formwork
91 DUO
115 VARIO GT 24 Girder Wall Formwork
131 RUNDFLEX Circular Formwork
165 RS and RSS Push-Pull Props
175 Tie System DW 15, 20, 26 B 15, 20
189 Tie System DK, SK, KKV

PERI
Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX


114426 Panel MX 330 x 240 8
114248 Panel MX 330 x 120 8
114258 Panel MX 330 x 90 8
114445 Panel MX 330 x 60 9
114452 Panel MX 330 x 45 9
114457 Panel MX 330 x 30 9
114464 Multi Panel MXM 330 x 60 10
115338 Inside Corner MXI 330 x 50/20 10
114470 Inside Corner MXI 330 x 60 10
117913 Shaft Corner MXSE 330 11
114478 Outside Corner MXA 330 x 45 11
114486 Outside Corner MXA 330 x 35 11
114583 Articulated Corner MXGI 330 12
114607 Articulated Corner MXGA 330 12
114842 Wall Thickness Compensations WDA MX 330 x 4 12
114826 Wall Thickness Compensations WDA MX 330 x 5 12
114846 Wall Thickness Compensations WDA MX 330 x 6 12
114394 Wall Thickness Compensations WDA MX 330 x 10 Alu 12
101829 Filler Profile TPP 330 Alu 13
116454 Panel MX 330 x 270 13
112006 Panel MX 270 x 240 13
112022 Panel MX 270 x 120 14
112045 Panel MX 270 x 90 14
112200 Panel MX 270 x 60 14
112078 Panel MX 270 x 45 15
112090 Panel MX 270 x 30 15
112849 Multi Panel MXM 270 x 60 15
115255 Inside Corner MXI 270 x 50/20 16
112419 Inside Corner MXI 270 x 60 16
117914 Shaft Corner MXSE 270 16
112806 Outside Corner MXA 270 x 45 17
112667 Outside Corner MXA 270 x 35 17
113203 Articulated Corner MXGI 270 17
111872 Articulated Corner MXGA 270 18
114165 Wall Thickness Comp. WDA MX 270 x 4 18
114186 Wall Thickness Comp. WDA MX 270 x 5 18
114174 Wall Thickness Comp. WDA MX 270 x 6 18
114128 Wall Thickness Comp. WDA MX 270 x 10 Alu 18
101813 Filler Profile TPP 270 Alu 18
023061 Stopend Panel TRIO MT 270 x 20 19
023062 Stopend Panel TRIO MT 270 x 24/25 19
023064 Stopend Panel TRIO MT 270 x 30 19
023065 Stopend Panel TRIO MT 270 x 35/36 19
023074 Stopend Panel TRIO MTF 270 x 20 19
023075 Stopend Panel TRIO MTF 270 x 24/25 19
023077 Stopend Panel TRIO MTF 270 x 30 19
023076 Stopend Panel TRIO MTF 270 x 35/36 19
023060 Stopend Panel TRIO AT 270 x 3 19
105953 Stopend Panel TRIO AT 270 x 5 19
112104 Panel MX 120 x 240 20
112143 Panel MX 120 x 120 20
112152 Panel MX 120 x 90 20
112221 Panel MX 120 x 60 20
112232 Panel MX 120 x 45 21
112239 Panel MX 120 x 30 21
112850 Multi Panel MXM 120 x 60 21
115299 Inside Corner MXI 120 x 50/20 21
112689 Inside Corner MXI 120 x 60 22
117915 Shaft Corner MXSE 120 22
112830 Outside Corner MXA 120 x 45 22
112761 Outside Corner MXA 120 x 35 22
113246 Articulated Corner MXGI 120 23
111850 Articulated Corner MXGA 120 23
114212 Wall Thickness Comp. MX 120 x 4 23
114191 Wall Thickness Comp. MX 120 x 5 23
114181 Wall Thickness Comp. MX 120 x 6 23
114142 Wall Thickness Comp. MX 120 x 10 Alu 23
101823 Filler Profile TPP 120 Alu 23
023067 Stopend Panel TRIO AT 120 x 3 24
105978 Stopend Panel TRIO AT 120 x 5 24
023068 Stopend Panel TRIO MT 120 x 20 24
023069 Stopend Panel TRIO MT 120 x 24/25 24
023071 Stopend Panel TRIO MT 120 x 30 24
023072 Stopend Panel TRIO MT 120 x 35/36 24
023081 Stopend Panel TRIO MTF 120 x 20 24
023080 Stopend Panel TRIO MTF 120 x 24/25 24
023078 Stopend Panel TRIO MTF 120 x 30 24
023079 Stopend Panel TRIO MTF 120 x 35/36 24
112115 Panel MX 90 x 240 24
112252 Panel MX 90 x 90 25
112259 Panel MX 90 x 60 25
112265 Panel MX 90 x 45 25
112271 Panel MX 90 x 30 25
115307 Inside Corner MXI 90 x 50/20 26
112715 Inside Corner MXI 90 x 60 26
126923 Outside Corner MXA 90 x 45 26
126917 Outside Corner MXA 90 x 35 26
112126 Panel MX 60 x 240 27
112280 Panel MX 60 x 60 27
112286 Panel MX 60 x 45 27
112292 Panel MX 60 x 30 27
115315 Inside Corner MXI 60 x 50/20 27
112726 Inside Corner MXI 60 x 60 28
112837 Outside Corner MXA 60 x 45 28
112778 Outside Corner MXA 60 x 35 28
112133 Panel MX 30 x 240 28
113847 MX 15 Tie 15 – 25 28
112387 MX 15 Tie 20 – 30 29
112464 MX 15 Tie 30 – 40 29
112386 MX 15 Wingnut 29
116841 MX 15 Tie Spanner 29
796061 Scaffold Builders Ratchet 30
124895 PVC Plug MXM 15 18.3 30
114300 PVC Plug MX 15 17.5 – 22 30
123901 Tie MX 18, 15 – 25 30
023500 Alignment Coupler BFD, galv. 30
124941 Waler MAR 85-3 30
123902 Tie MX 18, 20 – 30 30
123903 Tie MX 18, 30 – 40 31
123904 Tie MX 18, 40 – 5 31
123905 Tie MX 18, 50 – 60 31
123900 Wingnut MX 18 31
108719 Tie Rod Spanner TRH SW 22 32
796061 Scaffold Builders Ratchet 32
125099 Plug MXM 18, Ø 26 32
125300 Plug MX 18, Ø 24 – 28 32
023500 Alignment Coupler BFD, galv. 32
124941 Waler MAR 85-3 33
124942 Waler MAR 170-3 33
023551 Waler 85 33
023820 Hook Tie Head DW 15, galv. 33
023650 Hook Tie DW 15, l = 400 mm, galv. 33


023640 Bulkhead Tie TS, galv. 33
115640 Bulkhead Tie MX DW 20 34
023660 Brace Connector TRIO, galv. 34
115350 Tension and Compression Brace MX 15 – 40 34
123842 Tension and Compression Brace MX 15 – 100 34
112588 Stripping Bar TRIO 34
101633 Adjusting Bracket MX 35
026230 Anchor Sleeve M24 35
026240 Cone PP 31/26, c = 25 36
026250 Plug 26 mm 36
029560 Bolt ISO 4014 M24 x 120-10.9 36
026420 Anchor Positioning Stud M24 galv 36
023630 Top Tie Bracket-2 AH, galv. 37
117321 Lifting Gear Combi MX 37
117322 Lifting Gear MX 37
115168 Lifting Hook MAXIMO 1.5 t 38
115058 Stacking Device MAXIMO 38
113019 Stacking Device MX 38
023440 Lifting Pin TRIO 38
023670 Scaffold Bracket TRG 80 39
023680 Scaffold Bracket TRG 120 39
124640 MAXIMO Rahmenhalter 39
201592 Handrail Post Holder TRIO GB 40
116292 Guardrail Post HSGP-2 40
118103 Stacking Device L MXA 40
118105 Stacking Device R MXA 40
118110 Stacking Device L MXI 41
118112 Stacking Device R MXI 41
118100 Stacking Device MX Flat for Shaft Corner MXSE 41
027680 Connector SB-1, 2 - MX/TR/D 42
025740 Connector SB-A, B, C - MX/TR/D 42
113255 Bolt SB-MAXIMO, galv. 42
114107 Sleeve SB-MAXIMO, galv. 43
114417 Sleeve SB-MAXIMO WDMX 43
126991 Stopper MX 15 - 75 MF-S 43
126988 Stopper MX 15 - 75 MF-L 43
127064 Stopper MX 15 – 50 MF-LS 43
127065 Stopper MX 15 – 50 OF-LS 43
126999 Stud Spanner MX 15-2 44
112937 Sealing Cone MX 15 – 55 44
031643 DK Concrete Cone UNI 58/52 44
126696 Magnet Cone Spanner MX 15 / MX 18 44
114592 Spacer MX 15 – 10 mm 44
125299 Cone MX DR 22/2 45
031636 DK Cone DW 15/55 45
031637 DK Cone DW 20/55 45
123603 Sealing MX 15 45
125337 Extraction Tool MX Sealing 46

MAXIMO MX 15 Panel Formwork


PERI


Item no.	Weight kg	
114426	408,000	**Panel MX 330 x 240** 7.920 m². Panel with 18 mm plywood.







114248	226,000	**Panel MX 330 x 120** 3.960 m². Panel with 18 mm plywood.





114258	172,000	**Panel MX 330 x 90** 2.970 m². Panel with 18 mm plywood.







MAXIMO MX 15 Panel Formwork


PERI


Item no.	Weight kg	
114445	118,000	**Panel MX 330 x 60** 1.980 m². Panel with 18 mm plywood.






114452	99,900	**Panel MX 330 x 45** 1.485 m². Panel with 18 mm plywood.





114457	79,600	**Panel MX 330 x 30** 0.990 m². Panel with 18 mm plywood.







Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX

MAXIMO MX 15 Panel Formwork


PERI


Item no.	Weight kg		
114464	142,000	**Multi Panel MXM 330 x 60** 1.980 m². Panel with 18 mm plywood. For oblique angles, wall connections etc.	**Complete with** 33 pc. 124895 PVC Plug MXM 15 Ø 18.3







115338	136,000	**Inside Corner MXI 330 x 50/20** 2.310 m². Panel with 18 mm plywood. For 90° internal corners.	**Complete with** 12 pc. 124895 PVC Plug MXM 15 Ø 18.3





114470	206,000	**Inside Corner MXI 330 x 60** 3.960 m². Panel with 18 mm plywood. For 90° internal corners.







MAXIMO MX 15 Panel Formwork


PERI


Item no.	Weight kg		
117913	401,000	**Shaft Corner MXSE 330** Panel for forming 90° inside corners along with striking and moving complete internal shaft formwork units.	**Technical Data** Permissible load-bearing point capacity 2.0 t.







114478	192,000	**Outside Corner MXA 330 x 45** 2.970 m². Panel with 18 mm plywood. For 90° external corners.





114486	170,000	**Outside Corner MXA 330 x 35** 2.310 m². Panel with 18 mm plywood. For 90° external corners.







Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX

MAXIMO MX 15 Panel Formwork

PERI


Item no.	Weight kg	
114583	89,000	**Articulated Corner MXGI 330** 1.980 m². Made of aluminium, for oblique angles from 75° upwards, internal.





114607	51,100	**Articulated Corner MXGA 330** 0.990 m². Made of aluminium, for oblique angles from 75° upwards, external.






		Wall Thickness Compensations WDA MX 330	**B**
114842	17,800	**Wall Thickness Comp. WDA MX 330 x 4**	40
114826	18,900	**Wall Thickness Comp. WDA MX 330 x 5**	50
114846	20,200	**Wall Thickness Comp. WDA MX 330 x 6**	60
114394	12,100	**Wall Thickness Comp. WDA MX 330 x 10, Alu**	100

For adjusting to wall thicknesses.






MAXIMO MX 15 Panel Formwork


PERI


Item no.	Weight kg	
101829	9,820	**Filler Profile TPP 330, Alu** For compensation with 21 mm filler plates.







116454	446,000	**Panel MX 330 x 270** 8.910 m². Panel with 18 mm plywood.





112006	336,000	**Panel MX 270 x 240** 6.480 m². Panel with 18 mm plywood.







Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX

MAXIMO MX 15 Panel Formwork


PERI


Item no.	Weight kg	
112022	186,000	**Panel MX 270 x 120** 3.240 m². Panel with 18 mm plywood.







112045	135,000	**Panel MX 270 x 90** 2.430 m². Panel with 18 mm plywood.





112200	104,000	**Panel MX 270 x 60** 1.620 m². Panel with 18 mm plywood.







MAXIMO MX 15 Panel Formwork

PERI


Item no.	Weight kg	
112078	77,600	**Panel MX 270 x 45** 1.215 m². Panel with 18 mm plywood.






112090	62,800	**Panel MX 270 x 30** 0.810 m². Panel with 18 mm plywood.






112849	108,000	**Multi Panel MXM 270 x 60** 1.620 m². Panel with 18 mm plywood. For oblique angles, wall connections etc.

Complete with
22 pc. 124895 PVC Plug MXM 15 Ø 18.3






Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX


MAXIMO MX 15 Panel Formwork

PERI


Item no.	Weight kg	
115255	103,000	**Inside Corner MXI 270 x 50/20** 1.890 m². Panel with 18 mm plywood. For 90° internal corners.


Complete with
8 pc. 124895 PVC Plug MXM 15 Ø 18.3






Item no.	Weight kg	
112419	156,000	**Inside Corner MXI 270 x 60** 3.240 m². Panel with 18 mm plywood. For 90° internal corners.






Item no.	Weight kg	
117914	306,000	**Shaft Corner MXSE 270** Panel for forming 90° inside corners along with striking and moving complete internal shaft formwork units.

Technical Data
Permissible load-bearing point capacity 2.0 t.







MAXIMO MX 15 Panel Formwork


PERI


Item no.	Weight kg	
112806	159,000	**Outside Corner MXA 270 x 45** 2.430 m². Panel with 18 mm plywood. For 90° external corners.







Item no.	Weight kg	
112667	141,000	**Outside Corner MXA 270 x 35** 1.890 m². Panel with 18 mm plywood. For 90° external corners.





Item no.	Weight kg	
113203	69,500	**Articulated Corner MXGI 270** 1.620 m². Made of aluminium, for oblique angles from 75° upwards, internal.






MAXIMO MX 15 Panel Formwork


PERI

Item no.	Weight kg	
111872	41,800	**Articulated Corner MXGA 270** 0.810 m². Made of aluminium, for oblique angles from 75° upwards, external.




		Wall Thickness Compensations WDA MX 270	**B**
114165	14,700	**Wall Thickness Comp. WDA MX 270 x 4**	40
114186	15,700	**Wall Thickness Comp. WDA MX 270 x 5**	50
114174	16,800	**Wall Thickness Comp. WDA MX 270 x 6**	60
114128	10,000	**Wall Thickness Comp. WDA MX 270 x 10, Alu**	100

For adjusting to wall thicknesses.



101813	8,040	**Filler Profile TPP 270, Alu** For compensation with 21 mm filler plates.



MAXIMO MX 15 Panel Formwork

PERI

Item no.	Weight kg		
		Stopend Panels TRIO MT without waterstop	**B**
023061	27,500	**Stopend Panel TRIO MT 270 x 20**	118
023062	30,400	**Stopend Panel TRIO MT 270 x 24/25**	158
023064	37,300	**Stopend Panel TRIO MT 270 x 30**	218
023065	41,300	**Stopend Panel TRIO MT 270 x 35/36**	268

Centre piece without waterstop bar installation for stopend formwork.




		Stopend Panels TRIO MTF with waterstop	**B**
023074	29,200	**Stopend Panel TRIO MTF 270 x 20**	118
023075	33,400	**Stopend Panel TRIO MTF 270 x 24/25**	158
023077	38,600	**Stopend Panel TRIO MTF 270 x 30**	218
023076	42,500	**Stopend Panel TRIO MTF 270 x 35/36**	268

Centre piece with waterstop bar installation for stopend formwork.



		Stopend Panels TRIO AT	**Note**
023060	17,200	**Stopend Panel TRIO AT 270 x 3**	Concrete cover approx. 30 or 50 mm.
105953	19,000	**Stopend Panel TRIO AT 270 x 5**	

External piece for stopend formwork.





Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX

MAXIMO MX 15 Panel Formwork


PERI


Item no.	Weight kg	
112104	166,000	**Panel MX 120 x 240** 2.880 m². Panel with 18 mm plywood.







112143	90,700	**Panel MX 120 x 120** 1.440 m². Panel with 18 mm plywood.







112152	67,700	**Panel MX 120 x 90** 1.080 m². Panel with 18 mm plywood.





112221	51,200	**Panel MX 120 x 60** 0.720 m². Panel with 18 mm plywood.







MAXIMO MX 15 Panel Formwork

PERI


Item no.	Weight kg	
112232	37,100	**Panel MX 120 x 45** 0.540 m². Panel with 18 mm plywood.







112239	27,400	**Panel MX 120 x 30** 0.360 m². Panel with 18 mm plywood.







112850	53,400	**Multi Panel MXM 120 x 60** 0.720 m². Panel with 18 mm plywood. For oblique angles, wall connections etc.	**Complete with** 11 pc. 124895 PVC Plug MXM 15 Ø 18.3





115299	48,800	**Inside Corner MXI 120 x 50/20** 0.840 m². Panel with 18 mm plywood. For 90° internal corners.	**Complete with** 4 pc. 124895 PVC Plug MXM 15 Ø 18.3







Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX

MAXIMO MX 15 Panel Formwork

PERI

Item no.	Weight kg	
112689	80,500	**Inside Corner MXI 120 x 60** 1.440 m². Panel with 18 mm plywood. For 90° internal corners.






117915	139,000	**Shaft Corner MXSE 120** Panel for forming 90° inside corners along with striking and moving complete internal shaft formwork units.


Technical Data
Permissible load-bearing point capacity 2.0 t.







112830	76,100	**Outside Corner MXA 120 x 45** 1.080 m². Panel with 18 mm plywood. For 90° external corners.





112761	67,200	**Outside Corner MXA 120 x 35** 0.840 m². Panel with 18 mm plywood. For 90° external corners.







MAXIMO MX 15 Panel Formwork

PERI


Item no.	Weight kg	
113246	31,200	**Articulated Corner MXGI 120** 0.720 m². Made of aluminium, for oblique angles from 75° upwards, internal.





111850	19,000	**Articulated Corner MXGA 120** 0.360 m². Made of aluminium, for oblique angles from 75° upwards, external.






		Wall Thickness Compensations MX 120	**B**
114212	6,420	**Wall Thickness Comp. MX 120 x 4**	40
114191	6,980	**Wall Thickness Comp. MX 120 x 5**	50
114181	7,480	**Wall Thickness Comp. MX 120 x 6**	60
114142	4,510	**Wall Thickness Comp. MX 120 x 10, Alu**	100


For adjusting to wall thicknesses.





101823	3,590	**Filler Profile TPP 120, Alu** For compensation with 21 mm filler plates.






Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX

MAXIMO MX 15 Panel Formwork

PERI


Item no.	Weight kg		
		Stopend Panels TRIO AT	**Note**
023067	7,780	**Stopend Panel TRIO AT 120 x 3**	Concrete cover approx. 30 mm.
105978	8,580	**Stopend Panel TRIO AT 120 x 5**	
		External piece for stopend formwork.	






		Stopend Panels TRIO MT	**B**
023068	11,800	**Stopend Panel TRIO MT 120 x 20**	118
023069	13,500	**Stopend Panel TRIO MT 120 x 24/25**	158
023071	16,300	**Stopend Panel TRIO MT 120 x 30**	218
023072	18,500	**Stopend Panel TRIO MT 120 x 35/36**	268
		Centre piece without waterstop bar installation for stopend formwork.	







		Stopend Panels TRIO MTF	**B**
023081	12,800	**Stopend Panel TRIO MTF 120 x 20**	118
023080	14,700	**Stopend Panel TRIO MTF 120 x 24/25**	158
023078	16,800	**Stopend Panel TRIO MTF 120 x 30**	218
023079	18,600	**Stopend Panel TRIO MTF 120 x 35/36**	268
		Centre piece with waterstop bar installation for stopend formwork.	





112115	121,000	**Panel MX 90 x 240** 2.160 m². Panel with 18 mm plywood.







MAXIMO MX 15 Panel Formwork


PERI


Item no.	Weight kg	
112252	48,900	**Panel MX 90 x 90** 0.810 m². Panel with 18 mm plywood.







112259	36,600	**Panel MX 90 x 60** 0.540 m². Panel with 18 mm plywood.






112265	31,200	**Panel MX 90 x 45** 0.405 m². Panel with 18 mm plywood.





112271	22,000	**Panel MX 90 x 30** 0.270 m². Panel with 18 mm plywood.







Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX

MAXIMO MX 15 Panel Formwork


PERI


Item no.	Weight kg		
115307	36,800	**Inside Corner MXI 90 x 50/20** 0.630 m². Panel with 18 mm plywood. For 90° internal corners.	**Complete with** 4 pc. 124895 PVC Plug MXM 15 Ø 18.3







112715	68,100	**Inside Corner MXI 90 x 60** 1.080 m². Panel with 18 mm plywood. For 90° internal corners.	






126923	59,600	**Outside Corner MXA 90 x 45** 0.808 m². Panel with 18 mm plywood. For 90° external corners.	





126917	52,400	**Outside Corner MXA 90 x 35** 0.630 m². Panel with 18 mm plywood. For 90° external corners.	







MAXIMO MX 15 Panel Formwork

PERI


Item no.	Weight kg		
112126	88,100	**Panel MX 60 x 240** 1.440 m². Panel with 18 mm plywood.	






112280	28,400	**Panel MX 60 x 60** 0.360 m². Panel with 18 mm plywood.	






112286	21,900	**Panel MX 60 x 45** 0.270 m². Panel with 18 mm plywood.	






112292	16,200	**Panel MX 60 x 30** 0.180 m². Panel with 18 mm plywood.	





115315	29,600	**Inside Corner MXI 60 x 50/20** 0.420 m². Panel with 18 mm plywood. For 90° internal corners.	**Complete with** 4 pc. 124895 PVC Plug MXM 15 Ø 18.3







MAXIMO MX 15 Panel Formwork

PERI


Item no.	Weight kg	
112726	45,400	**Inside Corner MXI 60 x 60** 0.720 m². Panel with 18 mm plywood. For 90° internal corners.






112837	42,800	**Outside Corner MXA 60 x 45** 0.540 m². Panel with 18 mm plywood. For 90° external corners.







112778	37,400	**Outside Corner MXA 60 x 35** 0.420 m². Panel with 18 mm plywood. For 90° external corners.






112133	52,800	**Panel MX 30 x 240** 0.720 m². Panel with 18 mm plywood.






113847	4,030	**MX 15 Tie 15 – 25** For wall thicknesses 15 – 25 cm.

Note
Spray with release agent before every use to ensure easier striking.
Technical Data
Permissible tension force 90 kN.







MAXIMO MX 15 Panel Formwork

PERI

Item no.	Weight kg	
112387	4,170	**MX 15 Tie 20 – 30** For wall thicknesses 20 – 30 cm.


Note
Spray with release agent before every use to ensure easier striking.
Technical Data
Permissible tension force 90 kN.






112464	4,430	**MX 15 Tie 30 – 40** For wall thicknesses 30 – 40 cm.

Note
Spray with release agent before every use to ensure easier striking.
Technical Data
Permissible tension force 90 kN.







112386	2,580	**MX 15 Wingnut** Counter nut for Tie MX.


Technical Data
Permissible tension force 90 kN.





116841	1,450	**MX 15 Tie Spanner** For easy release of the MX Tie.







Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX

MAXIMO MX 15 Panel Formwork

PERI


Item no.	Weight kg	
796061	3,940	**Scaffold Builders Ratchet**






124895	0,002	**PVC Plug MXM 15 Ø 18.3** For MAXIMO Multi Panel MXM, Internal Corners 50/20 and standard panels for single faced use.






114300	0,002	**PVC Plug MX 15 Ø 17.5 – 22** For closing MX tie holes in the concrete.






123901	4,880	**Tie MX 18, 15 – 25** For wall thicknesses 15 – 25 cm.


Note
Spray with release agent before every use to ensure easier striking.
Technical Data
Permissible tension force 130 kN.






123902	5,080	**Tie MX 18, 20 – 30** For wall thicknesses 20 – 30 cm.

Note
Spray with release agent before every use to ensure easier striking.
Technical Data
Permissible tension force 130 kN.







MAXIMO MX 15 Panel Formwork

PERI

Item no.	Weight kg	
123903	5,490	**Tie MX 18, 30 – 40** For wall thicknesses 30 – 40 cm.


Note
Spray with release agent before every use to ensure easier striking.
Technical Data
Permissible tension force 130 kN.






123904	5,900	**Tie MX 18, 40 – 50** For wall thicknesses 40 – 50 cm.


Note
Spray with release agent before every use to ensure easier striking.
Technical Data
Permissible tension force 130 kN.






123905	6,310	**Tie MX 18, 50 – 60** For wall thicknesses 50 – 60 cm.

Note
Spray with release agent before every use to ensure easier striking.
Technical Data
Permissible tension force 130 kN.






123900	3,570	**Wingnut MX 18** Counter nut for Tie MX 18.

Technical Data
Permissible tension force 130 kN.







Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX

MAXIMO MX 15 Panel Formwork


PERI


Item no.	Weight kg	
108719	3,640	**Tie Rod Spanner TRH SW 22** For Anchor TRH.






796061	3,940	**Scaffold Builders Ratchet**






125099	0,005	**Plug MXM 18, Ø 26** For MAXIMO Multi Panels MXM 18, Internal Corners MXI 18 50/20 and standard elements for single faced use.







125300	0,003	**Plug MX 18, Ø 24 – 28** For closing MX 18 tie holes in the concrete.





023500	4,580	**Alignment Coupler BFD, galv.** For all panel connections for MAXIMO, TRIO and RUNDFLEX. Fillers up to 10 cm.	**Technical Data** Permissible tension force 20.0 kN.







MAXIMO MX 15 Panel Formwork


PERI


Item no.	Weight kg		
124941	14,100	**Waler MAR 85-3** For longitudinal compensation, height extensions, stopend formwork and special applications with MAXIMO. With captive connecting components.	**Technical Data** Permissible bending moment 3.9 kNm.







124942	23,400	**Waler MAR 170-3** For longitudinal compensation, height extensions, stopend formwork and special applications with MAXIMO. With captive connecting components.	**Technical Data** Permissible bending moment 3.9 kNm.






023551	8,520	**Waler 85** Corresponds to Compensation Waler TAR 85 but without mounting hooks.	**Technical Data** Permissible bending moment 4.4 kNm.






023820	0,375	**Hook Tie Head DW 15, galv.** For connecting accessories to MAXIMO and TRIO panels. DW 15 thread.	**Technical Data** Permissible tension force 20.0 kN.







023650	0,769	**Hook Tie DW 15, l = 400 mm, galv.** For connecting accessories to MAXIMO and TRIO panels. DW 15 thread.	**Technical Data** Permissible tension force 20.0 kN.





023640	1,140	**Bulkhead Tie TS, galv.** For force application from the stopend formwork in MAXIMO and TRIO panels. DW 15 thread.	**Technical Data** Permissible tension force 20.0 kN.







Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX

MAXIMO MX 15 Panel Formwork


PERI


Item no.	Weight kg	
115640	5,980	**Bulkhead Tie MX DW 20** For forming wall offsets with MAXIMO in connection with the Multi Panel MXM.





023660	3,300	**Brace Connector TRIO, galv.** For connecting push-pull props and kicker braces to MAXIMO and TRIO Panels. Mounted on vertical and horizontal struts. **Complete with** 1 pc. 027170 Pin Ø 16 x 42, galv. 1 pc. 018060 Cotter Pin 4/1, galv.






		Tension and Compression Braces MX
115350	6,330	**Tension and Compression Brace MX 15 – 40**
123842	9,090	**Tension and Compression Brace MX 15 – 100**


For use with foundation formwork up to 1.20 m high and as replacement for the top anchor of the MAXIMO 330.

Complete with
1 pc. 115331 Bolt Ø 12 x 96, galv.
1 pc. 018060 Cotter Pin 4/1, galv.


Note
Adjustable in 0.5-cm-increments from 15 to 40 cm and in 0.5-cm-increments from 15 to 100 cm.


Technical Data
Permissible tension and compressive force 9 kN.





112588	5,520	**Stripping Bar TRIO**







MAXIMO MX 15 Panel Formwork


PERI


Item no.	Weight kg	
101633	9,790	**Adjusting Bracket MX** For erecting PERI Panel Formwork up to h = 4.50 m. **Note** Follow Instructions for Use! Height Adjustment ± 5 cm.





026230	1,010	**Anchor Sleeve M24** To anchor platform systems. **Note** Separate design information on request.






Accessories

026240	0,026	**Cone PP Ø 31/26, c = 25**
026250	0,005	**Plug Ø 26 mm**
116233	0,116	**Cone FRC Ø 32/52, c = 40**
026420	0,123	**Anchor Positioning Stud M24, galv.**
116234	0,033	**Plug FRC Ø 32 mm**
115150	0,200	**Anchor Positioning Stud M24 x 65, galv.**

Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX


Item no.	Weight kg	
026240	0,026	**Cone PP Ø 31/26, c = 25** Resulting in a concrete cover of 25 mm in combination with Anchor Sleeve M24. Made of polypropylene.







026250	0,005	**Plug Ø 26 mm** For closing Cone PP Ø 31 for Anchor Sleeve M24. Made of polypropylene.






029560	0,535	**Bolt ISO 4014 M24 x 120-10.9** High-strength bolts for anchoring climbing systems.





026420	0,123	**Anchor Positioning Stud M24, galv.** For fixing the M24 anchor system if the plywood formlining is not drilled through.	**Note** Allen Key SW 14.






Accessories

027212	0,445 **Allen Key SW 14, long**
710312	0,005 **Nail 3 x 80**

Item no.	Weight kg		
023630	2,080	**Top Tie Bracket-2 AH, galv.** For grid-independent anchoring outside of the panel, especially for foundations and height extensions.	**Technical Data** Permissible anchor tension force: Hole 1 = 30 kN Hole 2 = 15 kN





117321	31,000	**Lifting Gear Combi MX** For transporting stacks of MAXIMO and TRIO Panels. For attaching Lifting Hook MAXIMO 1.5 t and Stacking Device MAXIMO.	**Note** Follow Instructions for Use!



117322	25,000	**Lifting Gear MX** For transporting stacks of MAXIMO and TRIO Panels.	**Note** Follow Instructions for Use!





MAXIMO MX 15 Panel Formwork

PERI

Item no.	Weight kg	
115168	7,480	**Lifting Hook MAXIMO 1.5 t** For transporting MAXIMO and TRIO Panels.


Note
Follow Instructions for Use!
Technical Data
Permissible load-bearing capacity:
Steel elements 1.5 t
Alu elements 750 kg







115058	7,450	**Stacking Device MAXIMO** For stacking and transportation of 2 – 5 MAXIMO or TRIO Panels of all sizes. Suitable for crane and fork-lift transport.


Note
Follow Instructions for Use!
Technical Data
Permissible load-bearing capacity 650 kg per post, 2.6 t per stack.







113019	0,068	**Stacking Device MX** For easy stacking of MAXIMO panels.





023440	0,312	**Lifting Pin TRIO** For easy carrying of TRIO Panels.







MAXIMO MX 15 Panel Formwork

PERI

Item no.	Weight kg	
023670	12,800	**Scaffold Brackets TRG**
023680	17,000	**Scaffold Bracket TRG 80** **Scaffold Bracket TRG 120** For assembly of a working and concreting scaffold with MAXIMO and TRIO. Mounted on horizontal and vertical struts.

Technical Data
Permissible load 150 kg/m²
with maximum width of influence 1.35 m.







Item no.	Weight kg	
124640	2,250	**MAXIMO Frame Holder**

Versatile Frame Holder with which panels can be secured e.g. to an existing wall with T-junction or fixed and anchored to the base slab/concrete slab.

Note

For application, observe PI sheet 491!







Accessories (not inclusive)


124777	0,210	**Anchor bolt 14/20x130**

Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX

Item no.	Weight kg		
201592	2,810	**Handrail Post Holder TRIO GB** For assembling of a guardrail to TRIO panels.	**Complete with** 1 pc. 018060 Cotter Pin 4/1, galv.








Accessories


116292	4,730	**Guardrail Post HSGP-2**


116292	4,730	**Guardrail Post HSGP-2** As guardrail for different systems.







118103	0,700	**Stacking Device L MXA**







118105	0,699	**Stacking Device R MXA**







Item no.	Weight kg	
118110	0,614	**Stacking Device L MXI**







118112	0,613	**Stacking Device R MXI**





118100	0,652	**Stacking Device MX Flat for Shaft Corner MXSE**







MAXIMO MX 15 Panel Formwork

PERI

Item no.	Weight kg	
027680	49,600	**Connector SB-1, 2 - MX/TR/D** For assembly of Brace Frame SB-1, 2 to MAXIMO, TRIO and DOMINO panels.

Technical Data
Permissible load-bearing point capacity 1.0 t with crane sling angle ≤ 15°.







Accessories

027690	0,368	**Bolt SB-TRIO/DOMINO, galv.**
027590	2,400	**Hook Strap for SB-1, 2, galv.**
113255	0,414	**Bolt SB-MAXIMO, galv.**
114107	1,190	**Sleeve SB-MAXIMO, galv.**
114417	1,400	**Sleeve SB-MAXIMO WDMX**

025740	9,140	**Connector SB-A, B, C - MX/TR/D** For connecting MAXIMO, TRIO and DOMINO panels with Brace Frames SB-A0, A, B, C.

Note
1 piece per anchor point.







Accessories

027690	0,368	**Bolt SB-TRIO/DOMINO, galv.**
113255	0,414	**Bolt SB-MAXIMO, galv.**
114107	1,190	**Sleeve SB-MAXIMO, galv.**
114417	1,400	**Sleeve SB-MAXIMO WDMX**

113255	0,414	**Bolt SB-MAXIMO, galv.** For connecting MAXIMO panels with Brace Frame SB.





Accessories


114107	1,190	**Sleeve SB-MAXIMO, galv.**
114417	1,400	**Sleeve SB-MAXIMO WDMX**


MAXIMO MX 15 Panel Formwork

PERI

Item no.	Weight kg	
114107	1,190	**Sleeve SB-MAXIMO, galv.** For connecting MAXIMO panels with Brace Frame SB.

Note
For use with Sealing Sleeve MX Ø 16 item-no. 112342 and Nut Sealing Sleeve MX Ø 16 item-no. 112338.







Accessories

113255	0,414	**Bolt SB-MAXIMO, galv.**
114417	1,400	**Sleeve SB-MAXIMO WDMX**

114417	1,400	**Sleeve SB-MAXIMO WDMX** For connecting MAXIMO panels to Brace Frames SB.

Note
For use with Sealing Sleeve MX 15 Art.-No. 123603 and Sealing Sleeve MX 18 Art.-No. 123604.





Accessories


113255	0,414	**Bolt SB-MAXIMO, galv.**

		Stoppers MX 15
126991	0,066	**Stopper MX 15 - 75 MF-S**
126988	0,077	**Stopper MX 15 - 75 MF-L**

For closing MX Tie Holes in the concrete.

Note
For use with pressing water (waterproof concrete). Test report available!






127064	0,050	**Stopper MX 15 – 50 MF-LS** For closing MX Tie Holes in the concrete.

Note
For use with non-pressing water.






127065	0,046	**Stopper MX 15 – 50 OF-LS** For closing MX Tie Holes in the concrete if the flange should not be visible.


Note
For use with non-pressing water.






Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX

Item no.	Weight kg	
126999	0,037	**Stud Spanner MX 15-2** Packaging units contain Stoppers MX 15.






112937	0,174	**Sealing Cone MX 15 – 55** For use with MAXIMO. Use with Anchor MX.

Note
For use with waterproofed concrete or architectural concrete.






Accessories


126696	1,220	**Magnet Cone Spanner MX 15 / MX 18**
031643	0,241	**DK Concrete Cone UNI 58/52** For closing anchor points with DK Sealing Cone DW 15/55, DW 20/55, DW 26/55 and SK Anchor Cone DW 15.


Note
Delivery unit 50 pieces.






126696	1,220	**Magnet Cone Spanner MX 15 / MX 18** For dismantling of Magnet Cone MX 15 and MX 18.






114592	0,021	**Spacer MX 15 – 10 mm**





Item no.	Weight kg	
125299	0,013	**Cone MX DR 22/2** For the use of DW 15 Tie Rods. Fitts for Spacer Tubes DR 22.






031636	0,063	**DK Cone DW 15/55** For waterproof, fire-resistant and soundproof anchor points with Tie Rod DW 15. Used with Spacer Tube rough 22.


Note
Delivery unit 50 pieces.






031637	0,055	**DK Cone DW 20/55** For waterproof, fire-resistant and soundproof anchor points with Tie Rod DW 20. Use with Spacer Tube rough 28.


Note
Delivery unit 50 pieces.





123603	0,016	**Sealing MX 15**







MAXIMO MX 15 Panel Formwork

Item no.	Weight kg
125337	1,390

Extraction Tool MX Sealing
For remove of the Sealing MX 15 and MX 18.





Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX


TRIO Panel Formwork


054304	Panel TR/4 330 x 240	50
054314	Panel TR/4 330 x 120	50
054324	Panel TR/4 330 x 90	50
054334	Panel TR/4 330 x 72	51
054354	Panel TR/4 330 x 60	51
054364	Panel TR/4 330 x 30	51
054344	Multi Panel TRM/4 330 x 72	52
054374	Inside Corner TE/4 330	52
054414	Articulated Corner TGE/4 330	52
054391	Wall Thickness Comp. WDA/4 330 x 5	53
054401	Wall Thickness Comp. WDA/4 330 x 6	53
054435	Wall Thickness Comp. WDA/4 330 x 10 Alu	53
105525	Shaft Element TSE 330	53
023050	Stopend Panel TR/4 330 x 24	53
054384	Filler Plate LA/4 330 x 36	54
054430	Filler Support TPA 330	54
101829	Filler Profile TPP 330 Alu	54
022514	Panel TR 120 x 240	55
022600	Panel TR 120 x 120	55
022610	Panel TR 120 x 90	55
022620	Panel TR 120 X 72	55
022640	Panel TR 120 x 60	56
022650	Panel TR 120 x 30	56
022630	Panel TR 120 x 72	56
022660	Panel TR 120-2	56
023300	Articulated Corner TGE 120	57
103284	Internal Corner TEI 120/135°	57
103330	Outside Corner TEA 120/135°	57
023282	Wall Thickness Comp. WDA-2 120 x 5	57
023292	Wall Thickness Comp. WDA-2 120 x 6	57
023990	Wall Thickness Comp. WDA 120 x 10 Alu	57
023270	Filler Plate LA 120 x 36	58
105524	Shaft Element TSE 120	58
023030	Stopend Panel TR 120 x 24	58
023450	Filler Support TPA 120	58
101823	Filler Profile TPP 120 Alu	58
023067	Stopend Panel TRIO AT 120 x 3	59
105978	Stopend Panel TRIO AT 120 x 5	59
023068	Stopend Panel TRIO MT 120 x 20	59
023069	Stopend Panel TRIO MT 120 x 24/25	59
023071	Stopend Panel TRIO MT 120 x 30	59
023072	Stopend Panel TRIO MT 120 x 35/36	59
023081	Stopend Panel TRIO MTF 120 x 20	59
023080	Stopend Panel TRIO MTF 120 x 24/25	59
023078	Stopend Panel TRIO MTF 120 x 30	59
023079	Stopend Panel TRIO MTF 120 x 35/36	59
022790	Panel TR 60 x 90	59
022800	Panel TR 60 x 72	60
022810	Panel TR 60 x 60	60
022820	Panel TR 60 x 30	60
022840	Inside Corner TE 60-2	60
023500	Alignment Coupler BFD, galv.	61
023550	Compensation Waler TAR 85	61
023551	Waler 85	61
128387	Projection Waler TVR 45/45-2	61
023920	Universal Waler 245	61
023930	Waler Stop	62
023640	Bulkhead Tie TS, galv.	62
023660	Brace Connector TRIO, galv.	62
023820	Hook Tie Head DW 15, galv.	62
023650	Hook Tie DW 15, l = 400 mm, galv.	62
030300	Plug Ø 20/24 mm	63
112588	Stripping Bar TRIO	63
054240	Chamfer Strip, l = 2.70 m	63
023630	Top Tie Bracket-2 AH, galv.	63
117321	Lifting Gear Combi MX	63
117322	Lifting Gear MX	64
115168	Lifting Hook MAXIMO 1.5 t	64
115058	Stacking Device MAXIMO	64
023440	Lifting Pin TRIO	64
750303	Stacking Aid TRIO DW 20	65
124554	Stacking Device TRIO Corner	65
128313	Stacking Device TRIO LI	65
128494	Stacking Device TRIO RE	65
023670	Scaffold Bracket TRG 80	66
023680	Scaffold Bracket TRG 120	66
101592	Guardrail Post Holder TRIO	66
201592	Handrail Post Holder TRIO GB	66
116292	Guardrail Post HSGP-2	67
027680	Connector SB-1, 2 - MX/TR/D	67
025740	Connector SB-A, B, C - MX/TR/D	67
027690	Bolt SB-TRIO/DOMINO galv.	68
023010	Foundation Tie Clamp TRIO TLS	68
023020	Perforated Foundation Tie, 25 m	68
023800	Foundation Strap TRIO	68

Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX


TRIO Panel Formwork


Item no.	Weight kg	
054304	398,000	**Panel TR/4 330 x 240** Steel panel with 18 mm plywood.







054314	195,000	**Panel TR/4 330 x 120** Steel panel with 18 mm plywood.






054324	140,000	**Panel TR/4 330 x 90** Steel panel with 18 mm plywood.







TRIO Panel Formwork


Item no.	Weight kg	
054334	119,000	**Panel TR/4 330 x 72** Steel panel with 18 mm plywood.







054354	107,000	**Panel TR/4 330 x 60** Steel panel with 18 mm plywood.






054364	74,200	**Panel TR/4 330 x 30** Steel panel with 18 mm plywood.







TRIO Panel Formwork


Item no.	Weight kg		
054344	133,000	**Multi Panel TRM/4 330 x 72** Steel panel with 18 mm plywood. For oblique angles, wall connections etc.	**Complete with** 88 pc. 030300 Plug Ø 20/24 mm







054374	85,800	**Inside Corner TE/4 330** Steel panel with 18 mm plywood. For 90° internal corners.	





054414	119,000	**Articulated Corner TGE/4 330** Steel panel with steel formlining. For oblique angles from 75° upwards, used externally and internally.	







TRIO Panel Formwork


Item no.	Weight kg		B
		Wall Thickness Comp. WDA/4 330	
054391	20,100	**Wall Thickness Comp. WDA/4 330 x 5**	50
054401	21,400	**Wall Thickness Comp. WDA/4 330 x 6**	60
054435	12,400	**Wall Thickness Comp. WDA/4 330 x 10, Alu**	100
		For adjusting to wall thicknesses.	






105525	142,000	**Shaft Element TSE 330** Panel for moving complete shaft internal formwork.	**Complete with** 7 pc. 105400 Pin Ø 20 x 140, galv. 7 pc. 018060 Cotter Pin 4/1, galv. **Technical Data** Permissible load-bearing point capacity 2.0 t.





023050	62,300	**Stopend Panel TR/4 330 x 24** Steel panel with 18 mm plywood.	






Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX


TRIO Panel Formwork

Item no.	Weight kg	
054384	62,200	**Filler Plate LA/4 330 x 36** For continuous compensations from 6 to 36 cm.






054430	6,400	**Filler Support TPA 330** For compensations with 21 mm filler plates.





101829	9,820	**Filler Profile TPP 330, Alu** For compensation with 21 mm filler plates.




TRIO Panel Formwork


Item no.	Weight kg	
022514	163,000	**Panel TR 120 x 240** Steel panel with 18 mm plywood.







022600	76,100	**Panel TR 120 x 120** Steel panel with 18 mm plywood.







022610	58,200	**Panel TR 120 x 90** Steel panel with 18 mm plywood.





022620	48,600	**Panel TR 120 x 72** Steel panel with 18 mm plywood.







Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX

TRIO Panel Formwork


Item no.	Weight kg	
022640	43,400	**Panel TR 120 x 60** Steel panel with 18 mm plywood.







022650	28,400	**Panel TR 120 x 30** Steel panel with 18 mm plywood.







022630	56,300	**Multi Panel TRM 120 x 72** Steel panel with 18 mm plywood. For oblique angles, wall connections etc.	**Complete with** 44 pc. 030300 Plug Ø 20/24 mm






022660	33,100	**Inside Corner TE 120-2** Steel panel with 18 mm plywood. For 90° internal corners.






TRIO Panel Formwork


Item no.	Weight kg	
023300	43,600	**Articulated Corner TGE 120** Steel panel with steel formlining. For oblique angles from 75° upwards, used externally and internally.






103284	26,400	**Internal Corner TEI 120/135°** Steel panel with 18 mm plywood. For 135° internal corners.






103330	35,900	**Outside Corner TEA 120/135°** Steel panel with 18 mm plywood. For 135° external corners.





		Wall Thickness Comp. WDA 120	**B**
023282	7,610	**Wall Thickness Comp. WDA-2 120 x 5**	50
023292	8,090	**Wall Thickness Comp. WDA-2 120 x 6**	60
023990	4,680	**Wall Thickness Comp. WDA 120 x 10, Alu**	100
		For adjusting to wall thicknesses.	







Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX


TRIO Panel Formwork


Item no.	Weight kg	
023270	24,500	**Filler Plate LA 120 x 36** For continuous compensations from 6 to 36 cm.






105524	72,600	**Shaft Element TSE 120** Panel for moving complete shaft internal formwork. **Complete with** 5 pc. 105400 Pin Ø 20 x 140, galv. 5 pc. 018060 Cotter Pin 4/1, galv. **Technical Data** Permissible load-bearing point capacity 2.0 t.






023030	23,100	**Stopend Panel TR 120 x 24** Steel panel with 18 mm plywood.






023450	2,060	**Filler Support TPA 120** For compensations with 21 mm filler plates.




101823	3,590	**Filler Profile TPP 120, Alu** For compensation with 21 mm filler plates.



TRIO Panel Formwork


Item no.	Weight kg		
		Stopend Panels TRIO AT	**Note**
023067	7,780	**Stopend Panel TRIO AT 120 x 3**	Concrete cover approx. 30 mm.
105978	8,580	**Stopend Panel TRIO AT 120 x 5**	
		External piece for stopend formwork.	






		Stopend Panels TRIO MT w/o waterstop bar	**B**
023068	11,800	**Stopend Panel TRIO MT 120 x 20**	118
023069	13,500	**Stopend Panel TRIO MT 120 x 24/25**	158
023071	16,300	**Stopend Panel TRIO MT 120 x 30**	218
023072	18,500	**Stopend Panel TRIO MT 120 x 35/36**	268
		Centre piece without waterstop bar installation for stopend formwork.	







		Stopend Panels TRIO MTF w. waterstop bar	**B**
023081	12,800	**Stopend Panel TRIO MTF 120 x 20**	118
023080	14,700	**Stopend Panel TRIO MTF 120 x 24/25**	158
023078	16,800	**Stopend Panel TRIO MTF 120 x 30**	218
023079	18,600	**Stopend Panel TRIO MTF 120 x 35/36**	268
		Centre piece with waterstop bar installation for stopend formwork.	





022790	34,500	**Panel TR 60 x 90** Steel panel with 18 mm plywood.






Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX

TRIO Panel Formwork


Item no.	Weight kg	
022800	28,900	**Panel TR 60 x 72** Steel panel with 18 mm plywood.






022810	25,700	**Panel TR 60 x 60** Steel panel with 18 mm plywood.






022820	15,600	**Panel TR 60 x 30** Steel panel with 18 mm plywood.






022840	18,000	**Inside Corner TE 60-2** Steel panel with 18 mm plywood. For 90° internal corners.







TRIO Panel Formwork


Item no.	Weight kg		
023500	4,580	**Alignment Coupler BFD, galv.** For all panel connections for MAXIMO, TRIO and RUNDFLEX. Fillers up to 10 cm.	**Technical Data** Permissible tension force 20.0 kN.







023550	12,300	**Compensation Waler TAR 85** For longitudinal compensation, height extensions, stopend formwork and special applications with TRIO and MAXIMO. With captive connecting components.	**Technical Data** Permissible bending moment 4.4 kNm.







023551	8,520	**Waler 85** Corresponds to Compensation Waler TAR 85 but without mounting hooks.	**Technical Data** Permissible bending moment 4.4 kNm.







128387	8,900	**Projection Waler TVR 45/45-2** For connecting on internal corners without using TE Corners, particularly for wall offsets.






023920	78,400	**Universal Waler 245** For anchoring obliques angles especially with thick walls and for special applications.	**Complete with** 6 pc. 024180 Compensation Washer 20, galv. 3 pc. 104178 Spacer Unit HFT 3 pc. 024910 Bolt ISO 4014 M20 x 100-8.8, galv. 3 pc. 781053 Nut ISO 7042 M20-8, galv.






TRIO Panel Formwork

Item no.	Weight kg	
023930	4,100	**Waler Stop** For use with the Universal Waler 245.







Accessories

024240	0,805	**Wedge KZ, galv.**
022030	2,170	**Tie Yoke, galv.**

023640	1,140	**Bulkhead Tie TS, galv.** For force application from the stopend formwork in MAXIMO and TRIO panels. DW 15 thread.


Technical Data
Permissible tension force 20.0 kN.






023660	3,300	**Brace Connector TRIO, galv.** For connecting push-pull props and kicker braces to MAXIMO and TRIO Panels. Mounted on vertical and horizontal struts.

Complete with
1 pc. 027170 Pin Ø 16 x 42, galv.
1 pc. 018060 Cotter Pin 4/1, galv.






023820	0,375	**Hook Tie Head DW 15, galv.** For connecting accessories to MAXIMO and TRIO panels. DW 15 thread.

Technical Data
Permissible tension force 20.0 kN.






023650	0,769	**Hook Tie DW 15, l = 400 mm, galv.** For connecting accessories to MAXIMO and TRIO panels. DW 15 thread.

Technical Data
Permissible tension force 20.0 kN.






TRIO Panel Formwork


Item no.	Weight kg	
030300	0,002	**Plug Ø 20/24 mm** For sealing unused tie holes Ø 20, Ø 22, Ø 24 mm.


Note
Delivery unit 250 pieces.







112588	5,520	**Stripping Bar TRIO**





054240	1,900	**Chamfer Strip, l = 2.70 m** Chamfer strip made of plastic. For TRIO Column Formwork. Edge length 15 x 15 mm.






023630	2,080	**Top Tie Bracket-2 AH, galv.** For grid-independent anchoring outside of the panel, especially for foundations and height extensions.


Technical Data
Permissible anchor tension force:
Hole 1 = 30 kN
Hole 2 = 15 kN






117321	31,000	**Lifting Gear Combi MX** For transporting stacks of MAXIMO and TRIO Panels. For attaching Lifting Hook MAXIMO 1.5 t and Stacking Device MAXIMO.

Note
Follow Instructions for Use!




TRIO Panel Formwork

Item no.	Weight kg		
117322	25,000	**Lifting Gear MX** For transporting stacks of MAXIMO and TRIO Panels.	**Note** Follow Instructions for Use!





115168	7,480	**Lifting Hook MAXIMO 1.5 t** For transporting MAXIMO and TRIO Panels.	**Note** Follow Instructions for Use! **Technical Data** Permissible load-bearing capacity: Steel elements 1.5 t Alu elements 750 kg







115058	7,450	**Stacking Device MAXIMO** For stacking and transportation of 2 – 5 MAXIMO or TRIO Panels of all sizes. Suitable for crane and fork-lift transport.	**Note** Follow Instructions for Use! **Technical Data** Permissible load-bearing capacity 650 kg per post, 2.6 t per stack.





023440	0,312	**Lifting Pin TRIO** For easy carrying of TRIO Panels.






TRIO Panel Formwork


Item no.	Weight kg	
750303	0,014	**Stacking Aid TRIO DW 20** Prevents elements sliding and protects the plywood formlining against damage.






124554	0,386	**Stacking Device TRIO Corner**







128313	0,395	**Stacking Device TRIO LI**





128494	0,395	**Stacking Device TRIO RE**







TRIO Panel Formwork

Item no.	Weight kg	
		Scaffold Brackets TRG
023670	12,800	**Scaffold Bracket TRG 80**
023680	17,000	**Scaffold Bracket TRG 120**

For assembly of a working and concreting scaffold with MAXIMO and TRIO. Mounted on horizontal and vertical struts.

Technical Data
Permissible load 150 kg/m²
with maximum width of influence 1.35 m.






101592	2,810	**Guardrail Post Holder TRIO**

For assembling of a guardrail to TRIO panels.

Complete with
1 pc. 018060 Cotter Pin 4/1, galv.






Accessories


116292	4,730	**Guardrail Post HSGP-2**

201592	2,810	**Handrail Post Holder TRIO GB**

For assembling of a guardrail to TRIO panels.

Complete with
1 pc. 018060 Cotter Pin 4/1, galv.






TRIO Panel Formwork

Item no.	Weight kg	
116292	4,730	**Guardrail Post HSGP-2**

As guardrail for different systems.







027680	49,600	**Connector SB-1, 2 - MX/TR/D**

For assembly of Brace Frame SB-1, 2 to MAXIMO, TRIO and DOMINO panels.

Technical Data
Permissible load-bearing point capacity 1.0 t with crane sling angle ≤ 15°.






Accessories


027690	0,368	**Bolt SB-TRIO/DOMINO, galv.**
027590	2,400	**Hook Strap for SB-1, 2, galv.**
113255	0,414	**Bolt SB-MAXIMO, galv.**
114107	1,190	**Sleeve SB-MAXIMO, galv.**
114417	1,400	**Sleeve SB-MAXIMO WDMX**

025740	9,140	**Connector SB-A, B, C - MX/TR/D**

For connecting MAXIMO, TRIO and DOMINO panels with Brace Frames SB-A0, A, B, C.

Note
1 piece per anchor point.







Accessories

027690	0,368	**Bolt SB-TRIO/DOMINO, galv.**
113255	0,414	**Bolt SB-MAXIMO, galv.**
114107	1,190	**Sleeve SB-MAXIMO, galv.**
114417	1,400	**Sleeve SB-MAXIMO WDMX**

TRIO Panel Formwork

Item no.	Weight kg	
027690	0,368	**Bolt SB-TRIO/DOMINO, galv.** For panel formwork with 12 cm overall thickness.







Accessories

114107	1,190	**Sleeve SB-MAXIMO, galv.**
114417	1,400	**Sleeve SB-MAXIMO WDMX**


023010	2,330	**Foundation Tie Clamp TRIO TLS** For anchoring foundation formwork in combination with the Perforated Foundation Tie.







023020	0,676	**Perforated Foundation Tie, 25 m** For use with Foundation Tie Clamp TRIO, DOMINO and HANDSET.	**Technical Data** Permissible tension force 12.9 kN.





023800	4,840	**Foundation Strap TRIO** For connecting TRIO panels with 6 cm wide edge profiles, assembled in a "windmill" configuration.





TRIO Panel Formwork


Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX


DOMINO Panel Formwork

066020 Panel D 250 x 100 72
066022 Panel D 250 x 75 72
066025 Panel D 250 x 50 72
125501 Panel D 250 x 35 73
066026 Panel D 250 x 25 73
066021 Panel DA 250 x 100 73
066023 Panel DA 250 x 75 74
066024 Multi Panel DM 250 x 75 74
066032 Multi Panel Alu DMA 250 x 75 74
126242 Inside Steel Corner DISE 250 74
066029 Articulated Corner DGE 250 75
066030 Wall Thickness Comp. DWD 250 x 5 75
101986 Wall Thickness Comp. DWD 250 x 10 75
066028 Outside Corner Angle DAW 250 75
066033 Filler Support DPA 250 76
101927 Stopend Panel DOMINO AT 250 x 3 76
108855 Stopend Panel DOMINO AT 250 x 5 76
101928 Stopend Panel DOMINO MTF 250 x 20 76
101929 Stopend Panel DOMINO MTF 250 x 24/25 76
101930 Stopend Panel DOMINO MTF 250 x 30 76
101931 Stopend Panel DOMINO MTF 250 x 35/36 76
066040 Panel D 125 x 100 77
066041 Panel D 125 x 75 77
066043 Panel D 125 x 50 77
125494 Panel D 125 x 35 77
066044 Panel D 125 x 25 78
066050 Panel DA 125 x 100 78
066051 Panel DA 125 x 75 78
066042 Multi Panel DM 125 x 75 78
066052 Multi Panel DMA 125 x 75 78
126280 Inside Steel Corner DISE 125 79
066047 Articulated Corner DGE 125 79
066048 Wall Thickness Comp. DWD 125 x 5 79
101964 Wall Thickness Comp. DWD 125 x 10 79
066046 Outside Corner Angle DAW 125 79
066053 Filler Support DPA 125 79
101934 Stopend Panel DOMINO AT 125 x 3 80
108856 Stopend Panel DOMINO AT 125 x 5 80
101935 Stopend Panel DOMINO MTF 125 x 20 80
101936 Stopend Panel DOMINO MTF 125 x 24/25 80
101937 Stopend Panel DOMINO MTF 125 x 30 80
101940 Stopend Panel DOMINO MTF 125 x 35/36 80
066064 Panel D 75 x 25 80
125486 Panel D 75 x 35 80
066063 Panel D 75 x 50 80
066061 Panel D 75 x 75 81
066060 Panel D 75 x 100 81
066062 Multi Panel DM 75 x 75 81
126274 Inside Steel Corner DISE 75 81
066067 Articulated Corner DGE 75 81
066068 Wall Thickness Compensation DWD 75 x 5 82
066066 Outside Corner Angle DAW 75 82
066080 Alignment Coupler DRS 82
066084 Compensation Waler DAR 80 82
110406 Stopend Tie-2 DSA 83
127010 Push-Pull Spreader DOMINO 15 – 100 83
030290 Plug Ø 20 mm 83
066088 DOMINO Chamfer Strip DSD 250 83
066086 Top Tie Bracket DAH 84
066100 Positioning DEA 90 84
066095 Positioning DGE 135 internal 84
066097 Positioning DGE 135 external 84
066085 Scaffold Bracket DG 85 85
106877 Guardrail Post Holder DOMINO 85
116292 Guardrail Post HSGP-2 85
066091 Lifting Hook DOMINO 500 kg 85
066094 Stacking Device DOMINO DSR, galv. 86
066093 Stacking Aid DOMINO DSH 86
066099 Stacking Aid DOMINO DSW 86
027680 Connector SB-1, 2 - MX/TR/D 87
025740 Connector SB-A, B, C - MX/TR/D 87
027690 Bolt SB-TRIO/DOMINO, galv. 87
066090 Foundation Tie Clamp DOMINO DLS 88
023020 Perforated Foundation Tie, 25 m 88

Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX


Item no.	Weight kg	
066020	87,600	**Panel D 250 x 100** Steel panel with 15 mm plywood.







066022	71,500	**Panel D 250 x 75** Steel panel with 15 mm plywood.







066025	54,400	**Panel D 250 x 50** Steel panel with 15 mm plywood.






Item no.	Weight kg	
125501	44,100	**Panel D 250 x 35** Steel panel with 15 mm plywood.







066026	37,700	**Panel D 250 x 25** Steel panel with 15 mm plywood.





066021	59,400	**Panel DA 250 x 100** Alu panel with 15 mm plywood.






DOMINO Panel Formwork

PERI

Item no.	Weight kg	
066023	47,500	**Panel DA 250 x 75** Alu panel with 15 mm plywood.







066024	76,500	**Multi Panels DM/DMA 250** **Multi Panel DM 250 x 75**
066032	50,200	**Multi Panel Alu DMA 250 x 75** Steel/alu panel with 15 mm plywood. For oblique angles, wall connections etc.


Complete with
46 pc. 030290 Plug Ø 20 mm





126242	67,200	**Inside Steel Corner DISE 250** For 90° internal corners.







DOMINO Panel Formwork

PERI


Item no.	Weight kg	
066029	40,600	**Articulated Corner DGE 250** Alu panel with aluminium formlining. For oblique angles from 75°, can be used internally and externally.


Complete with
2 pc. 066100 Positioning DEA 90°






066030	7,820	**Wall Thickness Comp. DWD 250**
066030	7,820	**Wall Thickness Comp. DWD 250 x 5**
101986	11,600	**Wall Thickness Comp. DWD 250 x 10** For adjusting to wall thicknesses.





066028	10,500	**Outside Corner Angle DAW 250** For panel connections at 90° external corners.






Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX

DOMINO Panel Formwork

PERI

Item no.	Weight kg	
066033	4,150	**Filler Support DPA 250** For compensation with 21 mm filler plates.




		Stopend Panels DOMINO AT
101927	16,200	**Stopend Panel DOMINO AT 250 x 3**
108855	17,900	**Stopend Panel DOMINO AT 250 x 5**

External unit for stopend formwork.

Note
Concrete cover approx. 30 or 50 mm.






		Stopend Panels DOMINO MTF 250	**B**
101928	27,100	**Stopend Panel DOMINO MTF 250 x 20**	118
101929	31,200	**Stopend Panel DOMINO MTF 250 x 24/25**	158
101930	36,000	**Stopend Panel DOMINO MTF 250 x 30**	218
101931	39,700	**Stopend Panel DOMINO MTF 250 x 35/36**	268

Center section with waterstop bar installation for stopend formwork.







DOMINO Panel Formwork


PERI


Item no.	Weight kg	
066040	47,300	**Panel D 125 x 100** Steel panel with 15 mm plywood.






066041	38,700	**Panel D 125 x 75** Steel panel with 15 mm plywood.






066043	28,600	**Panel D 125 x 50** Steel panel with 15 mm plywood.





125494	22,400	**Panel D 125 x 35** Steel panel with 15 mm plywood.






Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX

DOMINO Panel Formwork


PERI


Item no.	Weight kg	
066044	18,600	**Panel D 125 x 25** Steel panel with 15 mm plywood.







066050	31,000	**Panel DA 125 x 100** Alu panel with 15 mm plywood.





066051	24,800	**Panel DA 125 x 75** Alu panel with 15 mm plywood.







066042	43,700	**Multi Panels DM/DMA 125**
066042	43,700	**Multi Panel DM 125 x 75**
066052	27,300	**Multi Panel DMA 125 x 75**

Steel/alu panel with 15 mm plywood. For oblique angles, wall connections etc.

Complete with
46 pc. 030290 Plug Ø 20 mm







DOMINO Panel Formwork

PERI


Item no.	Weight kg	
126280	34,200	**Inside Steel Corner DISE 125** For 90° internal corners.






066047	21,300	**Articulated Corner DGE 125** Alu panel with aluminium formlining. For oblique angles from 75°, can be used internally and externally.

Complete with
1 pc. 066100 Positioning DEA 90°






		Wall Thickness Comp. DWD 125
066048	4,030	**Wall Thickness Comp. DWD 125 x 5**
101964	5,940	**Wall Thickness Comp. DWD 125 x 10**


For adjusting to wall thicknesses.






066046	5,490	**Outside Corner Angle DAW 125** For panel connections at 90° external corners.





066053	2,070	**Filler Support DPA 125** For compensation with 21mm filler plates.




DOMINO Panel Formwork

PERI


Item no.	Weight kg		
		Stopend Panels DOMINO AT 125	**Note**
101934	8,140	**Stopend Panel DOMINO AT 125 x 3**	Concrete cover approx. 30 or 50 mm.
108856	8,980	**Stopend Panel DOMINO AT 125 x 5**	
		External piece for stopend formwork.	






		Stopend Panels DOMINO MTF 125	**B**
101935	14,600	**Stopend Panel DOMINO MTF 125 x 20**	118
101936	15,200	**Stopend Panel DOMINO MTF 125 x 24/25**	158
101937	17,500	**Stopend Panel DOMINO MTF 125 x 30**	218
101940	19,300	**Stopend Panel DOMINO MTF 125 x 35/36**	268
		With waterstop bar installation support for stopend formwork.	






066064 | 12,100 | **Panel D 75 x 25**
Steel panel with 15 mm plywood.






125486 | 14,500 | **Panel D 75 x 35**
Steel panel with 15 mm plywood.





066063 | 19,300 | **Panel D 75 x 50**
Steel panel with 15 mm plywood.







DOMINO Panel Formwork


PERI


Item no.	Weight kg		
066061	26,500	**Panel D 75 x 75**	
		Steel panel with 15 mm plywood.	







066060	32,400	**Panel D 75 x 100**	
		Steel panel with 15 mm plywood.	






066062	31,600	**Multi Panel DM 75 x 75**	**Complete with**
		Steel panel with 15 mm plywood. For oblique angles, wall connections, stopends etc.	46 pc. 030290 Plug Ø 20 mm






126274	21,000	**Inside Steel Corner DISE 75**	
		For 90° internal corners.	






066067	14,200	**Articulated Corner DGE 75**	**Complete with**
		Alu panel with aluminium formlining. For oblique angles from 75°, can be used internally and externally.	1 pc. 066100 Positioning DEA 90°






Item no.	Weight kg	
066068	2,520	**Wall Thickness Compensation DWD 75 x 5** For adjusting to wall thicknesses.







066066	3,500	**Outside Corner Angle DAW 75** For panel connections at 90° external corners.







066080	3,940	**Alignment Coupler DRS** For all panel connections for DOMINO. Fillers up to 12 cm.







066084	8,510	**Compensation Waler DAR 80** For longitudinal compensation, height extensions, stopend formwork and special applications with DOMINO. With captive connecting components.







Item no.	Weight kg	
110406	2,100	**Stopend Tie-2 DSA** For force application from the stopend formwork into DOMINO panels. DW 15 thread.






127010	8,710	**Push-Pull Spreader DOMINO 15 – 100**






030290	0,002	**Plug Ø 20 mm** For closing Ø 20 mm tie holes which are not required.	**Note** Delivery unit 500 pieces.





066088	2,030	**DOMINO Chamfer Strip DSD 250** For DOMINO Column Formwork and outside corners.






DOMINO Panel Formwork


PERI


Item no.	Weight kg		
066086	1,110	**Top Tie Bracket DAH** For grid-independent anchoring outside of the panel, especially for foundations.	**Technical Data** Permissible anchor tensile force: Hole 1 = 20 kN Hole 2 = 10 kN







066100	1,470	**Positioning DEA 90°** For 90° internal corners.	







066095	1,060	**Positioning DGE 135° internal** For 135° internal corners.	**Complete with** 2 pc. 710224 Bolt ISO 4017 M12 x 40-8.8, galv.





066097	1,560	**Positioning DGE 135° external** For 135° external corners.	**Complete with** 2 pc. 710224 Bolt ISO 4017 M12 x 40-8.8, galv.







DOMINO Panel Formwork

PERI

Item no.	Weight kg		
066085	6,970	**Scaffold Bracket DG 85** For assembly of a working and concreting scaffold with DOMINO.	**Technical Data** Permissible load 150 kg/m² with maximum width of influence 2.00 m.







Accessories

116292	4,730	**Guardrail Post HSGP-2**

106877	2,730	**Guardrail Post Holder DOMINO** For assembling a guardrail to DOMINO panels.	**Complete with** 1 pc. 018060 Cotter Pin 4/1, galv.






Accessories

116292	4,730	**Guardrail Post HSGP-2**


116292	4,730	**Guardrail Post HSGP-2** As guardrail for different systems.	





066091	6,330	**Lifting Hook DOMINO 500 kg** For transporting DOMINO panels.	**Note** Follow Instructions for Use! **Technical Data** Permissible load-bearing capacity 500 kg.






Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX

DOMINO Panel Formwork

PERI


Item no.	Weight kg	
066094	8,040	**Stacking Device DOMINO DSR, galv.** For stacking and transportation of 2-8 DOMINO panels of all sizes. Suitable for crane and fork-lift transport. 4 pieces per stack. **Note** Follow Instructions for Use! **Technical Data** Permissible load-bearing capacity 250 kg per piece, 1 t per stack.






066093	0,020	**Stacking Aid DOMINO DSH** Plastic. Prevents the panel from sliding sideways.





066099	0,030	**Stacking Aid DOMINO DSW** For stacking DOMINO panels. 4 panels per stack.







DOMINO Panel Formwork

PERI

Item no.	Weight kg	
027680	49,600	**Connector SB-1, 2 - MX/TR/D** For assembly of Brace Frame SB-1, 2 to MAXIMO, TRIO and DOMINO panels. **Technical Data** Permissible load-bearing point capacity 1.0 t with crane sling angle ≤ 15°.







Accessories

027690	0,368	**Bolt SB-TRIO/DOMINO, galv.**
027590	2,400	**Hook Strap for SB-1, 2, galv.**
113255	0,414	**Bolt SB-MAXIMO, galv.**
114107	1,190	**Sleeve SB-MAXIMO, galv.**
114417	1,400	**Sleeve SB-MAXIMO WDMX**

025740	9,140	**Connector SB-A, B, C - MX/TR/D** For connecting MAXIMO, TRIO and DOMINO panels with Brace Frames SB-A0, A, B, C. **Note** 1 piece per anchor point.







Accessories

027690	0,368	**Bolt SB-TRIO/DOMINO, galv.**
113255	0,414	**Bolt SB-MAXIMO, galv.**
114107	1,190	**Sleeve SB-MAXIMO, galv.**
114417	1,400	**Sleeve SB-MAXIMO WDMX**

027690	0,368	**Bolt SB-TRIO/DOMINO, galv.** For panel formwork with 12 cm overall thickness.





Accessories


114107	1,190	**Sleeve SB-MAXIMO, galv.**
114417	1,400	**Sleeve SB-MAXIMO WDMX**

DOMINO Panel Formwork

PERI


Item no.	Weight kg	
066090	2,480	**Foundation Tie Clamp DOMINO DLS** For anchoring foundation formwork in combination with the Perforated Foundation Tie.





023020	0,676	**Perforated Foundation Tie, 25 m** For use with Foundation Tie Clamp TRIO, DOMINO and HANDSET. **Technical Data** Permissible tension force 12.9 kN.






PERI
Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX


128280	Panel DP 135 x 90	92
128282	Panel DP 135 x 60	92
128284	Panel DP 135 x 30	92
128285	Panel DP 135 x 15	92
191003	Panel DP 135 x 60-6	92
128281	Multi panel DMP 135 x 75	92
128283	Multi panel DMP 135 x 45	93
128286	Corner post DC 135 x 10	93
128287	Wall thickness compensator DWC 135 x 5	93
128288	Wall thickness compensator DWC 135 x 6	93
128289	Wall thickness compensator DWC 135 x 7	93
128290	Wall thickness compensator DWC 135 x 8	93
128291	Wall thickness compensator DWC 135 x 9	93
128292	Wall thickness compensator DWC 135 x 10	93
128245	Filler support 18 DFS 135	94
128246	Filler support 15 DFS 135	94
129979	Filler support 12 DFS 135	94
129837	Panel DP 60 x 90	94
129839	Panel DP 60 x 60	94
129841	Panel DP 60 x 30	94
129842	Panel DP 60 x 15	94
129838	Multi panel DMP 60 x 75	94
129840	Multi panel DMP 60 x 45	95
129864	Corner post DC 60 x 10	95
129879	Wall thickness compensator DWC 60 x 5	95
129880	Wall thickness compensator DWC 60 x 6	95
129881	Wall thickness compensator DWC 60 x 7	95
129882	Wall thickness compensator DWC 60 x 8	95
129883	Wall thickness compensator DWC 60 x 9	95
129884	Wall thickness compensator DWC 60 x 10	95
129889	Filler support 18 DFS 60	95
129890	Filler support 15 DFS 60	95
129980	Filler support 12 DFS 60	95
131205	DUO accessories bag	96
128247	DUO couplers	96
131240	DUO steel waler coupler	96
129550	DUO special panel insert 60-6	96
128255	DUO compensation waler 62	96
128293	DUO tube holders	97
131245	DUO timber connector	97
128256	DUO coupling ties	97
128254	DUO grip DW 15	97
201073	Cam Nut DW15	98
030110	Wingnut counterplate DW 15, 120 x 120 x 15	98
030370	Wingnut pivot plate DW 15 galv.	98
128274	DUO plugs Ø 20 mm	98
128294	DUO brace connectors	99
128257	DUO scaffold bracket 70	99
131242	DUO front post holders	99
117325	PP post	99
128295	DUO corner connectors	100
12826	DUO corner ties	100
128260	DUO chamfer strip, L = 1.35 m	100
129557	DUO chamfer strip, L = 0.60 m	100
128298	DFH prophead	100
129862	Backpropping head DBH	101
129855	Filler panel DFP 15 x 90	101
129856	Filler panel DFP 15 x 75	101
129857	Filler panel DFP 15 x 60	101
129858	Filler panel DFP 15 x 45	101
129859	Filler panel DFP 15 x 15	101
129860	Filler panel DFP 15 x 10	101
129861	Filler panel DFP 15 x 5	101
128263	DUO 82 wall holders	101
128299	DUO shuttering aids	101
132440	DUO stripping levers	102
128264	DUO slab guardrail holder	102
061260	Guardrail post SGP	102
065066	End guardrail 55	103
128296	DUO Crane Eyes	103
128275	DUO stacking aid	103
018050	Bolt Ø 16 x 65/86 galv.	103
018060	Cotter pin 4/1 galv.	104
129809	Extension support DES 12	104
129810	Extension support DES 15	104
129811	Extension support DES 18	104
129976	DUO frame holders	104
128278	DUO cleaning device	104
128302	DUO Stacking Devices	105
128276	DUO wheel for stacking device	105
133526	PP welding wire D 4	105
132104	DUO repair plug	105
128708	DUO repair kit (for Europe)	106
133906	DUO repair kit (for USA)	106
131139	DUO prop adapter	106
131182	LIWA Adapter DUO	106
131241	DOMINO DUO adapters	107
131239	DUO foundation tie clamp	107
023020	Perforated foundation tie, 25 m roll	107
131061	DUO carrier rack end	107
133266	DUO carrier rack middle	107
131225	DUO SB hook straps	108
126299	Plastic Stopend Angle	108
128228	Formlining DP 135 x 90	108
128230	Formlining DP 135 x 60	108
128232	Formlining DP 135 x 30	108
128233	Formlining DP 135 x 15	108
128229	Multi-purpose formlining DMP 135 x 75	108
128231	Multi-purpose formlining DMP 135 x 45	109
129843	Formlining DP 60 x 90	109
129845	Formlining DP 60 x 60	109
129847	Formlining DP 60 x 30	109
129848	Formlining DP 60 x 15	109
129844	Multi-purpose formlining	109
129846	Multi-purpose formlining DMP 60 x 45	109
117466	Push-pull prop RS 210 galv.	110
118238	Push-pull prop RS 260 galv.	110
117467	Push-pull prop RS 300 galv.	110
117468	Push-pull prop RS 450 galv.	110
126666	Base Plate -3 for RS 210 – 1400	111
113397	Spindle handle RSS / AV	111
057087	Kicker brace AV 82	111
057088	Kicker brace AV 111	111
201150	Propping Brace AV 110	112
028110	Kicker brace AV 140	112
124777	PERI anchor bolt 14/20 x 130	112

Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX


Art. no.	Weight kg		L
		Panel DP 135	
128280	24.900	**Panel DP 135 x 90**	900
128282	17.100	**Panel DP 135 x 60**	600
128284	9.370	**Panel DP 135 x 30**	300
128285	5.270	**Panel DP 135 x 15**	150


Panel with 5 mm formlining.






191003	17.100	**Panel DP 135 x 60-6**







128281	22.900	**Multi panel DMP 135 x 75**	**Complete with**
		Panel with 5 mm formlining.For columns, stopend formwork etc.	26 pcs. DUO 128274 plugs Ø 20 mm





Art. no.	Weight kg		
128283	14.200	**Multi panel DMP 135 x 45**	**Complete with**
		Panel with 5 mm formlining.For columns, stopend formwork etc.	14 pcs. DUO 128274 plugs Ø 20 mm






128286	5.110	**Corner post DC 135 x 10**

For 90° internal and external corners.






Art. no.	Weight kg		L	X
		Wall thickness compensator DWC 135		
128287	2.850	**Wall thickness compensator DWC 135 x 5**	50	127
128288	3.120	**Wall thickness compensator DWC 135 x 6**	60	137
128289	3.390	**Wall thickness compensator DWC 135 x 7**	70	147
128290	3.640	**Wall thickness compensator DWC 135 x 8**	80	157
128291	3.900	**Wall thickness compensator DWC 135 x 9**	90	167
128292	4.150	**Wall thickness compensator DWC 135 x 10**	100	177


For adapting to different wall thicknesses.






Art. no.	Weight kg		B
		Filler support DFS 135	
128245	1.390	**Filler support 18 DFS 135**	18
128246	1.510	**Filler support 15 DFS 135**	15
129979	1.430	**Filler support 12 DFS 135**	12


For wall thickness compensation from 9 cm to 25 cm with 12 mm, 15 mm or 18 mm filler plate.



		Panel DP 60	**L**
129837	11.900	**Panel DP 60 x 90**	900
129839	8.160	**Panel DP 60 x 60**	600
129841	4.500	**Panel DP 60 x 30**	300
129842	2.430	**Panel DP 60 x 15**	150

Panel with 5 mm formlining.






Art. no.	Weight kg		
129838	10.800	**Multi panel DMP 60 x 75**	**Complete with**

Panel with 5 mm formlining.For columns, stopend formwork etc.

13 pcs. DUO 128274 plugs Ø 20 mm






Art. no.	Weight kg		
129840	6.690	**Multi panel DMP 60 x 45**	**Complete with**

Panel with 5 mm formlining.For columns, stopend formwork etc.

7 pcs. DUO 128274 plugs Ø 20 mm






Art. no.	Weight kg		
129864	2.300	**Corner post DC 60 x 10**	

For 90° internal and external corners.






		Wall thickness compensator DWC 60	**L**	**X**
129879	1.310	**Wall thickness compensator DWC 60 x 5**	50	127
129880	1.430	**Wall thickness compensator DWC 60 x 6**	60	137
129881	1.560	**Wall thickness compensator DWC 60 x 7**	70	147
129882	1.680	**Wall thickness compensator DWC 60 x 8**	80	157
129883	1.800	**Wall thickness compensator DWC 60 x 9**	90	167
129884	1.920	**Wall thickness compensator DWC 60 x 10**	100	177

For adapting to different wall thicknesses.






		Filler support DFS 60	**B**
129889	0.641	**Filler support 18 DFS 60**	18
129890	0.694	**Filler support 15 DFS 60**	15
129980	0.658	**Filler support 12 DFS 60**	12

For wall thickness compensation from 9 cm to 25 cm with 12 mm, 15 mm or 18 mm filler plate.







DUO

PERI


Art. no.	Weight kg	
131205	0.984	**DUO accessories bag** Accessories bag for efficient, uncluttered storage on the construction site. Suitable for all small accessory parts such as couplers, corner connectors etc. Lightweight and robust.







128247	0.160	**DUO couplers** For connecting panels, corner posts and wall thickness compensators.







131240	0.553	**DUO steel waler coupler**






129550	0.012	**DUO special panel insert 60-6**





128255	2.380	**DUO compensation waler 62** For length compensation, height extensions and stopend formwork for DUO applications. Max. compensation width 25 cm.





Accessories


128293	0.502	**DUO tube holders**
128256	0.071	**DUO coupling ties**

DUO


PERI


Art. no.	Weight kg	
128293	0.502	**DUO tube holders** For securing DUO 62 compensation walers and scaffold tubes with Ø 48 mm.






131245	0.866	**DUO timber connector** For securing 40 x 90 mm square timbers (nominal, 1-1/2 x 3-1/2 inch) and 50 x 50 mm metal profiles.





128256	0.071	**DUO coupling ties** For fastening wooden wall thickness compensators up to 5 cm and DUO 62 compensation walers in the case of stopend formwork.






Accessories

128254	0.076	**DUO grip DW 15**
030110	0.799	**Wingnut counterplate DW 15, galv.**

128254	0.076	**DUO grip DW 15** Accessories for the DUO coupling tie.





Accessories


128256	0.071	**DUO coupling ties**

DUO

PERI


Art. no.	Weight kg		
201073	0.318	**Cam nut DW 15** For anchoring with tie rod DW 15 and B 15.	**Technical data** Permissible load 90 kN.







030110	0.799	**Wingnut counterplate DW 15, 120 x 120 x 15** For anchoring with tie rod DW 15 and B 15.	**Technical data** Permissible load 90 kN.






030370	1.660	**Wingnut pivot plate DW 15, galv.** For anchoring with tie rod DW 15 and B 15.With articulated, captive nut. Maximum inclination of anchor: 8°.	**Note** Wrench size SW 27. **Technical data** Permissible load 90 kN.





128274	0.002	**DUO plugs Ø 20 mm** For closing Ø 20 mm tie holes that are not required.	**Note** Delivery unit: 250 pieces.







DUO

PERI


Art. no.	Weight kg		
128294	0.969	**DUO brace connectors** For connecting push-pull props and kicker braces to DUO panels.	**Complete with** 1 pc. 018050 bolt Ø 16 x 65/86, galv. 1 pc. 018060 cotter pin 4/1, galv.





128257	3.540	**DUO scaffold bracket 70** For assembly of working and concreting scaffolds for DUO.	**Technical data** Permissible load 150 kg/m² with maximum width of influence 1.80 m.







Accessories

117325	4.270	**PP post**

131242	0.755	**DUO front post holders** For fitting guardrails onto DUO panels.	**Complete with** 1 pc. 018060 cotter pin 4/1, galv.






Accessories

117325	4.270	**PP post**
128294	0.969	**DUO brace connectors**
018050	0.171	**Bolt Ø 16 x 65/86, galv.**

117325	4.270	**PP post** For fastening the side mesh barrier.	**Technical data** Maximum post spacing with side mesh barrier: PMB 260 max. 2.40 m.







DUO

PERI

Art. no.	Weight kg	
128295	1.040	**DUO corner connectors** For corner connections in case of columns and wall offsets.






Accessories

128265	0.871	**DUO corner ties**
030110	0.799	**Wingnut counterplate DW 15, galv.**

128265	0.871	**DUO corner ties**

Complete with
1 pc. 127167 tie rod DW 15, L = 400 cm
1 pc. 030130 cam nut DW 15, galv.






Accessories


128295	1.040	**DUO corner connectors**
030110	0.799	**Wingnut counterplate DW 15, galv.**


128260	0.642	**DUO chamfer strip, L = 1.35 m** For DUO columns.15 x 15 mm edge length.






129557	0.284	**DUO chamfer strip, L = 0.60 m** For DUO columns.15 x 15 mm edge length.





128298	0.909	**DFH prophead** With clip closure.Supports DUO panels when forming slabs.







DUO

PERI


Art. no.	Weight kg	
129862	1.580	**Backpropping head DBH** With clip closure. When working with filler panels, slab props can be set up to backprop slab props.






Art. no.	Weight kg	**Filler panel DFP**	**L**
129855	2.930	**Filler panel DFP 15 x 90**	90
129856	2.470	**Filler panel DFP 15 x 75**	75
129857	1.940	**Filler panel DFP 15 x 60**	60
129858	1.470	**Filler panel DFP 15 x 45**	45
129859	0.638	**Filler panel DFP 15 x 15**	15
129860	0.544	**Filler panel DFP 15 x 10**	10
129861	0.402	**Filler panel DFP 15 x 5**	5


For use as extension panels for vertical formwork situations or as filler panels for backpropping slab formwork.






128263	2.950	**DUO 82 wall holders** For horizontal anchoring on the wall. Fit onto every third panel.







128299	2.400	**DUO shuttering aids** For forming DUO slabs.


Technical data
Adjustable in 7.5 cm increments.






Art. no.	Weight kg	
132440	1.160	**DUO stripping levers** For simple striking of DUO panels.





128264	0.457	**DUO slab guardrail holder** For assembling guardrails for DUO applications.






Accessories


061260	6.150	**Guardrail post SGP**


061260	6.150	**Guardrail post SGP** As a guardrail for various systems.





Art. no.	Weight kg	
065066	14.800	**End guardrail 55** End guardrail for clamping to all PERI scaffold platforms and climbing systems.






128296	0.948	**DUO Crane Eyes** For transporting DUO elements.


Note
Observe Instructions for Use!
Technical data
Permissible load-bearing capacity 200 kg.







128275	0.011	**DUO stacking aid** Prevents the panels from slipping and protects formlining against damage.





018050	0.171	**Bolt Ø 16 x 65/86, galv.** For diverse connections.





Accessories

018060	0.014	**Cotter pin 4/1, galv.**

Art. no.	Weight kg	
018060	0.014	**Cotter pin 4/1, galv.**






		Extension supports DES	**L**	**X**
129809	0.387	**Extension support DES 12**	87	6
129810	0.378	**Extension support DES 15**	84	3
129811	0.369	**Extension support DES 18**	81	0

For extensions with filler plates.






129976	0.567	**DUO frame holders**

For fastening panels onto the base and for anchoring at any position outside of the frame, particularly in the case of foundations and extensions.






128278	0.372	**DUO cleaning device**

For cleaning panels and for tightening wingnut counterplates.






Art. no.	Weight kg	
128302	3.710	**DUO Stacking Devices**

For damage-free transportation. For stacking and transporting 3 - 10 DUO panels.


Technical data
Permissible load-bearing capacity: 75 kg per post, 300 kg per stack






128276	1.240	**DUO wheel for stacking device**

For horizontal transportation on the construction site.For moving loaded stacking devices.






133526	3.500	**PP welding wire D 4**

For repairing scratches on the DUO formlining.

132104	0.006	**DUO repair plug**

For repairing the DUO formlining.





DUO


PERI

Art. no.	Weight kg	
		DUO repair kits
128708	9.500	**DUO repair kit (for Europe)**
133906	8.500	**DUO repair kit (for USA)**

For fast and simple repair of DUO formlining.


Note
Complete with
1 pc. hot-air gun
1 pc. 133526 PP welding wire Ø 4 mm
16 pcs. 132104 repair plug Ø 50 mm
1 pc. scraper
1 pc. drill Ø 50 mm
1 set of repair instructions


Article 133906 DUO repair kit (for USA) without hot-air gun




131139 | 0.725 | **DUO prop adapter**
For fitting DFH and DBH heads onto end plates with dimensions > 120 x 120 mm to 150 x 150 mm and the UJB 38-50/30 screw jack foot.


Note
Permissible load: 12.2 kN








131182 | 0.241 | **LIWA Adapter DUO**
For connecting LIWA articulated corners.







DUO

PERI


131241 | 0.395 | **DOMINO DUO adapters**
For connecting DOMINO articulated corners.





131239 | 0.124 | **DUO foundation tie clamp**
Accessories for the DUO brace connector.For anchoring foundation formwork in combination with the perforated foundation tie.






Accessories

128294 | 0.969 | **DUO brace connectors**


023020 | 0.676 | **Perforated foundation tie, 25 m roll**
For use with the TRIO, DOMINO, LIWA and HANDSET foundation tie clamp.


Technical data
Permissible tension force 12.9 kN.






131061 | 0.788 | **DUO carrier rack end**
Adapter for girders with 80 mm belt width.For shuttering around girders with a carrier rack and DUO panels.







133266 | 0.540 | **DUO carrier rack middle**
Adapter for girders with 80 mm belt width.For shuttering around girders with a carrier rack and DUO panels.







Art. no.	Weight kg	
131225	2.080	**DUO SB hook straps** For fastening SB brace frames to DUO 62 compensation walers.







126299	0.466	**Plastic Stopend Angle**	**Note** See data sheet.







		Formlining DP 135	**L**
128228	7.070	**Formlining DP 135 x 90**	900
128230	4.870	**Formlining DP 135 x 60**	600
128232	2.460	**Formlining DP 135 x 30**	300
128233	1.250	**Formlining DP 135 x 15**	150
		5 mm replacement panel.	






128229	6.040	**Multi-purpose formlining DMP 135 x 75** 5 mm replacement panel.






Art. no.	Weight kg	
128231	3.580	**Multi-purpose formlining DMP 135 x 45** 5 mm replacement panel.






		Formlining DP 60	**L**
129843	3.300	**Formlining DP 60 x 90**	900
129845	2.180	**Formlining DP 60 x 60**	600
129847	1.090	**Formlining DP 60 x 30**	300
129848	0.562	**Formlining DP 60 x 15**	150
		5 mm replacement panel.	






129844	2.700	**Multi-purpose formlining DMP 60 x 75** 5 mm replacement panel.






129846	1.600	**Multi-purpose formlining DMP 60 x 45** 5 mm replacement panel.







Art. no.	Weight kg		
117466	10.600	**Push-pull prop RS 210, galv.** Extension length L = 1.30 - 2.10 m. For aligning PERI formwork systems and prefabricated concrete elements.	**Note** See PERI Design Tables for permissible load.






118238	12.100	**Push-pull prop RS 260, galv.** Extension length L = 2.30 - 2.60 m. For aligning PERI formwork systems and prefabricated concrete elements.	**Note** See PERI Design Tables for permissible load.







117467	15.500	**Push-pull prop RS 300, galv.** Extension length L = 1.90 - 3.00 m. For aligning PERI formwork systems and prefabricated concrete elements.	**Note** See PERI Design Tables for permissible load.







117468	23.000	**Push-pull prop RS 450, galv.** Extension length L = 2.80 - 4.50 m. For aligning PERI formwork systems and prefabricated concrete elements.	**Note** See PERI Design Tables for permissible load.





Art. no.	Weight kg		
126666	3.070	**Base Plate -3 for RS 210 – 1400** For assembling the RS 210, RS 260, RS 300, RS 450, RS 650, RS 1000 and RS 1400 push-pull props.	**Complete with** 2 pc. 105400 bolts Ø 20 x 140, galv. 2 pc. 018060 cotter pin 4/1, galv. 1 pc. 113063 bolt ISO 4014 M12 x 80-8.8, galv. 1 pc. 113064 hex nut ISO7040-M12-8-G, galv.







Accessories

124777	0.210	**PERI anchor bolt 14/20 x 130**


113397	1.600	**Spindle handle RSS / AV** Spindle handle to be screwed onto push-pull props RSS I, RSS II and onto the kicker braces AV 210 and AV RSS III.	**Complete with** 2 pc. 722342 bolt ISO 4017 M8 x 25-8.8, galv. 2 pc. 711071 nut ISO 7040 M8-8, galv.







		Kicker brace AV	
057087	3.510	**Kicker brace AV 82**	
057088	4.200	**Kicker brace AV 111**	
		For aligning PERI formwork systems.	**Complete with** 1 pc. 027170 bolts Ø 16 x 42, galv. 1 pc. 018060 cotter pin 4/1, galv. **Note** See PERI Design Tables for permissible load.


min. L	max. L
500	820
790	1110










Item no.	Weight kg		
201150	7,200	**Propping Brace AV 110** Extension length l = 0.71 – 1.10 m. For aligning PERI formwork systems.	**Complete with** 1 pc. 027170 Pin Ø 16 x 42, galv. 1 pc. 018060 Cotter Pin 4/1, galv. **Note** Permissible load see PERI TIC-21-02.







028110	4.850	**Kicker brace AV 140** Extension length L = 1.08 - 1.40 m. For aligning PERI formwork systems.	**Complete with** 1 pc. 027170 bolts Ø 16 x 42, galv. 1 pc. 018060 cotter pin 4/1, galv. **Note** See PERI Design Tables for permissible load.





124777	0.210	**PERI anchor bolt 14/20 x 130** For temporary attachment to reinforced concrete components.	**Note** Take the PERI Data Sheet into consideration!Hole Ø 14 mm.





VARIO GT 24 Girder Wall Formwork

PERI

011200 Steel Waler U120 SRZ, l = 0.56 m 116
010840 Steel Waler U120 SRZ, l = 1.17 m 116
010820 Steel Waler U120 SRZ, l = 1.78 m 116
010870 Steel Waler U120 SRZ, l = 2.39 m 116
010540 Steel Waler U120 VSRZ, l = 24/1.17/12 116
014220 Steel Waler U120 VSRZ, l = 24/1.78/12 116
010550 Steel Waler U120 VSRZ, l = 24/2.39/12 116
103868 Steel Waler Universal SRU U120, l = 0.72 m 117
103871 Steel Waler Universal SRU U120, l = 0.97 m 117
103874 Steel Waler Universal SRU U120, l = 1.22 m 117
103877 Steel Waler Universal SRU U120, l = 1.47 m 117
103886 Steel Waler Universal SRU U120, l = 1.72 m 117
103889 Steel Waler Universal SRU U120, l = 1.97 m 117
103898 Steel Waler Universal SRU U120, l = 2.22 m 117
103892 Steel Waler Universal SRU U120, l = 2.47 m 117
103929 Steel Waler Universal SRU U120, l = 2.72 m 117
103903 Steel Waler Universal SRU U120, l = 2.97 m 117
103906 Steel Waler Universal SRU U120, l = 3.47 m 117
103915 Steel Waler Universal SRU U120, l = 3.97 m 117
103918 Steel Waler Universal SRU U120, l = 4.47 m 117
103922 Steel Waler Universal SRU U120, l = 4.97 m 117
103925 Steel Waler Universal SRU U120, l = 5.47 m 117
103928 Steel Waler Universal SRU U120, l = 5.97 m 117
103943 Steel Waler Universal SRU U140, l = 4.97 m 118
104027 Extension VARIO 24 U120 118
024070 Hook Strap HB 24-100/120, galv. 119
024600 Girder Claw HB 119
024630 Fix Strap U100 – U120, galv. 119
024640 Quick Str. Hook Strap 24-100/140, galv. 119
104931 Hook Strap Uni HBU 20-24 120
103845 Hook Strap Uni HBU 24-28 120
104096 Hook Strap Uni Double HBUD 24-28 120
024860 Hook Strap HB 24 QB 150, galv. 120
024470 TSS-Torx 6 x 60, galv. 121
024690 TSS-Torx 6 x 80, galv. 121
110272 TSS-Torx 6 x 60, ZKS, galv. 121
024270 Lag Screw DIN 571 8 x 60, galv. 121
024260 Lag Screw DIN 571 8 x 80, galv. 121
013010 Coupling VKZ 99 121
013020 Coupling VKZ 147 121
013030 Coupling VKZ 211 121
013080 Coupling VKZ spec. length 121
101395 Offset Coupling VVKZ 3/99 122
013140 Corner Coupling EKZ 95/43 122
013130 Corner Coupling EKZ 76/76 122
103938 Corner Coupling EKZ 47/43 122
013180 Corner Coupling EKZ spec. length 122
103850 Outside Corner Coupling AKZ 85/85 122
013220 Articulated Coupling GKZ 60/60 123
013210 Articulated Coupling GKZ 76/76 123
013230 Articulated Coupling GKZ spec. length 123
102825 VARIO Coupling Concrete Finish VKS 99 123
103054 Articulated Coupling GKS 60/60 S 123
102945 VARIO Alignment Clamp VRS 123
103737 Universal Coupling UK 70 124
104031 Fitting Pin Ø 21 x 120 124
018060 Cotter Pin 4/1, galv. 124
024210 Tie Yoke SKZ 124
013240 Stopend Tie 125
024240 Wedge KZ, galv. 125
024220 Coupling Compression Plate KDP 125
024250 Wedge K, galv. 125
031200 Chamfer Strip with Flange, l = 2.50 m 125
030260 Formwork Joint 21/20, l = 2.50 m 126
101706 Formwork Joint 21/40, l = 3.00 m 126
027590 Hook Strap for SB-1, 2 126
024480 Extension Splice 24-2 126
070760 Crane Splice GT 24 126
021990 Crane Eye 24, right 127
021980 Crane Eye 24, left 127
111238 Crane Hook 2 t / GT 24 127
201202 GB 80 Bracket MK1 with Pin 127
112159 Handrail Post Holder VARIO 128
116292 Guardrail Post HSGP-2 128
105823 Platform Bracket VARIO VBK 90 129
107738 Ladder 240 — 360 129
111165 Ladder Connector VARIO, adjustable 129


VARIO GT 24 Girder Wall Formwork


PERI

Item no.	Weight kg	Standard VARIO Walers	L
011200	19,800	**Steel Waler U120 SRZ, l = 0.56 m**	560
010840	25,100	**Steel Waler U120 SRZ, l = 1.17 m**	1170
010820	30,400	**Steel Waler U120 SRZ, l = 1.78 m**	1780
010870	38,300	**Steel Waler U120 SRZ, l = 2.39 m**	2390

Steel waler for VARIO GT 24 panels and special applications.

Note
Special lengths and other profile sizes on request.
Technical Data
U120: Wy = 121.4 cm³, Iy = 728 cm⁴.







Item no.	Weight kg	Steel Walers VSRZ
010540	32,200	**Steel Waler U120 VSRZ, l = 24/1.17/12**
014220	58,900	**Steel Waler U120 VSRZ, l = 24/1.78/12**
010550	0,000	**Steel Waler U120 VSRZ, l = 24/2.39/12**

Steel waler for VARIO GT 24 corner panels and special applications.

Note
Special lengths and other profile sizes on request.
Technical Data
Wy = 82.4 cm³, Iy = 412 cm⁴.






VARIO GT 24 Girder Wall Formwork


PERI

Item no.	Weight kg	Steel Walers Universal SRU	L
103868	18,100	**Steel Waler Universal SRU U120, l = 0.72 m**	722
103871	24,200	**Steel Waler Universal SRU U120, l = 0.97 m**	972
103874	30,900	**Steel Waler Universal SRU U120, l = 1.22 m**	1222
103877	38,100	**Steel Waler Universal SRU U120, l = 1.47 m**	1472
103886	44,700	**Steel Waler Universal SRU U120, l = 1.72 m**	1722
103889	52,000	**Steel Waler Universal SRU U120, l = 1.97 m**	1972
103898	58,600	**Steel Waler Universal SRU U120, l = 2.22 m**	2222
103892	65,600	**Steel Waler Universal SRU U120, l = 2.47 m**	2472
103929	72,000	**Steel Waler Universal SRU U120, l = 2.72 m**	2722
103903	81,000	**Steel Waler Universal SRU U120, l = 2.97 m**	2972
103906	92,600	**Steel Waler Universal SRU U120, l = 3.47 m**	3472
103915	106,000	**Steel Waler Universal SRU U120, l = 3.97 m**	3972
103918	119,000	**Steel Waler Universal SRU U120, l = 4.47 m**	4472
103922	135,000	**Steel Waler Universal SRU U120, l = 4.97 m**	4972
103925	146,000	**Steel Waler Universal SRU U120, l = 5.47 m**	5472
103928	159,000	**Steel Waler Universal SRU U120, l = 5.97 m**	5972

Universal steel waler profile U120 used as waling for girder wall formwork and for diverse special applications. With adjustable spacers.

Note
Permissible load: see PERI Design Tables.
Technical Data
U120: Wy = 121.4 cm³, Iy = 728 cm⁴.







VARIO GT 24 Girder Wall Formwork


PERI


Item no.	Weight kg		
103943	157,000	**Steel Waler Universal SRU U140, l = 4.97 m** Universal steel waler profile U140 used as waling for girder wall formwork and for diverse special applications. With adjustable spacers.	**Note** Permissible load: see PERI Design Tables. **Technical Data** U140: Wy = 172.8 cm³, Iy = 1210 cm⁴.





104027	7,610	**Extension VARIO 24 U120** For assembly on Steel Waler SRU.	**Complete with** 4 pc. 710252 Bolt ISO 4017 M16 x 50-8.8, galv. 4 pc. 104024 Nut ISO 7040 M16-8, galv. 4 pc. 710880 Washer DIN 434 18, galv. **Technical Data** U120: Wy = 121.4 cm³, Iy = 728 cm⁴.







VARIO GT 24 Girder Wall Formwork

PERI

Item no.	Weight kg		
024070	0,691	**Hook Strap HB 24-100/120, galv.** For fixing GT 24 Girders to Steel Walers SRZ, SRU and BR: U100 – U120.	






		Accessories Hook Straps HB
071218	0,000	**Screw Change HB, incl. Screws**
126228	0,030	**F.H. Bolt DIN 603 M8 x 70 MU, galv.**
710240	0,050	**F.H. Bolt DIN 603 M8 x 100 MU, galv.**
024090	0,005	**Nut ISO 4032 M8-8, galv.**


024600	0,907	**Girder Claw HB** For mounting the GT 24 Edge Girder on the Steel Waler SRZ and SRU Profile U100 – U120.






024630	0,742	**Fix Strap U100 – U120, galv.** For fixing the GT 24 Girder in the VARIO corner.





024640	0,923	**Quick Str. Hook Strap 24-100/140, galv.** For fixing GT 24 Girders to Steel Waler SRZ, SRU, Profile U100 – U140 outside of the girder nodes.	**Note** Girders fixed in position with the Quick Strap must be specially screwed to the formlining when using crane lifting gear.







Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX

Item no.	Weight kg	
		Hook Straps Uni HBU
104931	0,865	**Hook Strap Uni HBU 20-24**
103845	0,893	**Hook Strap Uni HBU 24-28**

For fixing GT 24 Girders or VT 20 Girders to Steel Walers SRZ, SRU and BR: U100 – U140.

Note
The girders can be mounted at right-angles or diagonally to the steel walers and also outside of the nodes.






Accessories


024540	0,005	**TSS-Torx 6 x 40, galv.**

104096	0,912	**Hook Strap Uni Double HBUD 24-28**

For fixing two GT 24 Girders or VT 20K Girders to SRZ steel walers and SRU Profiles U100 – U140.

Note
The girders can be mounted at right-angles or diagonally to the steel walers and also outside of the nodes.







		Accessories Hook Straps HBU, HBUD
071219	0,000	**Screw Change HBU, HBUD**
104929	0,050	**Bolt ISO 4014 M8 x 150-8.8, galv.**
107185	0,060	**Bolt ISO 4014 M8 x 180-8.8, galv.**
103518	0,060	**Bolt ISO 4014 M8 x 190-8.8, galv.**
103844	0,013	**Sleeve HBU/HBUD, galv.**

024860	0,616	**Hook Strap HB 24 QB 150, galv.**


For fixing GT 24 Girders independant from girder node and timber beams to Steel Walers SRZ, SRU and BR: U100 – U120.






Item no.	Weight kg	
		TSS-Torxs, galv.
024470	0,008	**TSS-Torx 6 x 60, galv.**
024690	0,008	**TSS-Torx 6 x 80, galv.**

For Torx Blade TX 30. Self-drilling.







110272	0,006	**TSS-Torx 6 x 60, ZKS, galv.**


For Torx Blade TX 30. Self-drilling.





		Lag Screws DIN 571, galv.
024270	0,023	**Lag Screw DIN 571 8 x 60, galv.**
024260	0,027	**Lag Screw DIN 571 8 x 80, galv.**






			L
		Couplings VKZ	
013010	9,000	**Coupling VKZ 99**	990
013020	13,300	**Coupling VKZ 147**	1470
013030	19,100	**Coupling VKZ 211**	2110
013080	9,000	**Coupling VKZ spec. length**	


For connection of SRZ and SRU Steel Walers.


Technical Data
Wy = 17.1 cm³, Iy = 68.3 cm⁴.







Item no.	Weight kg	
101395	7,110	**Offset Coupling VVKZ 3/99** For connecting extended and non-extended VARIO panels above the extension.






		Corner Couplings EKZ
013140	11,900	**Corner Coupling EKZ 95/43**
013130	13,300	**Corner Coupling EKZ 76/76**
103938	8,850	**Corner Coupling EKZ 47/43**
013180	9,000	**Corner Coupling EKZ spec. length** For continuously variable tight (tension and compression) connection of SRZ and SRU Steel Walers.






103850	24,700	**Outside Corner Coupling AKZ 85/85** For providing tensile and compression-proof connections of Steel Walers SRZ and SRU on external corners.






Item no.	Weight kg	
		Articulated Couplings GKZ
013220	11,500	**Articulated Coupling GKZ 60/60**
013210	14,400	**Articulated Coupling GKZ 76/76**
013230	9,000	**Articulated Coupling GKZ spec. length** For continuously variable tight (tension and compression) connection of SRZ and SRU Steel Walers with oblique angles more than 48°.





102825	8,610	**VARIO Coupling Concrete Finish VKS 99** For connecting VARIO GT 24 panels. Allows compensation of up to max. 5 mm panel offsets.






Accessories

102945	2,070	**VARIO Alignment Clamp VRS**

103054	11,200	**Articulated Coupling GKS 60/60 S** For connecting VARIO GT 24 panels. Allows compensation of up to max. 5 mm panel offsets.







Accessories

102945	2,070	**VARIO Alignment Clamp VRS**

102945	2,070	**VARIO Alignment Clamp VRS** In connection with Coupling VKS 99 or Articulated Coupling GKS 60/60. For compensating maximum 5 mm element offset.


Complete with
1 pc. 030370 Wingnut Pivot Plate DW 15, galv.






Item no.	Weight kg	
103737	10,800	**Universal Coupling UK 70** For a rigid connection of Steel Walers SRU and for connecting Heavy-Duty Spindles SLS.

Note
Permissible load: see PERI Design Tables.







Accessories

104031	0,462	**Fitting Pin Ø 21 x 120**
018060	0,030	**Cotter Pin 4/1, galv.**

104031	0,462	**Fitting Pin Ø 21 x 120** For different connections.





Accessories

018060	0,030	**Cotter Pin 4/1, galv.**


018060	0,030	**Cotter Pin 4/1, galv.**






024210	2,180	**Tie Yoke SKZ** For tensioning on external corners with Steel Waler SRZ, SRU, U100 – U140 and VARIO couplings.






Item no.	Weight kg	
013240	2,100	**Stopend Tie** For assembling stopend formwork with VARIO GT 24.


Technical Data
Permissible tension force 30.0 kN.






024240	0,805	**Wedge KZ, galv.** For connecting panels with VARIO Couplings or Tie Yoke SKZ.






024220	1,230	**Coupling Compression Plate KDP** For mounting girders to VARIO Couplings in infill areas.







024250	0,331	**Wedge K, galv.** For coupling Compression Plate KDP, Wedge Head Piece SRZ/SRU and Waler Connector SB-A, B, C.







031200	0,470	**Chamfer Strip with Flange, l = 2.50 m** Plastic chamfer strip.







Item no.	Weight kg	
		Formwork Joints
030260	0,500	**Formwork Joint 21/20, l = 2.50 m**
101706	1,230	**Formwork Joint 21/40, l = 3.00 m**
		Plastic profile strip for easier striking of shafts.






027590	2,400	**Hook Strap for SB-1, 2** For fixing Brace Frame SB-1 and SB-2 to Steel Waler SRZ and SRU Profile U100 – U140.







024480	7,040	**Extension Splice 24-2** For extending GT 24 girders and VARIO GT 24 panels up to max. height of 8.00 m. **Complete with** 2 pc. 030190 Three Wingnut DW 15, galv. **Note** Permissible load: see PERI Design Tables.







070760	4,650	**Crane Splice GT 24** For transporting elements by crane with the GT 24 girder. **Complete with** 1 pc. 018050 Pin Ø 16 x 65/86, galv. 1 pc. 018060 Cotter Pin 4/1, galv. **Note** Follow Instructions for Use! **Technical Data** Permissible load-bearing capacity 700 kg with crane sling angle ≤ 15°.







Item no.	Weight kg	
		Crane Eyes 24
021990	2,780	**Crane Eye 24, right**
021980	2,780	**Crane Eye 24, left**
		For transporting elements by crane with the GT 24 girder. Mounted securely to the element. **Complete with** 4 pc. 710138 Bolt ISO 4014 M10 x 110-8.8, galv. 4 pc. 780356 Nut ISO 7042 M10-8, galv. 4 pc. 710139 Washer R11 DIN 440, galv. **Note** Illustration shows Crane Eye 24, left. Follow Instructions for Use! **Technical Data** Permissible load-bearing capacity 700 kg with crane sling angle ≤ 15°.







111238	19,800	**Crane Hook 2 t / GT 24** For transporting elements by crane with the GT 24 Girder. Adjustable from 230 to 410 mm. **Complete with** 1 pc. 018060 Cotter Pin 4/1, galv. 8 pc. 710138 Bolt ISO 4014 M10 x 110-8.8, galv. 8 pc. 780356 Nut ISO 7042 M10-8, galv. **Note** Follow Instructions for Use! **Technical Data** Permissible load-bearing capacity 2.0 t with crane sling angle ≤ 30°.







201202	11,000	**GB 80 Bracket MK1 with Pin** For assembly of a working and concreting scaffold with GT 24 girder. **Technical Data** Permissible load 150 kg/m². Maximum width of influence 1.25 m.





Item no.	Weight kg		
112159	2,130	**Handrail Post Holder VARIO** For assembling a guardrail with GT 24 Girder.	**Complete with** 1 pc. 024250 Wedge K, galv. 1 pc. 780800 Sleeve ISO 8752 8 x 20, galv.






Accessories


116292	4,730	**Guardrail Post HSGP-2**


116292	4,730	**Guardrail Post HSGP-2** As guardrail for different systems.







Item no.	Weight kg		
105823	9,270	**Platform Bracket VARIO VBK 90** For assembly of a working and concreting scaffold on elements with GT 24 girders. With safety pins and cotter pins.	**Complete with** 1 pc. 106336 Bolt Ø 20 x 120, galv. 1 pc. 018060 Cotter Pin 4/1, galv. **Technical Data** Permissible load 150 kg/m² with a maximum width of influence 1.25 m.







107738	24,100	**Ladder 240 — 360** Adjustable from 2.40 m to 3.60 m.	





111165	6,080	**Ladder Connector VARIO, adjustable** For connecting ladders to Steel Walers SRZ and SRU, Profile U100 - U120.	**Complete with** 2 pc. 710266 Bolt ISO 4017 M12 x 25-8.8, galv. 2 pc. 701763 Clamping Plate Fl 25 x 10 x 90





021800 Outside Panel A 250 x 60 132
021820 Outside Panel A 250 x 120 132
102856 Outside Panel A 250 x 120 2R 132
126073 Outside Panel A 250 x 180 132
021840 Outside Panel A 250 x 240 132
021400 Outside Panel A 250 x 300 132
021880 Outside Panel A 250 x 360 132
021810 Inside Panel I 240 x 60 133
021830 Inside Panel I 240 x 120 133
102855 Inside Panel I 240 x 120 2R 133
126043 Inside Panel I 240 x 180 133
021850 Inside Panel I 240 x 240 133
021410 Inside Panel I 240 x 300 133
021890 Inside Panel I 240 x 360 133
021900 Outside Panel A 128 x 60 134
021920 Outside Panel A 128 x 120 134
102854 Outside Panel A 128 x 120 2R 134
126075 Outside Panel A 128 x 180 134
021940 Outside Panel A 128 x 240 134
021420 Outside Panel A 128 x 300 134
021960 Outside Panel A 128 x 360 134
021910 Inside Panel I 123 x 60 135
021930 Inside Panel I 123 x 120 135
102853 Inside Panel I 123/120 2R 135
126067 Inside Panel I 123 x 180 135
021950 Inside Panel I 123 x 240 135
021430 Inside Panel I 123 x 300 135
021970 Inside Panel I 123 x 360 135
020820 Outside Panel A 85 x 120 136
126079 Outside Panel A 85 x 180 136
020840 Outside Panel A 85 x 240 136
020860 Outside Panel A 85 x 300 136
020880 Outside Panel A 85 x 360 136
020830 Inside Panel I 72 x 120 137
126070 Inside Panel I 72 x 180 137
020850 Inside Panel I 72 x 240 137
020870 Inside Panel I 72 x 300 137
020890 Inside Panel I 72 x 360 137
023500 Alignment Coupler BFD 138
023940 Alignment Coupler 38, 138
021620 Adjusting Spindle 500 138
021610 Adjusting Spindle 210 138
021630 Distribution Waler 139
021640 Waler Bolt for RUNDFLEX, galv. 139
024480 Extension Splice 24-2 139
070760 Crane Splice GT 24 139
021990 Crane Eye 24, right 140
021980 Crane Eye 24, left 140
201202 GB 80 Bracket MK1 with Pin 140
112159 Handrail Post Holder VARIO 140
116292 Guardrail Post HSGP-2 141
021790 Ratchet Spanner SW 24 "Combi" 141
099540 Template for RUNDFLEX A250, I240, A128, I123 141
098217 Template for RUNDFLEX A85, I72 141
109411 Ladder Connector RFP 141
051410 Ladder 180/6 142
051460 Ladder Base 142
103718 Ladder Hook 142
104132 Ladder Safety Cage 75 142
051450 Ladder Safety Cage 150 142
109420 Ladder Safety Cage RFP 200 143

RUNDFLEX Circular Formwork

PERI

Item no.	Weight kg	
		Outside Panels A 250
021800	127,000	**Outside Panel A 250 x 60**
021820	176,000	**Outside Panel A 250 x 120**
102856	231,000	**Outside Panel A 250 x 120 2R**
126073	292,000	**Outside Panel A 250 x 180**
021840	342,000	**Outside Panel A 250 x 240**
021400	422,000	**Outside Panel A 250 x 300**
021880	513,000	**Outside Panel A 250 x 360**


Ready-to-use formwork panel for circular structures.


Note

Element without distribution waler.
Panel A 250 x 60 and A 250 x 180 complete with crane eye on the left and on the right side.

Technical Data

Minimum radius 4.0 m. Plywood 21 mm.
Permissible load-bearing point capacity 700 kg with crane sling angle ≤ 15°.





RUNDFLEX Circular Formwork

PERI

Item no.	Weight kg	
		Inside Panels I 240
021810	124,000	**Inside Panel I 240 x 60**
021830	169,000	**Inside Panel I 240 x 120**
102855	219,000	**Inside Panel I 240 x 120 2R**
126043	283,000	**Inside Panel I 240 x 180**
021850	335,000	**Inside Panel I 240 x 240**
021410	408,000	**Inside Panel I 240 x 300**
021890	499,000	**Inside Panel I 240 x 360**


Ready-to-use formwork panel for circular structures.


Note

Element without distribution waler.
Panel I 240 x 60 and I 240 x 180 complete with crane eye on the left and on the right side.

Technical Data

Minimum radius 4.0 m. Plywood 21 mm.
Permissible load-bearing point capacity 700 kg with crane sling angle ≤ 15°.





Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX

RUNDFLEX Circular Formwork

PERI

Item no.	Weight kg	
		Outside Panels A 128
021900	72,500	**Outside Panel A 128 x 60**
021920	99,000	**Outside Panel A 128 x 120**
102854	128,000	**Outside Panel A 128 x 120 2R**
126075	167,000	**Outside Panel A 128 x 180**
021940	194,000	**Outside Panel A 128 x 240**
021420	243,000	**Outside Panel A 128 x 300**
021960	289,000	**Outside Panel A 128 x 360**


Ready-to-use formwork panel for circular structures.


Note

Element without distribution waler.
Panel A 128 x 60 und A 128 x 180 complete with crane eye on the left and on the right side.

Technical Data

Minimum radius 2.5 m. Plywood 18 mm.
Permissible load-bearing point capacity 700 kg with crane sling angle ≤ 15°.





RUNDFLEX Circular Formwork

PERI

Item no.	Weight kg	
		Inside Panels I 123
021910	71,200	**Inside Panel I 123 x 60**
021930	95,300	**Inside Panel I 123 x 120**
102853	122,000	**Inside Panel I 123/120 2R**
126067	160,000	**Inside Panel I 123 x 180**
021950	186,000	**Inside Panel I 123 x 240**
021430	235,000	**Inside Panel I 123 x 300**
021970	275,000	**Inside Panel I 123 x 360**


Ready-to-use formwork panel for circular structures.


Note

Element without distribution waler.
Panel I 123 x 60 and I 123 x 180 complete with crane eye on the left and on the right side.

Technical Data

Minimum radius 2.5 m. Plywood 18 mm.
Permissible load-bearing point capacity 700 kg with crane sling angle ≤ 15°.





RUNDFLEX Circular Formwork

PERI

Item no.	Weight kg	
		Outside Panels A 85
020820	91,300	**Outside Panel A 85 x 120**
126079	120,000	**Outside Panel A 85 x 180**
020840	136,000	**Outside Panel A 85 x 240**
020860	175,000	**Outside Panel A 85 x 300**
020880	203,000	**Outside Panel A 85 x 360**


Ready-to-use formwork panel for circular structures.

Note

Element without distribution waler.
Panel A 85 x 180 complete with crane eye on the left and on the right side.

Technical Data

Minimum radius 1.0 m. Plywood 2 x 9 mm.
Permissible load-bearing point capacity 700 kg with crane sling angle ≤ 15°.



RUNDFLEX Circular Formwork

PERI

Item no.	Weight kg	
		Inside Panels I 72
020830	74,300	**Inside Panel I 72 x 120**
126070	101,000	**Inside Panel I 72 x 180**
020850	116,000	**Inside Panel I 72 x 240**
020870	153,000	**Inside Panel I 72 x 300**
020890	173,000	**Inside Panel I 72 x 360**


Ready-to-use formwork panel for circular structures.

Note

Element without distribution waler.
Panel I 72 x 180 complete with crane eye on the left and on the right side.

Technical Data

Minimum radius 1.0 m. Plywood 2 x 9 mm.
Permissible load-bearing point capacity 700 kg with crane sling angle ≤ 15°.



Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX


RUNDFLEX Circular Formwork


PERI

Item no. Weight kg

023500 4,580 **Alignment Coupler BFD, galv.**
For all panel connections for MAXIMO, TRIO and RUNDFLEX. Fillers up to 10 cm.


Technical Data
Permissible tension force 20.0 kN.






023940 6,080 **Alignment Coupler 38, galv.**
For element connections with RUNDFLEX.


Note
Compensation up to 26 cm.
Technical Data
Permissible tension force 20.0 kN.






021620 3,770 **Adjusting Spindle 500, galv.**
For aligning RUNDFLEX external elements. For panel joints of external and internal elements.


Complete with
2 pc. 022230 Cotter Pin 5/1, galv.
Note
With self-cleaning hexagonal thread.






021610 2,830 **Adjusting Spindle 210, galv.**
For aligning RUNDFLEX internal elements and the edge profiles on external and internal elements.

Complete with
2 pc. 022230 Cotter Pin 5/1, galv.
Note
With self-cleaning hexagonal thread.







RUNDFLEX Circular Formwork

PERI

Item no. Weight kg

021630 18,300 **Distribution Waler**
For transferring anchor forces on two adjacently positioned T-walers.






Accessories

021640 1,260 **Waler Bolt for RUNDFLEX, galv.**

021640 1,260 **Waler Bolt for RUNDFLEX, galv.**
For fixing the distribution waler on the T-Waler.


Complete with
1 pc. 022230 Cotter Pin 5/1, galv.






024480 7,040 **Extension Splice 24-2**
For extending GT 24 girders and VARIO GT 24 panels up to max. height of 8.00 m.


Complete with
2 pc. 030190 Three Wingnut DW 15, galv.
Note
Permissible load: see PERI Design Tables.






070760 4,650 **Crane Splice GT 24**
For transporting elements by crane with the GT 24 girder.

Complete with
1 pc. 018050 Pin Ø 16 x 65/86, galv.
1 pc. 018060 Cotter Pin 4/1, galv.
Note
Follow Instructions for Use!
Technical Data
Permissible load-bearing capacity 700 kg with crane sling angle ≤ 15°.





Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX

RUNDFLEX Circular Formwork

PERI


Item no. Weight kg


021990 2,780 **Crane Eyes 24**
021980 2,780 **Crane Eye 24, right**
Crane Eye 24, left
For transporting elements by crane with the GT 24 girder. Mounted securely to the element.

Complete with
4 pc. 710138 Bolt ISO 4014 M10 x 110-8.8, galv.
4 pc. 780356 Nut ISO 7042 M10-8, galv.
4 pc. 710139 Washer R11 DIN 440, galv.

Note
Illustration shows Crane Eye 24, left.
Follow Instructions for Use!


Technical Data
Permissible load-bearing capacity 700 kg with crane sling angle ≤ 15°.






201202 11,000 **GB 80 Bracket MK1 with Pin**
For assembly of a working and concreting scaffold with GT 24 girder.


Technical Data
Permissible load 150 kg/m². Maximum width of influence 1.25 m.






112159 2,130 **Handrail Post Holder VARIO**
For assembling a guardrail with GT 24 Girder.

Complete with
1 pc. 024250 Wedge K, galv.
1 pc. 780800 Sleeve ISO 8752 8 x 20, galv.





Accessories

116292 4,730 **Guardrail Post HSGP-2**


RUNDFLEX Circular Formwork

PERI

Item no. Weight kg


116292 4,730 **Guardrail Post HSGP-2**
As guardrail for different systems.





021790 1,000 **Ratchet Spanner SW 24 "Combi"**
For adjusting RUNDFLEX panels and Cantilevered Parapet Platform GKB.


Note
Length approx. 500 mm.



Templates for RUNDFLEX


099540 0,000 **Template for RUNDFLEX A250, I240, A128, I123**
098217 0,000 **Template for RUNDFLEX A85, I72**
The template is used for external and internal elements.


Note
Including material (formlining). Produced in accordance with project requirements.



109411 6,450 **Ladder Connector RFP**
For connecting ladders at RUNDFLEX Plus panels.

Complete with
2 pc. 710266 Bolt ISO 4017 M12 x 25-8.8, galv.
2 pc. 701763 Clamping Plate Fl 25 x 10 x 90







RUNDFLEX Circular Formwork

PERI


Item no.	Weight kg		
051410	11,700	**Ladder 180/6, galv.** As access for PERI formwork systems.	**Complete with** 4 pc. 710224 Bolt ISO 4017 M12 x 40-8.8, galv. 4 pc. 710381 Nut ISO 7042 M12-8, galv.






051460	2,180	**Ladder Base, galv.** As bottom ladder connection and for securing ladders against sliding on the scaffold decks.	







103718	0,684	**Ladder Hook, galv.** For adjusting the bottom ladder. Always use in pairs.	**Complete with** 2 pc. 710266 Bolt ISO 4017 M12 x 25-8.8, galv. 2 pc. 710381 Nut ISO 7042 M12-8, galv.





		Ladder Safety Cages, galv.	**Complete with**
104132	15,600	**Ladder Safety Cage 75, galv.**	4 pc. 710266 Bolt ISO 4017 M12 x 25-8.8, galv.
051450	25,200	**Ladder Safety Cage 150, galv.**	4 pc. 701763 Clamping Plate Fl 25 x 10 x 90
		Ladder safety cage for PERI access ladders.	







RUNDFLEX Circular Formwork

PERI

Item no.	Weight kg		
109420	27,000	**Ladder Safety Cage RFP 200** Ladder safety cage for access ladders with exit on the side.	**Complete with** 4 pc. 710266 Bolt ISO 4017 M12 x 25-8.8, galv. 4 pc. 701763 Clamping Plate Fl 25 x 10 x 90





Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX

SB Brace Frame

025690	Brace Frame SB-A0	146
025700	Brace Frame SB-A	146
025710	Brace Frame SB-B	147
025720	Brace Frame SB-C	147
027690	Bolt SB-TRIO/DOMINO, galv	147
113255	Bolt SB-MAXIMO, galv	148
114107	Sleeve SB-MAXIMO, galv	148
025740	Connector SB-A, B, C - MX/TR/D	148
025760	Waler Connector SB-A, B, C	148
024250	Wedge K, galv	149
025750	Guide Roller SB-A, B	149
100901	SB-L Tension Strut, l = 740 mm	149
100903	SB-L Anchor Bracket	150
010050	Steel Waler SRZ U100, l = 2.45 m	150
102018	Base Plate-2 for RS 1000/1400, galv.	150
101776	Heavy Duty Spindle SLS 140/240	151
024910	Bolt ISO 4014 M20 x 100-8.8, galv.	151
710334	Nut ISO 4032 M20-8, galv.	151
024180	Compensation Washer 20, galv.	151
017010	Swivel Coupling DK 48/48, galv.	151
201410	Scaff. Tube Steel Ø 48.3 x 4.0, l = 6.4 m	152
027210	Spanner SW 80, for SB	152
027213	Spanner SW 70, for SB	152
027211	Spanner SW 46, for SB	152
201002	Tie Rod DW 15, l = 6.00 m	152
030840	Threaded Anchor Plate DW 15	152
030060	Brace Frame Double Anchor DW 15	153
201022	DW 15 Hex. Coupler	153
201001	DW 15 Wingnut, galv.	153
027520	Double Anchor Tie Yoke DSW	153
031580	V-Tie Holder DW 15	153
031631	Leading Anchor Coupler DW 15, compl.	154
031627	Spacer Tube rough DR 32, l = 3.00 m	154
201842	DW 20 Tie Rod l = 6.00 m	154
030860	Threaded Anchor Plate DW 20	154
201023	DW 20 Hex. Coupler	155
030580	Hex. Nut DW 20 SW 36/60, weldable	155
201020	DW 20 Wingnut, galv.	155
201025	Counterplate DW 20, 120 x 120 x 20	155
031590	V-Tie Holder DW 20	156
031632	Leading Anchor Coupler DW 20	156
031634	Spacer Tube rough DR 42, l = 3.00 m	156
201684	DW 26 Wingnut	156
030870	Threaded Anchor Plate DW 26	157
030400	Coupling Nut M 30/DW 26, galv.	157
027540	Tension Rod with Nut 100/M30	157
027230	Tension Rod with Nut 135/M30	157
030980	Hex. Coupler DW 26 SW 46/150, weldable	157
030970	Hex. Coupler DW 26 SW 46/80, weldable	158
031600	V-Tie Holder DW 26	158
031633	Leading Anchor Coupler DW 26	158
031634	Spacer Tube rough DR 42, l = 3.00 m	158
101621	Tension Release Plate SB DW 26	159
027480	Anchor Plate SB - DW 26	159
109017	Anchor Waler U160, l = 0.55 m	159
027650	Anchor Waler U140, l = 0.55 m	159
027530	Anchor Waler U140, l = 2.35 m	160
106661	Brace Frame Wall Scaffold Hinge	160
106662	Brace Frame Adaptor SB A0, A, B	160
106663	Brace Frame Adaptor SB-2	160
111866	Wall Scaffold Hinge SB double	161
030940	Climbing Cone-2 M36/DW 26, galv.	161
029490	Scaffold Mounting Ring M36, galv.	161
030870	Threaded Anchor Plate DW 26	162
029550	Bolt ISO 4014 M36 x 130-10.9, galv.	162
029430	Bolt ISO 4017 M36 x 70-8.8, galv.	162
029390	Anchor Positioning Plate M36, galv.	163
029440	Lag Screw DIN 571 6 x 20, galv.	163
026460	Anchor Positioning Stud M36, galv.	163
027212	Allen Key SW 14, long	163

Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX


SB Brace Frame


PERI

Item no.	Weight kg	
025690	412,000	**Brace Frame SB-A0** For forming single-sided walls and special applications.

Complete with
1 pc. 710545 Bolt Ø 50 x 150, galv.
1 pc. 710618 Cotter Pin 8, galv.
2 pc. 017040 Screw-On Coupler AK 48, galv.

Additional items
1 pc. 201070 Rear Base Spindle for SB
1 pc. 201071 Adjusting Nut SB-A0/A/B
1 pc. 025730 Spindle TR 60 x 9/43
1 pc. 201072 Adapter
1 pc. 201073 Cam Nut DW 15, galv.






Accessories


027210	3,300	**Spanner SW 80, for SB**

025700	324,000	**Brace Frame SB-A** For forming single-sided walls and special applications.

Complete with
2 pc. 017040 Screw-On Coupler AK 48, galv.

Additional items
1 pc. 201070 Rear Base Spindle for SB
1 pc. 201071 Adjusting Nut SB-A0/A/B
1 pc. 025730 Spindle TR 60 x 9/43
1 pc. 201072 Adapter
1 pc. 201073 Cam Nut DW 15, galv.





Accessories

027210	3,300	**Spanner SW 80, for SB**


SB Brace Frame


PERI

Item no.	Weight kg	
025710	275,000	**Brace Frame SB-B** For forming single-sided walls and special applications.

Complete with
1 pc. 710545 Bolt Ø 50 x 150, galv.
1 pc. 710618 Cotter Pin 8, galv.
2 pc. 017040 Screw-On Coupler AK 48, galv.

Additional items
1 pc. 201070 Rear Base Spindle for SB
1 pc. 201071 Adjusting Nut SB-A0/A/B
1 pc. 025730 Spindle TR 60 x 9/43
1 pc. 201072 Adapter
1 pc. 201073 Cam Nut DW 15, galv.






Accessories


027210	3,300	**Spanner SW 80, for SB**

025720	49,900	**Brace Frame SB-C** For forming single-sided walls and special applications.


Complete with
2 pc. 715936 Pin Ø 25 x 180, incl. dowel pin Ø 6
2 pc. 018060 Cotter Pin 4/1, galv.


Technical Data
Permissible load-bearing point capacity
1.5 t with crane sling angle ≤ 15°,
2.5 t with vertical lift.





027690	0,368	**Bolt SB-TRIO/DOMINO, galv.** For panel formwork with 12 cm overall thickness.






Accessories


114107	1,190	**Sleeve SB-MAXIMO, galv.**
114417	1,400	**Sleeve SB-MAXIMO WDMX**

SB Brace Frame

PERI

Item no.	Weight kg	
113255	0,414	**Bolt SB-MAXIMO, galv.** For connecting MAXIMO panels with Brace Frame SB.







Accessories

114107	1,190	**Sleeve SB-MAXIMO, galv.**
114417	1,400	**Sleeve SB-MAXIMO WDMX**

114107	1,190	**Sleeve SB-MAXIMO, galv.** For connecting MAXIMO panels with Brace Frame SB.

Note
For use with Sealing Sleeve MX Ø 16 item-no. 112342 and Nut Sealing Sleeve MX Ø 16 item-no. 112338.







Accessories

113255	0,414	**Bolt SB-MAXIMO, galv.**
114417	1,400	**Sleeve SB-MAXIMO WDMX**

025740	9,140	**Connector SB-A, B, C - MX/TR/D** For connecting MAXIMO, TRIO and DOMINO panels with Brace Frames SB-A0, A, B, C.

Note
1 piece per anchor point.






Accessories

027690	0,368	**Bolt SB-TRIO/DOMINO, galv.**
113255	0,414	**Bolt SB-MAXIMO, galv.**
114107	1,190	**Sleeve SB-MAXIMO, galv.**
114417	1,400	**Sleeve SB-MAXIMO WDMX**

025760	1,300	**Waler Connector SB-A, B, C** For connecting Steel Walers SRZ and SRU, Profile U100 respectively U120 to SB-A0, A, B, C.





Accessories


024250	0,331	**Wedge K, galv.**

SB Brace Frame

PERI


Item no.	Weight kg	
024250	0,331	**Wedge K, galv.** For coupling Compression Plate KDP, Wedge Head Piece SRZ/SRU and Waler Connector SB-A, B, C.







025750	28,700	**Guide Roller SB-A, B** For moving SB-A0, SB-A and SB-B brace frame units.


Technical Data
Permissible load-bearing capacity 1.2 t.





100901	5,370	**SB-L Tension Strut, l = 740 mm** For Brace Frame SB-L. For forming single-sided walls.






Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX


SB Brace Frame

PERI

Item no.	Weight kg	
100903	12,000	**SB-L Anchor Bracket** For Brace Frame SB-L. For forming single-sided walls.

Complete with
1 pc. 105400 Pin Ø 20 x 140, galv.
1 pc. 018060 Cotter Pin 4/1, galv.







Accessories

024910	0,303	**Bolt ISO 4014 M20 x 100-8.8, galv.**
710334	0,064	**Nut ISO 4032 M20-8, galv.**
024180	0,126	**Compensation Washer 20, galv.**

010050	51,600	**Steel Waler SRZ U100, l = 2.45 m** Steel waler for VARIO GT 24 panels and special applications.


Note
Special lengths and other profile sizes on request.
Technical Data
U100: Wy = 82.4 cm³, Iy = 412 cm⁴






102018	4,880	**Base Plate-2 for RS 1000/1400, galv.** For assembly of RS 210, 260, 300, 450, 650, 1000, 1400 push-pull props and Heavy Duty Spindles.

Complete with
2 pc. 105400 Pin Ø 20 x 140, galv.
2 pc. 018060 Cotter Pin 4/1, galv.







SB Brace Frame


PERI


Item no.	Weight kg	
101776	24,200	**Heavy Duty Spindle SLS 140/240** As adjustable spindle in lattice frameworks with SRU Steel Walers and RCS Climbing Rails.






024910	0,303	**Bolt ISO 4014 M20 x 100-8.8, galv.**






710334	0,064	**Nut ISO 4032 M20-8, galv.**







024180	0,126	**Compensation Washer 20, galv.**





017010	1,400	**Swivel Coupling DK 48/48, galv.** For Scaffold Tubes Ø 48 mm.







SB Brace Frame


PERI


Item no.	Weight kg		
		Scaffold Tubes Steel Ø 48.3 x 4.0	**L**
201410	21,600	**Scaff. Tube Steel Ø 48.3 x 4.0, l = 6.4 m**	6400






		Spanners SW for SB	**L**
027210	3,300	**Spanner SW 80, for SB**	645
027213	2,300	**Spanner SW 70, for SB**	570
027211	0,760	**Spanner SW 46, for SB**	380
		For different applications.	






		Tie Rods DW 15	**Note**
201002	8,640	**Tie Rod DW 15, l = 6.00 m**	Non-weldable! Take official approval into consideration!
			Technical Data
			Permissible tension force 90 kN.





030840	0,516	**Threaded Anchor Plate DW 15**	**Note**
		For use with Tie Rod DW 15 or B 15. For anchoring in concrete.	Lost anchor part.







SB Brace Frame


PERI


Item no.	Weight kg		
030060	2,130	**Brace Frame Double Anchor DW 15**	**Technical Data**
		Non-weldable! Take approval into consideration!	Permissible load 2 x 90 kN. Dependent on concrete strength and installation depth.






201022	0,402	**DW 15 Hex. Coupler**	**Technical Data**
		For coupling Tie Rod DW 15 and B 15.	Permissible load 90 kN.







201001	0,439	**DW 15 Wingnut, galv.**	**Technical Data**
		For anchoring with Tie Rod DW 15 and B 15.	Permissible load 90 kN.







027520	7,030	**Double Anchor Tie Yoke DSW**	**Technical Data**
		For anchoring with Tie Rod DW 15.	Permissible load 2 x 90 kN.





031580	0,440	**V-Tie Holder DW 15**	
		For easy installation of DW 15 Tie Rods at 45° inclinations.	







SB Brace Frame


PERI


Item no.	Weight kg	
031631	0,345	**Leading Anchor Coupler DW 15, compl.** For easy installation of DW 15 Tie Rods at 45° inclinations.






031627	0,967	**Spacer Tube rough DR 32, l = 3.00 m** Plastic spacer tube for DW 26.






201842	15,360	**Tie Rods DW 20** **DW 20 Tie Rod l = 6.00 m**	**Note** Non-weldable! Take official approval into consideration! **Technical Data** Permissible tension force 150 kN.





030860	0,801	**Threaded Anchor Plate DW 20** For use with Tie Rod DW 20, B 20 or Screw-On Cone-2 M24/DW 20. For anchoring in concrete.	**Note** Lost anchor part.







SB Brace Frame

PERI


Item no.	Weight kg		
201023	0,685	**DW 20 Hex. Coupler** For coupling Tie Rod DW 20 and B 20.	**Note** Weldable! **Technical Data** Permissible load 150 kN.






030580	0,371	**Hex. Nut DW 20 SW 36/60, weldable** For anchoring with Tie Rod DW 20 and B 20.	**Note** Weldable! **Technical Data** Permissible load 150 kN.







201020	0,786	**DW 20 Wingnut, galv.** For anchoring with Tie Rod DW 20 and B 20.	**Technical Data** Permissible load 150 kN.





201025	2,180	**Counterplate DW 20, 120 x 120 x 20** For anchoring with Tie Rod DW 20 and B 20.	**Technical Data** Permissible load 150 kN.







SB Brace Frame


PERI


Item no.	Weight kg	
031590	0,420	**V-Tie Holder DW 20** For easy installation of DW 20 Tie Rods at 45° inclinations.







031632	0,355	**Leading Anchor Coupler DW 20** For easy installation of DW 20 Tie Rods at 45° inclinations.






031634	1,250	**Spacer Tube rough DR 42, l = 3.00 m** Plastic spacer tube for DW 20, 26.





		Tie Rods DW 26
201688	2,240	**DW 26 Tie Rod l = 0.50 m**
201689	4,480	**DW 26 Tie Rod l = 1.50 m**
201687	26,880	**DW 26 Tie Rod l = 6.00 m**

Note
Non-weldable! Take official approval into consideration!
Technical Data
Permissible tension force 250 kN.






201684	0,786	**DW 26 Wingnut** For anchoring with Tie Rod DW 26.

Technical Data
Permissible load 250 kN.







SB Brace Frame

PERI

Item no.	Weight kg	
030870	1,240	**Threaded Anchor Plate DW 26** For use with Tie Rod DW 26 or Screw-On Cone M36/DW 26. For anchoring in concrete.


Note
Lost anchor part.






030400	2,620	**Coupling Nut M 30/DW 26, galv.** For coupling Tension Rod and Tie Rod DW 26.

Technical Data
Permissible load 250 kN.







		Tension Rods M30 with Nut
027540	5,170	**Tension Rod with Nut 100/M30**
027230	6,810	**Tension Rod with Nut 135/M30**

For anchoring the Brace Frame SB.


Technical Data
Permissible load 250 kN.






030980	1,540	**Hex. Coupler DW 26 SW 46/150, weldable** For coupling Tie Rod DW 26.

Note
Weldable!
Technical Data
Permissible load 250 kN.







SB Brace Frame


PERI


Item no.	Weight kg		
030970	0,800	**Hex. Coupler DW 26 SW 46/80, weldable** For anchoring with Tie Rod DW 26.	**Note** Weldable! **Technical Data** Permissible load 250 kN.







031600	0,430	**V-Tie Holder DW 26** For easy installation of DW 26 Tie Rods at 45° inclinations.	







031633	0,365	**Leading Anchor Coupler DW 26** For easy installation of DW 26 Tie Rods at 45° inclinations.	





031634	1,250	**Spacer Tube rough DR 42, l = 3.00 m** Plastic spacer tube for DW 20, 26.	







SB Brace Frame


PERI


Item no.	Weight kg		
101621	10,100	**Tension Release Plate SB DW 26** For anchoring of Brace Frame SB. Allows easy release of higher tensile loads. In connection with Anchor Waler 55 or 235. Turn bolt to working position before shuttering.	**Complete with** 4 pc. 724563 Hex. Bolt ISO 4017 M30 x 50-8.8, galv. **Technical Data** Permissible load 250 kN.






027480	7,960	**Anchor Plate SB - DW 26** For anchoring of Brace Frame SB.	**Technical Data** Permissible load 250 kN.






109017	11,600	**Anchor Waler U160, l = 0.55 m** For anchoring of Brace Frame SB.	**Technical Data** Permissible load 2 x 250 kN.





027650	9,940	**Anchor Waler U140, l = 0.55 m** For anchoring of Brace Frame SB.	**Technical Data** Permissible load 2 x 135 kN.







SB Brace Frame

PERI


Item no.	Weight kg	
027530	39,800	**Anchor Waler U140, l = 2.35 m** For anchoring of Brace Frame SB.




Technical Data
Permissible load 4 x 135 kN.



106661	32,000	**Brace Frame Wall Scaffold Hinge** For hoizontal use of PERI Brace Frames SB-A0, A, B and SB-2 as climbing brackets.







Accessories

106662	4,870	**Brace Frame Adaptor SB A0, A, B**
106663	13,900	**Brace Frame Adaptor SB-2**


106662	4,870	**Brace Frame Adaptor SB A0, A, B** For mounting the brace frame wall scaffold hinge to the Brace Frame SB-A0, A or B.




Complete with
2 pc. 106803 Nuts ISO 7042 M24-10, galv.
2 pc. 106797 Bolt ISO 4014 M24 x 220-10.9, galv.




106663	13,900	**Brace Frame Adaptor SB-2** For mounting of Brace Frame Wall Scaffold Hinge to the Brace Frame SB-2.



Complete with
2 pc. 106798 Bolt ISO 4014 M24 x 500-10,9, galv.
2 pc. 106803 Nuts ISO 7042 M24-10, galv.








SB Brace Frame

PERI

Item no.	Weight kg	
111866	64,600	**Wall Scaffold Hinge SB double** For hoizontal use of PERI Brace Frames SB-A0, A, B as climbing bracket.









030940	3,040	**Climbing Cone-2 M36/DW 26, galv.** Tie System M36. For anchoring of climbing systems.

Note
Separate design information on request.







Accessories

030870	1,240	**Threaded Anchor Plate DW 26**
030340	4,480	**Tie Rod DW 26, Spec. Length**

029490	1,770	**Scaffold Mounting Ring M36, galv.** Tie System M36. For anchoring of climbing systems.







Accessories


029550	1,400	**Bolt ISO 4014 M36 x 130-10.9, galv.**

Item no.	Weight kg		
030870	1,240	**Threaded Anchor Plate DW 26** For use with Tie Rod DW 26 or Screw-On Cone M36/DW 26. For anchoring in concrete.	**Note** Lost anchor part.







		Tie Rod DW 26	**Note** Non-weldable! Take official approval into consideration! **Technical Data** Permissible tension force 250 kN.
030340	4,480	**Tie Rod DW 26, spec. length**	
030500	0,000	**Cutting Cost Tie Rod DW 26**	







029550	1,400	**Bolt ISO 4014 M36 x 130-10.9, galv.** High-strength bolt for anchoring of climbing systems.







029430	0,930	**Bolt ISO 4017 M36 x 70-8.8, galv.** Bolt for anchoring of climbing systems and as advancing bolt.





Item no.	Weight kg		
029390	0,170	**Anchor Positioning Plate M36, galv.** For fixing the M36 anchor system if the plywood formlining is drilled through.	






Accessories

029440	0,005	**Lag Screw DIN 571 6 x 20, galv.**


029440	0,005	**Lag Screw DIN 571 6 x 20, galv.**





026460	0,308	**Anchor Positioning Stud M36, galv.** For fixing the M36 anchor system if the plywood formlining is not drilled through.






Accessories

027212	0,445	**Allen Key SW 14, long**
710312	0,005	**Nail 3 x 80**

027212	0,445	**Allen Key SW 14, long** Fits to PERI Anchor Positioning Studs and Allen Key Bolts M16.





RS and RSS Push-Pull Props


117466	Push-Pull Prop RS 210, galv.	166
118238	Push-Pull Prop RS 260, galv.	166
117467	Push-Pull Prop RS 300, galv.	166
117468	Push-Pull Prop RS 450, galv.	166
117469	Push-Pull Prop RS 650, galv.	167
028990	Push-Pull Prop RS 1000, galv.	167
103800	Push-Pull Prop RS 1400, galv.	167
126666	Base Plate-3 for RS 210 – 1400	168
127190	Quick Assembly Head RS-2	168
117470	Quick Connector Head RS	168
117726	Push-Pull Prop Adaptor RS	168
106000	Base Plate-2 for RSS	169
057087	Kicker AV 82	169
057088	Kicker AV 111	169
028110	Kicker AV 140	169
108135	Kicker AV 210	170
028120	Kicker AV RSS III	170
028050	Girder Headpiece GT 24, galv.	170
028070	Girder Headpiece GT 24/A, galv.	170
028060	Wedge Headpiece SRZ/SRU	171
024250	Wedge K, galv.	171
023660	Brace Connector TRIO, galv.	171
066082	Brace Connector DRA	171
028080	Connector Kicker/Push-Pull Prop, galv.	172
027170	Pin Ø 16 x 42, galv.	172
018050	Pin Ø 16 x 65/86, galv.	172
018060	Cotter Pin 4/1, galv.	172
124777	Anchor Bolt PERI 14/20 x 130	172

RS and RSS Push-Pull Props


PERI


Item no.	Weight kg		
117466	10,600	**Push-Pull Prop RS 210, galv.** Extension length l = 1.30 – 2.10 m. For aligning PERI formwork systems and precast concrete elements.	**Note** Permissible load see PERI Design Tables.







118238	12,200	**Push-Pull Prop RS 260, galv.** Extension length l = 2.30 – 2.60 m. For aligning PERI formwork systems and precast concrete elements.	**Note** Permissible load see PERI Design Tables.







117467	15,500	**Push-Pull Prop RS 300, galv.** Extension length l = 1.90 – 3.00 m. For aligning PERI formwork systems and precast concrete elements.	**Note** Permissible load see PERI Design Tables.






117468	23,000	**Push-Pull Prop RS 450, galv.** Extension length l = 2.80 – 4.50 m. For aligning PERI formwork systems and precast concrete elements.	**Note** Permissible load see PERI Design Tables.







PERI


Item no.	Weight kg		
117469	40,000	**Push-Pull Prop RS 650, galv.** Extension length l = 4.30 – 6.50 m. For aligning PERI formwork systems and precast concrete elements.	**Note** Permissible load see PERI Design Tables.







028990	115,000	**Push-Pull Prop RS 1000, galv.** Extension length l = 6.40 – 10.00 m. For aligning PERI formwork systems.	**Note** Permissible load see PERI Design Tables.





103800	271,000	**Push-Pull Prop RS 1400, galv.** Extension length l = 6.40 – 14.00 m. For aligning PERI formwork systems.	**Note** Permissible load see PERI Design Tables. Chain can be operated from bottom.







Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX

RS and RSS Push-Pull Props

PERI

Item no.	Weight kg		
126666	3.070	**Base Plate -3 for RS 210 – 1400** For assembling the RS 210, RS 260, RS 300, RS 450, RS 650, RS 1000 and RS 1400 push-pull props.	**Complete with** 2 pc. 105400 bolts Ø 20 x 140, galv. 2 pc. 018060 cotter pin 4/1, galv. 1 pc. 113063 bolt ISO 4014 M12 x 80-8.8, galv. 1 pc. 113064 hex nut ISO7040-M12-8-G, galv.







Accessories


124777	0,210	**Anchor Bolt PERI 14/20 x 130**


127190	4,190	**Quick Assembly Head RS-2** For aligning precast concrete elements.	






117470	4,260	**Quick Connector Head RS** For aligning precast concrete elements.	





117726	1,050	**Push-Pull Prop Adaptor RS** For aligning precast concrete elements.	







RS and RSS Push-Pull Props

PERI

Item no.	Weight kg		
106000	1,820	**Base Plate-2 for RSS, galv.** For assembly of RSS Push-Pull Props.	**Complete with** 1 pc. 027170 Pin Ø 16 x 42, galv. 1 pc. 018060 Cotter Pin 4/1, galv.








Accessories

124777	0,210	**Anchor Bolt PERI 14/20 x 130**


		Kickers AV	**min. L**	**max. L**
057087	3,720	**Kicker AV 82**	500	820
057088	4,410	**Kicker AV 111**	790	1110
		For aligning PERI formwork systems.	**Complete with** 1 pc. 027170 Pin Ø 16 x 42, galv. 1 pc. 018060 Cotter Pin 4/1, galv. **Note** Permissible load see PERI Design Tables.	









028110	5,180	**Kicker AV 140** Extension length l = 1.08 – 1.40 m. For aligning PERI formwork systems.	**Complete with** 1 pc. 027170 Pin Ø 16 x 42, galv. 1 pc. 018060 Cotter Pin 4/1, galv. **Note** Permissible load see PERI Design Tables.









RS and RSS Push-Pull Props


PERI


Item no.	Weight kg		
108135	12,900	**Kicker AV 210** Extension length l = 1.28 – 2.10 m. For aligning PERI formwork systems.	**Complete with** 1 pc. 027170 Pin Ø 16 x 42, galv. 1 pc. 018060 Cotter Pin 4/1, galv. **Note** Permissible load see PERI Design Tables.







028120	17,000	**Kicker AV RSS III** Extension length l = 2.03 – 2.92 m. For aligning PERI formwork systems.	**Complete with** 1 pc. 027170 Pin Ø 16 x 42, galv. 1 pc. 018060 Cotter Pin 4/1, galv. **Note** Permissible load see PERI Design Tables.







028050	4,550	**Girder Headpiece GT 24, galv.** For connecting push-pull props and kicker braces to GT 24 Girders	**Complete with** 1 pc. 027170 Pin Ø 16 x 42, galv. 1 pc. 018060 Cotter Pin 4/1, galv.





028070	4,680	**Girder Headpiece GT 24/A, galv.** For connecting push-pull props and kicker braces to extended GT 24 Girders in the area of the Extension Splice 24-2.	**Complete with** 1 pc. 027170 Pin Ø 16 x 42, galv. 1 pc. 018060 Cotter Pin 4/1, galv.







RS and RSS Push-Pull Props

PERI

Item no.	Weight kg		
028060	1,940	**Wedge Headpiece SRZ/SRU** For connecting push-pull props and kicker braces to Steel Waler SRZ and SRU Profile U100 – U140.	**Complete with** 1 pc. 027170 Pin Ø 16 x 42, galv. 1 pc. 018060 Cotter Pin 4/1, galv.






Accessories


024250	0,331	**Wedge K, galv.**


024250	0,331	**Wedge K, galv.** For coupling Compression Plate KDP, Wedge Head Piece SRZ/SRU and Waler Connector SB-A, B, C.	






023660	3,300	**Brace Connector TRIO, galv.** For connecting push-pull props and kicker braces to MAXIMO and TRIO Panels. Mounted on vertical and horizontal struts.	**Complete with** 1 pc. 027170 Pin Ø 16 x 42, galv. 1 pc. 018060 Cotter Pin 4/1, galv.





066082	1,040	**Brace Connector DRA** For connecting push pull props and kicker braces at DOMINO panels.	**Complete with** 1 pc. 027170 Pin Ø 16 x 42, galv. 1 pc. 018060 Cotter Pin 4/1, galv.







Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX

RS and RSS Push-Pull Props

PERI


Item no.	Weight kg	
028080	2,970	**Connector Kicker/Push-Pull Prop, galv.** For connecting push-pull props and kicker braces to Main Beam HDT. **Complete with** 1 pc. 027170 Pin Ø 16 x 42, galv. 1 pc. 018060 Cotter Pin 4/1, galv.





027170	0,102	**Pin Ø 16 x 42, galv.** For different connections.







Accessories

018060	0,030	**Cotter Pin 4/1, galv.**

018050	0,171	**Pin Ø 16 x 65/86, galv.** For different connections.





Accessories


018060	0,030	**Cotter Pin 4/1, galv.**


018060	0,030	**Cotter Pin 4/1, galv.**





124777	0,210	**Anchor Bolt PERI 14/20 x 130** For temporary fixation to reinforced concrete structures. **Note** See PERI data sheet! Drilling Ø 14 mm.





PERI
Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX

Tie System DW 15, 20, 26 B 15, 20


201002 Tie Rod DW 15, l = 6.00 m 176
201004 DW 15 Wingnut Pivot Plate, galv. 176
201024 DW 15 Wingnut Counterplate 176
201001 DW 15 Wingnut, galv. 177
201021 DW 15 Hex. Nut 177
030550 Hex. Nut DW 15 SW 30/50, weldable 177
030090 Hex. Nut DW 15 SW 30/108, galv 177
030190 Three Wingnut DW 15, galv. 177
030130 Cam Nut DW 15, galv. 178
201005 Counterplate DW 15, 120 x 120 x 15 178
022030 Tie Yoke, galv. 178
110755 Tie Yoke SRU 178
201365 DW 15 Water Barrier 179
026280 Anchor Sleeve DW 15 179
026440 Anchor Positioning Stud f. AH-DW 15, galv. 179
030840 Threaded Anchor Plate DW 15 179
031300 Weld on Anchor DW 15 179
114997 Bracing Shoe RCS DW 15 180
115375 Articulated Spanner RCS DW 15 180
115378 Eye Nut RCS DW 15 180
037150 Tie Yoke DW 15 180
116807 Turnbuckle CB M20/DW 15 181
201146 DW 15 Rock Anchor HB 181
031070 Tie Rod Wrench 15, galv. 181
108129 Tie Rod Spanner DW 15 181
201720 Spacer Tube for DW 15 22/26mm l = 2.00 m 181
201623 Spacer Tube for DW 20 26/30mm, l = 2.00 m 182
031627 Spacer Tube rough DR 32, l = 3.00 m 182
201630 10mm Cover Cone for 22mm Tube 182
201630 50mm Cover Cone for 22mm Tube 182
065036 Plug DR 22 182
201842 Tie Rod DW 20 l = 3.00 m 182
201020 DW 20 Wingnut, galv. 183
201023 DW 20 Hex. Coupler 183
030580 Hex. Nut DW 20 SW 36/60, weldable 183
201025 Counterplate DW 20, 120 x 120 x 20 184
201616 DW 20 Water Barrier 184
030860 Threaded Anchor Plate DW 20 184
031050 Tie Rod Wrench 20, galv. 184
201617 DW 20 Rock Anchor 184
201624 12mm Cover Cone for 26 mm Tube 184
201627 50mm Cover Cone for 26 mm Tub 184
201688 DW 26 Tie Rod l = 0.50 m 185
201689 DW 26 Tie Rod l = 1.50 m 185
201687 DW 26 Tie Rod l = 6.00 m 185
201684 DW 26 Wingnut 185
030970 Hex. Coupler DW 26 SW 46/80, weldable 185
030980 Hex. Coupler DW 26 SW 46/150, weldable 185
030420 Counterplate DW 26, 120 x 120 x 20 185
030870 Threaded Anchor Plate DW 26 186
030460 Pretension Jack for DW 15/20/26 186
030663 Adapter I for Pretension Jack 186
030664 Adapter III for Pretension Jack 186
110612 Tie Load Gauge 160 kN 186
102390 Drill- and Pretension Device 45° 187

Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX

Tie System DW 15, 20, 26 B 15, 20


PERI


Item no.	Weight kg		
		Tie Rods DW 15	
201002	8,640	**Tie Rod DW 15, l = 6.00 m**	**Note** Non-weldable! Take official approval into consideration! **Technical Data** Permissible tension force 90 kN.






201004	1,660	**DW 15 Wingnut Pivot Plate, galv.** For anchoring with Tie Rod DW 15 and B 15. With pivoting captive nut. Maximum angle of tilting 8°.	**Note** Wrench size SW 27. **Technical Data** Permissible load 90 kN.





030110	0,799	**Wingnut Counterplate DW 15, galv.** For anchoring with Tie Rod DW 15 and B 15.	**Technical Data** Permissible load 90 kN.






Tie System DW 15, 20, 26 B 15, 20

PERI


Item no.	Weight kg		
201001	0,439	**DW 15 Wingnut, galv.** For anchoring with Tie Rod DW 15 and B 15.	**Technical Data** Permissible load 90 kN.





201021	0,222	**DW 15 Hex. Nut** For anchoring with Tie Rod DW 15 and B 15.	**Technical Data** Permissible load 90 kN.







030550	0,233	**Hex. Nut DW 15 SW 30/50, weldable** For anchoring with Tie Rod DW 15 and B 15.	**Note** Weldable! **Technical Data** Permissible load 90 kN.






030090	0,402	**Hex. Nut DW 15 SW 30/108, galv.** For coupling Tie Rod DW 15 and B 15.	**Technical Data** Permissible load 90 kN.





030190	0,462	**Three Wingnut DW 15, galv.** For anchoring with Tie Rod DW 15 and B 15.	**Technical Data** Permissible load 90 kN.






Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX

Tie System DW 15, 20, 26 B 15, 20


PERI


Item no.	Weight kg		
030130	0,318	**Cam Nut DW 15, galv.** For anchoring with Tie Rod DW 15 and B 15.	**Technical Data** Permissible load 90 kN.







201005	1,620	**Counterplate DW 15, 120 x 120 x 15** For anchoring with Tie Rod DW 15 and B 15.	**Technical Data** Permissible tension force 90 kN.







022030	2,170	**Tie Yoke, galv.** For anchoring with Tie Rod DW 15 and B 15.	**Technical Data** Permissible load 90 kN.





110755	5,140	**Tie Yoke SRU** Suitable for DW 15 Tie Rods.	**Note** Item revised - new version with center hole 18 turned 90° to lateral holes 18.







Tie System DW 15, 20, 26 B 15, 20


PERI


Item no.	Weight kg		
201365	0,831	**DW 15 Water Barrier** For anchoring with Tie Rod DW 15 and B 15.	**Technical Data** Permissible tension force 90 kN.






026280	1,220	**Anchor Sleeve DW 15**






026440	0,100	**Anchor Positioning Stud f. AH-DW 15, galv.** For fixing the Anchor Sleeve DW 15 if the plywood formlining is not drilled through.	







030840	0,516	**Threaded Anchor Plate DW 15** For use with Tie Rod DW 15 or B 15. For anchoring in concrete.	**Note** Lost anchor part.





031300	1,350	**Weld on Anchor DW 15** For anchoring single-sided formwork.	**Technical Data** Permissible tension force 90 kN.







Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX

Tie System DW 15, 20, 26 B 15, 20


PERI


Item no.	Weight kg		
114997	7,160	**Bracing Shoe RCS DW 15** For anchoring the bracing with DW 15 to the building slab. Fixation with Anchor System M24 or corresponding dowels.	**Complete with** 1 pc. 104031 Fitting Pin Ø 21 x 120 1 pc. 018060 Cotter Pin 4/1, galv.





115375	6,100	**Articulated Spanner RCS DW 15** For tensioning and as an articulated connection to the Climbing Rail RCS, Steel Waler SRU or Bracing Shoe RCS for bracing with DW 15.	






Accessories

104031	0,462	**Fitting Pin Ø 21 x 120**
018060	0,030	**Cotter Pin 4/1, galv.**
111567	0,729	**Fitting Pin Ø 26 x 120**
022230	0,033	**Cotter Pin 5/1, galv.**
030070	0,222	**Hex. Nut DW 15 SW 30/50, galv.**

115378	1,080	**Eye Nut RCS DW 15** As an articulated connection to the Climbing Rail RCS, Steel Waler SRU for bracing with DW 15.	






Accessories

104031	0,462	**Fitting Pin Ø 21 x 120**
018060	0,030	**Cotter Pin 4/1, galv.**
111567	0,729	**Fitting Pin Ø 26 x 120**
022230	0,033	**Cotter Pin 5/1, galv.**

037150	0,641	**Tie Yoke DW 15** For corner tying of the RAPID Column Frames and Diagonal Braces DW 15.	







Tie System DW 15, 20, 26 B 15, 20


PERI


Item no.	Weight kg		
116807	1,820	**Turnbuckle CB M20/DW 15** For tensioning of Tie Rod DW 15 to prevent tipping over due to wind loads. Connects Tie Rod DW 15 with Wall Bracing Shoe CB M24.	**Complete with** 1 pc. 711059 Turnbuckle for tension anchor CB 1 pc. 711060 Eye Bolt M20, left, galv.







201146	0,450	**DW 15 Rock Anchor** For subsequent anchoring with DW 15 tie rods.	**Note** Follow Instructions for Use! **Technical Data** Permissible load 90 kN.







031070	1,260	**Tie Rod Wrench 15, galv.** For easy handling of Tie Rod DW 15.







108129	3,480	**Tie Rod Spanner DW 15** For Wingnut Counterplate DW 15, Wingnut Pivot Plate DW 15 and Wingnut DW 15.





		Spacer Tubes rough DR 22	**L**
201720	0,359	**Spacer Tube for DW 15 22/26mm l = 2.00 m** Plastic Spacer Tube for DW 15, B 15.	2000







Tie System DW 15, 20, 26 B 15, 20


PERI


Item no.	Weight kg	
201623	0,886	**Spacer Tube for DW 20 26/30mm, l = 2.00 m** Plastic Spacer Tube for DW 20, B 20.






031627	0,967	**Spacer Tube rough DR 32, l = 3.00 m** Plastic spacer tube for DW 26.






201630	0,010	**10mm Cover Cone for 22mm Tube**	**Note** Delivery unit 500 pieces.
201630	0,010	**50mm Cover Cone for 22mm Tube** Plastic. Suitable for Spacer Tube DR 22.	






065036	0,002	**Plug DR 22** Plastic. Suitable for Spacer Tube DR 22.	**Note** Delivery unit 1000 pieces.





201842	15,360	**Tie Rods DW 20** **DW 20 Tie Rod l = 6.00 m**	**Note** Non-weldable! Take official approval into consideration! **Technical Data** Permissible tension force 150 kN.






Tie System DW 15, 20, 26 B 15, 20


PERI


201020	0,786	**DW 20 Wingnut, galv.** For anchoring with Tie Rod DW 20.	**Technical Data** Permissible load 150 kN.






201023	0,685	**DW 20 Hex. Coupler** For coupling Tie Rod DW 20 and B 20.	**Note** Weldable! **Technical Data** Permissible load 150 kN.





030580	0,371	**Hex. Nut DW 20 SW 36/60, weldable** For anchoring with Tie Rod DW 20 and B 20.	**Note** Weldable! **Technical Data** Permissible load 150 kN.







Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX

Tie System DW 15, 20, 26 B 15, 20


PERI


Item no.	Weight kg		
201025	2,180	**Counterplate DW 20, 120 x 120 x 20** For anchoring with Tie Rod DW 20 and B 20.	**Technical Data** Permissible load 150 kN.






201616	0,831	**DW 20 Water Barrier** For anchoring with Tie Rod DW 20.	**Technical Data** Permissible load 150 kN







030860	0,801	**Threaded Anchor Plate DW 20** For use with Tie Rod DW 20, B 20 or Screw-On Cone-2 M24/DW 20. For anchoring in concrete.	**Note** Lost anchor part.






031050	1,780	**Tie Rod Wrench 20, galv.** For easy handling of Tie Rod DW 20.	





201617	0,450	**DW 20 Rock Anchor** For subsequent anchoring with DW 15 tie rods. Diameter of drilled hole 36.5 - 38 mm.	**Note** Follow Instructions for Use! **Technical Data** Permissible load 150 kN.





201624	0,010	**12mm Cover Cone for 26 mm Tube**	**Note** Delivery unit 500 pieces.
201627	0,010	**50mm Cover Cone for 26 mm Tube**	
		Plastic. Suitable for Spacer Tube DR 26.	






Tie System DW 15, 20, 26 B 15, 20

PERI


Item no.	Weight kg		
		Tie Rods DW 26	**Note** Non-weldable! Take official approval into consideration! **Technical Data** Permissible tension force 250 kN.
201688	2,240	**DW 26 Tie Rod l = 0.50 m**	
201689	4,480	**DW 26 Tie Rod l = 1.50 m**	
201687	26,880	**DW 26 Tie Rod l = 6.00 m**	







201684	0,786	**DW 26 Wingnut** For anchoring with Tie Rod DW 26.	**Technical Data** Permissible load 250 kN.







030970	0,800	**Hex. Coupler DW 26 SW 46/80, weldable** For anchoring with Tie Rod DW 26.	**Note** Weldable! **Technical Data** Permissible load 250 kN.







030980	1,540	**Hex. Coupler DW 26 SW 46/150, weldable** For coupling Tie Rod DW 26.	**Note** Weldable! **Technical Data** Permissible load 250 kN.





030420	2,140	**Counterplate DW 26, 120 x 120 x 20** For anchoring with Tie Rod DW 26.	**Technical Data** Permissible load 250 kN.







Tie System DW 15, 20, 26 B 15, 20


PERI

Item no.	Weight kg	
030870	1,240	**Threaded Anchor Plate DW 26** For use with Tie Rod DW 26 or Screw-On Cone M36/DW 26. For anchoring in concrete. **Note** Lost anchor part.





030460	60,000	**Pretension Jack for DW 15/20/26** For pre-tensioning tie rods, pulling out tie rods embedded in the concrete and for clean connecting surfaces at concrete joints. Complete in metal box. **Complete with** 1 pc. 030663 Adapter I for Pretension Jack 1 pc. 030664 Adapter III for Pretension Jack **Note** Follow Instructions for Use! **Technical Data** Maximum tension force 300 kN.




030663	2,000	**Adapter I for Pretension Jack** For use with the Pretension Jack for pre-tensioning the tie rods.



030664	1,700	**Adapter III for Pretension Jack** For use with the Pretension Jack for pulling out embedded tie rods from the concrete.







110612	6,220	**Tie Load Gauge 160 kN**

Tie System DW 15, 20, 26 B 15, 20

PERI

Item no.	Weight kg	
102390	6,270	**Drill- and Pretension Device 45°** For drilling and pre-tensioning DW 15 tie rods with 45° inclined tie points (for use with Brace Frame SB).





Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX

Tie System DK, SK, KKV

031635 DK Cone DW 15/35 190
031636 DK Cone DW 15/55 190
031637 DK Cone DW 20/55 190
031638 DK Cone DW 26/55 190
112937 Sealing Cone MX 15 – 55 191
127425 Magnet Cone MX 18 – 55 191
110675 Sealing Cone TRH 55 191
031642 DK Concrete Cone DW 15-58/30 191
031643 DK Concrete Cone UNI 58/52 191
031641 DK Concrete Cone Architec. DW 15-58/52 192
126609 SK Anchor Cone DW 15 / 2 192
031646 SK Anchor Cone DW 20 192
031647 SK Anchor Cone DW 26 192
031639 SK Sealing Washer UNI DW 15 193
031648 SK Sealing Washer DW 20 193
031649 SK Sealing Washer DW 26 193
031671 SK Tube Seal 22 193
031672 SK Tube Seal 28 194
126013 Sealing Ring 60 x 15 x 4, EPDM 194
031643 DK Concrete Cone UNI 58/52 194
031650 SK Concrete Cone DW 20-67/60 194
031651 SK Concrete Cone DW 26-100/60 194
104643 SK Lead Cone DW 15 195
031652 KK Concrete Cone M24-67/52 195
031653 KK Concrete Cone M30-80/52 195
031654 KK Concrete Cone M36-90/52 195
108136 Glue for Concrete Cones-2, 5-kg-Set 196
108958 Glue Component A-2 196
110345 Glue Component B-2 196
126696 Magnet Cone Spanner MX 15 / MX 18 196
031655 DK Cone Remover UNI 196
110634 Cone Spanner TRH 197
031644 DK Tong for Concrete Cone 58 197
031656 SK Tong for Concrete Cone 67 197
031657 SK Tong for Concrete Cone 100 197
101995 Concrete Cone Gauge 197
031480 Socket Wrench SW 36, chrome-plated 197


PERI
Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX

Tie System DK, SK, KK

PERI


Item no.	Weight kg		
031635	0,034	**DK Cone DW 15/35** For fire-resistant and soundproof anchor points with DW 15. Resistant to seepage. For use with Spacer Tube rough 22.	**Note** Delivery unit 50 pieces.







031636	0,063	**DK Cone DW 15/55** For waterproof, fire-resistant and soundproof anchor points with Tie Rod DW 15. Used with Spacer Tube rough 22.	**Note** Delivery unit 50 pieces.






031637	0,055	**DK Cone DW 20/55** For waterproof, fire-resistant and soundproof anchor points with Tie Rod DW 20. Use with Spacer Tube rough 28.	**Note** Delivery unit 50 pieces.





031638	0,052	**DK Cone DW 26/55** For waterproof, fire-resistant and soundproof anchor points with Tie Rod DW 26. Used with Spacer Tube rough 42.	**Note** Delivery unit 50 pieces.






Tie System DK, SK, KKV

PERI

Item no.	Weight kg		
112937	0,174	**Sealing Cone MX 15 – 55** For use with MAXIMO. Use with Anchor MX.	**Note** For use with waterproofed concrete or architectural concrete.






Accessories

126696	1,220	**Magnet Cone Spanner MX 15 / MX 18**

127425	0,160	**Magnet Cone MX 18 – 55** For the use with MAXIMO. Use with Anchor MX.	**Note** For the use with waterproof concrete or architectural concrete.






Accessories

126696	1,220	**Magnet Cone Spanner MX 15 / MX 18**


110675	0,172	**Sealing Cone TRH 55** For use with TRIO Housing. Use with Anchor TRH.	






031642	0,167	**DK Concrete Cone DW 15-58/30** For closing anchor points with DK Sealing Cone DW 15/35.	**Note** Delivery unit 50 pieces.





031643	0,265	**DK Concrete Cone UNI 58/52** For closing anchor points with DK Sealing Cone DW 15/55, DW 20/55, DW 26/55 and SK Anchor Cone DW 15.	**Note** Delivery unit 50 pieces.






Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX

Tie System DK, SK, KK


PERI


Item no.	Weight kg		
031641	0,208	**DK Concrete Cone Architec. DW 15-58/52** For closing anchor points with DK Sealing Cone DW 15/55 with corresponding architectural requirements.	**Note** Delivery unit 50 pieces.







126609	0,593	**SK Anchor Cone DW 15 / 2** For waterproof, fire-resistant, soundproof and radiation-proof anchor points with Tie Rod DW 15. Suitable for vaults and strongrooms.	**Technical Data** Permissible tension force 90 kN. Tie rod length = wall thickness - 2 x 55 mm







031646	1,030	**SK Anchor Cone DW 20** For waterproof, fire-resistant, soundproof and radiation-proof anchor points with Tie Rod DW 20. Suitable for vaults and strongrooms.	**Technical Data** Permissible tension force 150 kN. Tie rod length = wall thickness - 2 x 65 mm





031647	1,920	**SK Anchor Cone DW 26** For waterproof, fire-resistant, soundproof and radiation-proof anchor points with Tie Rod DW 26. Suitable for vaults and strongrooms.	**Technical Data** Permissible tension force 250 kN. Tie rod length = wall thickness - 2 x 75 mm






Tie System DK, SK, KKV

PERI


Item no.	Weight kg		
031639	0,006	**SK Sealing Washer UNI DW 15** For sealing DK Sealing Cones DW 15 and SK Anchor Cones DW 15 on the formwork side.	**Note** Delivery unit 50 pieces. When using the SK Sealing Cover with SK Anchor Cone, the tie rod must be shortened by 1 mm on each side.






031648	0,008	**SK Sealing Washer DW 20** For sealing SK Anchor Cones DW 20 on the formwork side.	**Note** Delivery unit 50 pieces. When using the SK Sealing Cover with SK Anchor Cone, the tie rod must be shortened by 1.5 mm on each side.






031649	0,014	**SK Sealing Washer DW 26** For sealing SK Anchor Cones DW 26 on the formwork side.	**Note** Delivery unit 50 pieces. When using the SK Sealing Cover with SK Anchor Cone, the tie rod must be shortened by 2 mm on each side.





031671	0,002	**SK Tube Seal 22** For spacer tube rough.	**Note** Delivery unit 250 pieces.






Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX

Tie System DK, SK, KK

PERI


Item no.	Weight kg		
031672	0,003	**SK Tube Seal 28** For spacer tube rough.	**Note** Delivery unit 250 pieces.






126013	0,002	**Sealing Ring 60 x 15 x 4, EPDM** For spacer tube rough.	**Note** Delivery unit 100 pieces.







031643	0,265	**DK Concrete Cone UNI 58/52** For closing anchor points with DK Sealing Cone DW 15/55, DW 20/55, DW 26/55 and SK Anchor Cone DW 15.	**Note** Delivery unit 50 pieces.





031650	0,401	**SK Concrete Cone DW 20-67/60** For closing anchor points with SK Anchor Cone DW 20.	**Note** Delivery unit 50 pieces.







Accessories

108136	5,000	**Glue for Concrete Cones-2, 5-kg-Set**

031651	0,881	**SK Concrete Cone DW 26-100/60** For closing anchor points with SK Anchor Cone DW 26.	**Note** Delivery unit 50 pieces.





Accessories


108136	5,000	**Glue for Concrete Cones-2, 5-kg-Set**

Tie System DK, SK, KKV

PERI


Item no.	Weight kg		
104643	0,260	**SK Lead Cone DW 15** For closing tie holes with SK Anchor Cone DW 15 for radiation-proof areas.	





031652	0,247	**KK Concrete Cone M24-67/52** For closing anchor points with Climbing Cone-2, M24/DW 15 and Screw-On Cone-2 M24/DW 20.	**Note** Delivery unit 50 pieces.







Accessories

108136	5,000	**Glue for Concrete Cones-2, 5-kg-Set**

031653	0,364	**KK Concrete Cone M30-80/52** For closing anchor points with Climbing Cone-2 M30/DW 20 or Screw-On Cone M30/DW 26.	**Note** Delivery unit 50 pieces.







Accessories

108136	5,000	**Glue for Concrete Cones-2, 5-kg-Set**

031654	0,571	**KK Concrete Cone M36-90/52** For closing anchor points with Climbing Cone-2 M36/DW 26.	**Note** Delivery unit 50 pieces.





Accessories

108136	5,000	**Glue for Concrete Cones-2, 5-kg-Set**


Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX

Tie System DK, SK, KK


PERI


Item no.	Weight kg	
108136	5,000	**Glue for Concrete Cones-2, 5-kg-Set** For bonding PERI concrete cones.

Note
See Safety Data sheet!
Consisting of:
6 x Component A, 6 x Component B
2 x Stirring Container, 3 x Stirring Staff





108958	0,410	**Glue Component A-2** For bonding PERI concrete cones.
110345	0,430	**Glue Component B-2** For bonding PERI concrete cones.
126696	1,220	**Magnet Cone Spanner MX 15 / MX 18** For dismantling of Magnet Cone MX 15 and MX 18.





031655	0,940	**DK Cone Remover UNI** For removing DK Sealing Cones.







Tie System DK, SK, KKV

PERI


Item no.	Weight kg	
110634	0,383	**Cone Spanner TRH** For removing Sealing Cone TRH 55.







		DK, SK Tongs for Concrete Cones
031644	0,588	**DK Tong for Concrete Cone 58**
031656	0,600	**SK Tong for Concrete Cone 67**
031657	0,660	**SK Tong for Concrete Cone 100**


For holding DK, SK or KK Concrete Cones with corresponding diameter during installation.







101995	1,020	**Concrete Cone Gauge** Installation of concrete cones flush with the surface.





031480	2,460	**Socket Wrench SW 36, chrome-plated** For various purposes.





Column Formwork

201 TRIO Column Formwork
209 VARIO GT 24 Column Formwork
91 DUO

Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX

TRIO Column Formwork


054200	Column Panel TRS 270 x 90	202
054210	Column Panel TRS 120 x 90	202
054220	Column Panel TRS 60 x 90	202
103716	TRS Clamp DW 15, galv.	203
054230	Column Tie Bolt TRIO, galv.	203
201004	DW 15 Wingnut Pivot Plate, galv.	203
054240	Chamfer Strip, l = 2.70 m	204
030320	Plug Ø 25 mm for TRS	204
023500	Alignment Coupler BFD, galv.	204
023660	Brace Connector TRIO, galv.	204
117321	Lifting Gear Combi MX	205
117322	Lifting Gear MX	205
115168	Lifting Hook MAXIMO 1.5 t	205
115058	Stacking Device MAXIMO	205
023440	Lifting Pin TRIO	206
750303	Stacking Aid TRIO DW 20	206


Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX

TRIO Column Formwork

PERI

Item no.	Weight kg		
054200	142,000	**Column Panel TRS 270 x 90** Column panels for cross-sections up to 75 x 75 cm in 5-cm-increments. 18 mm Fin-Ply formlining.	**Complete with** 64 pc. 030320 Plug Ø 25 mm for TRS







Accessories

030370	1,660	**Wingnut Pivot Plate DW 15, galv.**
054230	0,584	**Column Tie Bolt TRIO, galv.**

054210	69,900	**Column Panel TRS 120 x 90** Column panels for cross-sections up to 75 x 75 cm in 5-cm-increments. 18 mm Fin-Ply formlining.	**Complete with** 32 pc. 030320 Plug Ø 25 mm for TRS







Accessories

030370	1,660	**Wingnut Pivot Plate DW 15, galv.**
054230	0,584	**Column Tie Bolt TRIO, galv.**

054220	40,300	**Column Panel TRS 60 x 90** Column panels for cross-sections up to 75 x 75 cm in 5-cm-increments. 18 mm Fin-Ply formlining.	**Complete with** 16 pc. 030320 Plug Ø 25 mm for TRS






Accessories


030370	1,660	**Wingnut Pivot Plate DW 15, galv.**
054230	0,584	**Column Tie Bolt TRIO, galv.**

TRIO Column Formwork

PERI


Item no.	Weight kg		
103716	2,330	**TRS Clamp DW 15, galv.** For corner tying of the TRIO Column Panels.	







054230	0,584	**Column Tie Bolt TRIO, galv.** For corner tying of the TRIO Column Panels.	





201004	1,660	**DW 15 Wingnut Pivot Plate, galv.** For anchoring with Tie Rod DW 15 and B 15. With pivoting captive nut. Maximum angle of tilting 8°.	**Note** Wrench size SW 27. **Technical Data** Permissible load 90 kN.







Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX

TRIO Column Formwork

PERI


Item no.	Weight kg		
054240	1,900	**Chamfer Strip, l = 2.70 m** Chamfer strip made of plastic. For TRIO Column Formwork. Edge length 15 x 15 mm.	







030320	0,004	**Plug Ø 25 mm for TRS** For closing unused tie holes Ø 25 mm and with TRIO Column Formwork.	







023500	4,580	**Alignment Coupler BFD, galv.** For all panel connections for MAXIMO, TRIO and RUNDFLEX. Fillers up to 10 cm.	**Technical Data** Permissible tension force 20.0 kN.





023660	3,300	**Brace Connector TRIO, galv.** For connecting push-pull props and kicker braces to MAXIMO and TRIO Panels. Mounted on vertical and horizontal struts.	**Complete with** 1 pc. 027170 Pin Ø 16 x 42, galv. 1 pc. 018060 Cotter Pin 4/1, galv.






TRIO Column Formwork

PERI

Item no.	Weight kg		
117321	31,000	**Lifting Gear Combi MX** For transporting stacks of MAXIMO and TRIO Panels. For attaching Lifting Hook MAXIMO 1.5 t and Stacking Device MAXIMO.	**Note** Follow Instructions for Use!




117322	25,000	**Lifting Gear MX** For transporting stacks of MAXIMO and TRIO Panels.	**Note** Follow Instructions for Use!





115168	7,480	**Lifting Hook MAXIMO 1.5 t** For transporting MAXIMO and TRIO Panels.	**Note** Follow Instructions for Use! **Technical Data** Permissible load-bearing capacity: Steel elements 1.5 t Alu elements 750 kg





115058	7,450	**Stacking Device MAXIMO** For stacking and transportation of 2 – 5 MAXIMO or TRIO Panels of all sizes. Suitable for crane and fork-lift transport.	**Note** Follow Instructions for Use! **Technical Data** Permissible load-bearing capacity 650 kg per post, 2.6 t per stack.







Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX

TRIO Column Formwork

PERI


Item no.	Weight kg	
023440	0,312	**Lifting Pin TRIO** For easy carrying of TRIO Panels.





750303	0,014	**Stacking Aid TRIO DW 20** Prevents elements sliding and protects the plywood formlining against damage.





PERI

Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX

VARIO GT 24 Column Formwork


012150 Column Waler SSRZ-24 U-100, l = 0.97/0.85 m 210
012160 Column Waler SSRZ-24 U-100, l = 1.13/1.01 m 210
012080 Column Waler SSRZ-U100, spec. length 210
012040 Column Waler SSRZ-U120, spec. length 210
012090 Column Waler SSRZ-U140, spec. length 210
012300 Welding Unit for SSRZ 210
012050 Column VARIO Waler SVRZ U-100, l = 1.20 m 210
103871 Steel Waler Universal SRU U120, l = 0.97 m 211
103874 Steel Waler Universal SRU U120, l = 1.22 m 211
103877 Steel Waler Universal SRU U120, l = 1.47 m 211
103886 Steel Waler Universal SRU U120, l = 1.72 m 211
037160 Bolt Ø 20 x 205, galv. 211
024240 Wedge KZ, galv. 211
024070 Hook Strap HB 24-100/120, galv. 212
031200 Chamfer Strip with Flange, l = 2.50 m 212
024210 Tie Yoke SKZ 212
030010 Tie Rod DW 15, l = 0.85 m 212
201001 DW 15 Wingnut, galv. 213
028050 Girder Headpiece GT 24, galv. 213
028070 Girder Headpiece GT 24/A, galv. 213
028060 Wedge Headpiece SRZ/SRU 213
024250 Wedge K, galv. 214
070760 Crane Splice GT 24 214
201202 GB 80 Bracket MK1 with Pin 214
051410 Ladder 180/6, galv. 215
051460 Ladder Base, galv. 215
103724 End Ladder 180/2, galv. 215
103718 Ladder Hook, galv. 215
111165 Ladder Connector VARIO, adjustable 216
104132 Ladder Safety Cage 75, galv. 216
051450 Ladder Safety Cage 150, galv. 216


Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX

VARIO GT 24 Column Formwork


PERI

Item no.	Weight kg		
		Column Walers SSRZ-24 U100	**Note**
012150	38,700	**Column Waler SSRZ-24 U-100, l = 0.97/0.85 m**	Special lengths and other profile sizes available on request.
012160	45,700	**Column Waler SSRZ-24 U-100, l = 1.13/1.01 m**	
		For continuously adjustable column cross-sections 24 x 24 cm up to 48 x 60 cm or 40 x 40 cm up to 64 x 76 cm. Profile U100.	







		Column Walers SSRZ, spec. length	**Note**
012080	22,000	**Column Waler SSRZ-U100, spec. length**	When ordering, state dimensions L1 and L2.
012040	28,000	**Column Waler SSRZ-U120, spec. length**	
012090	33,000	**Column Waler SSRZ-U140, spec. length**	
012300	0,000	**Welding Unit for SSRZ**	



012050	31,300	**Column VARIO Waler SVRZ U-100, l = 1.20 m**	**Note**
		For continuously adjustable column cross-sections up to 80 x 120 cm in connection with Steel Waler SRU. Profile U100.	Special lengths and other profile sizes available on request.






Accessories


103871	24,200	**Steel Waler Universal SRU U120, l = 0.97 m**
103874	30,900	**Steel Waler Universal SRU U120, l = 1.22 m**
103877	38,100	**Steel Waler Universal SRU U120, l = 1.47 m**
103886	44,700	**Steel Waler Universal SRU U120, l = 1.72 m**
037160	0,736	**Bolt Ø 20 x 205, galv.**
024240	0,805	**Wedge KZ, galv.**

VARIO GT 24 Column Formwork

PERI


Item no.	Weight kg		
		Steel Walers Universal SRU	**L**
103871	24,200	**Steel Waler Universal SRU U120, l = 0.97 m**	972
103874	30,900	**Steel Waler Universal SRU U120, l = 1.22 m**	1222
103877	38,100	**Steel Waler Universal SRU U120, l = 1.47 m**	1472
103886	44,700	**Steel Waler Universal SRU U120, l = 1.72 m**	1722
		Universal steel waler with U-profile used as waling for girder wall formwork and for diverse special applications. With adjustable spacers.	**Technical Data** Permissible load: see PERI Design Tables.






037160	0,736	**Bolt Ø 20 x 205, galv.**	**Complete with**
		For corner tying of the RAPID Column Frames.	1 pc. 018060 Cotter Pin 4/1, galv.





024240	0,805	**Wedge KZ, galv.**	
		For connecting panels with VARIO Couplings or Tie Yoke SKZ.	







Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX

VARIO GT 24 Column Formwork


PERI


Item no.	Weight kg	
024070	0,691	**Hook Strap HB 24-100/120, galv.** For fixing GT 24 Girders to Steel Walers SRZ, SRU and BR: U100 – U120.






031200	0,470	**Chamfer Strip with Flange, l = 2.50 m** Plastic chamfer strip.






024210	2,180	**Tie Yoke SKZ** For tensioning on external corners with Steel Waler SRZ, SRU, U100 – U140 and VARIO couplings.





030010	1,220	**Tie Rod DW 15, l = 0.85 m** **Note** Non-weldable! Take official approval into consideration! **Technical Data** Permissible tension force 90 kN.






VARIO GT 24 Column Formwork


PERI


Item no.	Weight kg	
201001	0,439	**DW 15 Wingnut, galv.** For anchoring with Tie Rod DW 15 and B 15. **Technical Data** Permissible load 90 kN.







028050	4,550	**Girder Headpiece GT 24, galv.** For connecting push-pull props and kicker braces to GT 24 Girders **Complete with** 1 pc. 027170 Pin Ø 16 x 42, galv. 1 pc. 018060 Cotter Pin 4/1, galv.







028070	4,680	**Girder Headpiece GT 24/A, galv.** For connecting push-pull props and kicker braces to extended GT 24 Girders in the area of the Extension Splice 24-2. **Complete with** 1 pc. 027170 Pin Ø 16 x 42, galv. 1 pc. 018060 Cotter Pin 4/1, galv.





028060	1,940	**Wedge Headpiece SRZ/SRU** For connecting push-pull props and kicker braces to Steel Waler SRZ and SRU Profile U100 – U140. **Complete with** 1 pc. 027170 Pin Ø 16 x 42, galv. 1 pc. 018060 Cotter Pin 4/1, galv.






Accessories


024250	0,331	**Wedge K, galv.**


Item no.	Weight kg		
024250	0,331	**Wedge K, galv.** For coupling Compression Plate KDP, Wedge Head Piece SRZ/SRU and Waler Connector SB-A, B, C.	







070760	4,650	**Crane Splice GT 24** For transporting elements by crane with the GT 24 girder.	**Complete with** 1 pc. 018050 Pin Ø 16 x 65/86, galv. 1 pc. 018060 Cotter Pin 4/1, galv. **Note** Follow Instructions for Use! **Technical Data** Permissible load-bearing capacity 700 kg with crane sling angle ≤ 15°.







201202	11,000	**GB 80 Bracket MK1 with Pin** For assembly of a working and concreting scaffold with GT 24 girder.	**Technical Data** Permissible load 150 kg/m². Maximum width of influence 1.25 m.







Item no.	Weight kg		
051410	11,700	**Ladder 180/6, galv.** As access for PERI formwork systems.	**Complete with** 4 pc. 710224 Bolt ISO 4017 M12 x 40-8.8, galv. 4 pc. 710381 Nut ISO 7042 M12-8, galv.







051460	2,180	**Ladder Base, galv.** As bottom ladder connection and for securing ladders against sliding on the scaffold decks.	






103724	10,400	**End Ladder 180/2, galv.** As access for PERI formwork systems.	**Complete with** 4 pc. 710224 Bolt ISO 4017 M12 x 40-8.8, galv. 4 pc. 710381 Nut ISO 7042 M12-8, galv.





103718	0,684	**Ladder Hook, galv.** For adjusting the bottom ladder. Always use in pairs.	**Complete with** 2 pc. 710266 Bolt ISO 4017 M12 x 25-8.8, galv. 2 pc. 710381 Nut ISO 7042 M12-8, galv.







VARIO GT 24 Column Formwork


PERI


Item no.	Weight kg		
111165	6,080	**Ladder Connector VARIO, adjustable** For connecting ladders to Steel Walers SRZ and SRU, Profile U100 - U120.	**Complete with** 2 pc. 710266 Bolt ISO 4017 M12 x 25-8.8, galv. 2 pc. 701763 Clamping Plate Fl 25 x 10 x 90





		Ladder Safety Cages, galv.	**Complete with**
104132	15,600	**Ladder Safety Cage 75, galv.**	4 pc. 710266 Bolt ISO 4017 M12 x 25-8.8, galv.
051450	25,200	**Ladder Safety Cage 150, galv.**	4 pc. 701763 Clamping Plate Fl 25 x 10 x 90
		Ladder safety cage for PERI access ladders.	





PERI

Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX

Slab Formwork

221 SKYDECK Panel Slab Formwork
233 MULTIFLEX Girder Slab Formwork
245 Lifting Fork
91 DUO

Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX

SKYDECK Panel Slab Formwork

PERI


061000	Panel SDP 150 x 75	222
061011	Panel SDP 150 x 50	222
061020	Panel SDP 150 x 37.5	222
061010	Panel SDP 75 x 75	222
061013	Panel SDP 75 x 50	222
061030	Panel SDP 75 x 37.5	222
061160	Main Beam SLT 375	222
061100	Main Beam SLT 225	222
061110	Main Beam SLT 150	223
061026	Cover Strip SAL 150	223
061027	Cover Strip SAL 75	223
061024	Cover Strip SAL 50	223
061038	Cover Strip SAL 37.5	223
061045	Edge Beam SRT-2 150	223
061046	Edge Beam SRT-2 75	223
061210	Drophead SFK	224
061200	Prophead SSK	224
061180	Combihead SCK	224
061049	Filler Timber SPH 150	225
061036	Filler Timber SPH 225	225
061021	Triangular Frame SDR 150 x 75	225
061022	Triangular Frame SDR 75 x 75	225
061051	Wall Holder SWH-2	225
061023	End Support SSL	226
061290	Panel Clip SPK	226
061280	Panel Wedge Clip SPKK	226
061052	Table Connector STV	226
061300	Erection Aid SSH	226
061310	Tension Sleeve SAO	227
061250	Guardrail Holder SGH, Alu	227
061260	Guardrail Post SGP	227
065073	Anchor Chain 3.0 kN, l = 2.5 m	227
065074	Turnbuckle 3.0 kN, M12	228
028100	Base Plate for RS	228
124777	Anchor Bolt PERI 14/20 x 130	228
123970	Screw-On Sleeve PERI M16/164	228
061530	Pallet SD 150 x 225, galv.	229
061500	Pallet SD 150 x 75, galv.	229
118622	Transition Prophead SDSK	230
127620	Transition Head SDFK	230


SKYDECK Panel Slab Formwork

PERI

Item no.	Weight kg	Panels SDP	L	B
061000	15,500	**Panel SDP 150 x 75**	1500	750
061011	11,700	**Panel SDP 150 x 50**	1500	500
061020	9,780	**Panel SDP 150 x 37.5**	1500	375
061010	8,560	**Panel SDP 75 x 75**	750	750
061013	6,350	**Panel SDP 75 x 50**	750	500
061030	5,250	**Panel SDP 75 x 37.5**	750	375


Panel with 9 mm plywood.






061160 25,700 **Main Beam SLT 375**


For cantilevers.






061100 15,600 **Main Beam SLT 225**

For standard fields.







SKYDECK Panel Slab Formwork

PERI

Item no.	Weight kg		
061110	9,690	**Main Beam SLT 150**	


For filler areas.






Item no.	Weight kg	Cover Strips SAL	L
061026	1,690	**Cover Strip SAL 150**	1500
061027	0,849	**Cover Strip SAL 75**	750
061024	0,561	**Cover Strip SAL 50**	500
061038	0,427	**Cover Strip SAL 37.5**	375


Plastic. Panel with 21 mm plywood. For use with drophead SFK.






Item no.	Weight kg	Edge Beams SRT-2
061045	5,740	**Edge Beam SRT-2 150**
061046	2,720	**Edge Beam SRT-2 75**

For longitudinal and transverse filling, for shuttering around columns. Panel with 21 mm plywood.







Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX

SKYDECK Panel Slab Formwork


PERI


Item no.	Weight kg	
061210	6,180	**Drophead SFK** With self-locking coupling. Supports main beam as well as cover strip and formlining. Lowering height 6 cm. For 21 mm plywood formlining.







061200	3,860	**Prophead SSK** With self-locking coupling. Supports main beams, panels, edge girders and filler timber.





061180	5,340	**Combihead SCK** With self-locking coupling. Supports main beams, panels, edge girders and filler timber.







SKYDECK Panel Slab Formwork


PERI


Item no.	Weight kg	
		Filler Timbers SPH
061049	3,350	**Filler Timber SPH 150**
061036	5,020	**Filler Timber SPH 225** For compensations with 21 mm plywood formlining.







		Triangular Frames SDR
061021	8,660	**Triangular Frame SDR 150 x 75**
061022	5,350	**Triangular Frame SDR 75 x 75** For compensations on inclined walls. For compensations with 21 mm plywood formlining.





061051	5,250	**Wall Holder SWH-2** For horizontal anchoring at the wall. Attach to every second girder or panel.







Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX

SKYDECK Panel Slab Formwork

PERI


Item no.	Weight kg	
061023	2,140	**End Support SSL** To be used as compensation to the filler area and to be fixed to the drophead SFK.






061290	0,133	**Panel Clip SPK** Fixes panel on main beam.







061280	0,780	**Panel Wedge Clip SPKK** Fixes panel on main beam.







061052	2,590	**Table Connector STV** For assembling SKYDECK Slab Tables. Also allows the fixing of intermediate props at the main beam.





061300	2,240	**Erection Aid SSH** For forming with SKYDECK. Adjustable in 7.5-cm-increments.






SKYDECK Panel Slab Formwork

PERI


Item no.	Weight kg		
061310	0,996	**Tension Sleeve SAO** For bracing cantilevered main beams.	**Technical Data** Permissible tension force 3.0 kN.






For assembling a guardrail with SKYDECK.

Maximum width of influence 1.55 m.






Accessories


061260	6,150	**Guardrail Post SGP**


061260	6,150	**Guardrail Post SGP** As guardrail for different systems.





065073	1,370	**Anchor Chain 3.0 kN, l = 2.5 m**	**Technical Data** Permissible tension force 3.0 kN.











Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX





SKYDECK Panel Slab Formwork

PERI

Item no.	Weight kg		
065074	0,450	**Turnbuckle 3.0 kN, M12** 	**Technical Data** Permissible tension force 3.0 kN. 
028100	1,830	**Base Plate for RS** For assembly of RS Push-Pull Props. 	**Complete with** 1 pc. 018050 Pin Ø 16 x 65/86, galv. 1 pc. 018060 Cotter Pin 4/1, galv. 
124777	0,210	**Anchor Bolt PERI 14/20 x 130** For temporary fixation to reinforced concrete structures. 	**Note** See PERI data sheet! Drilling Ø 14 mm. 
123970	0,047	**Screw-On Sleeve PERI M16/164** For temporary mounting of components on reinforced concrete slabs. 	**Note** Inserted into the fresh concrete immediately after concreting. 
		Accessories	
123973	0,240	**Bolt ISO 4014 M16 x 130-8.8, galv.**	


SKYDECK Panel Slab Formwork


PERI

Item no.	Weight kg		
061530	82,400	**Pallet SD 150 x 225, galv.** For stacking and transportation of 48 SKYDECK Panels 150 x 75. 	**Complete with** 5 pc. 100707 Lashing 25 x 5750 mm **Note** Follow Instructions for Use! **Technical Data** Permissible load-bearing capacity 750 kg. 
061500	76,700	**Pallet SD 150 x 75, galv.** For stacking and transportation of 14 SKYDECK Panels 150 x 75. 	**Note** Follow Instructions for Use! **Technical Data** Permissible load-bearing capacity 1.0 t. 


Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX


Item no.	Weight kg	
118622	4,870	**Transition Prophead SDSK** For the rectangular change of the direction of the Main Beam SLT in the standard application with Prophead SSK.





127620	6,770	**Transition Head SDFK** For the rectangular change of the direction of the Main Beam SLT in the standard application with Drophead SFK.





MULTIFLEX Girder Slab Formwork


075100 Girder GT 24, l = 0.90 m 234
075120 Girder GT 24, l = 1.20 m 234
075150 Girder GT 24, l = 1.50 m 234
075180 Girder GT 24, l = 1.80 m 234
075210 Girder GT 24, l = 2.10 m 234
075240 Girder GT 24, l = 2.40 m 234
075270 Girder GT 24, l = 2.70 m 234
075300 Girder GT 24, l = 3.00 m 234
075330 Girder GT 24, l = 3.30 m 234
075360 Girder GT 24, l = 3.60 m 234
075390 Girder GT 24, l = 3.90 m 234
075420 Girder GT 24, l = 4.20 m 234
075450 Girder GT 24, l = 4.50 m 234
075480 Girder GT 24, l = 4.80 m 234
075510 Girder GT 24, l = 5.10 m 234
075540 Girder GT 24, l = 5.40 m 234
075570 Girder GT 24, l = 5.70 m 234
075600 Girder GT 24, l = 6.00 m 234
074990 Girder VT 20K, l = 1.45 m 235
074905 Girder VT 20K, l = 2.15 m 235
074910 Girder VT 20K, l = 2.45 m 235
074890 Girder VT 20K, l = 2.65 m 235
074920 Girder VT 20K, l = 2.90 m 235
074930 Girder VT 20K, l = 3.30 m 235
074940 Girder VT 20K, l = 3.60 m 235
074950 Girder VT 20K, l = 3.90 m 235
074960 Girder VT 20K, l = 4.50 m 235
074970 Girder VT 20K, l = 4.90 m 235
074980 Girder VT 20K, l = 5.90 m 235
028870 Lowering Head 20/24, galv. 235
028680 Crosshead 20/24 S, galv. 236
027890 Crosshead 20/24, galv. 236
028890 Clawhead 24 S, galv. 236
028880 Clawhead 24, galv. 236
028660 Clawhead 16/20 S, galv. 236
028670 Clawhead 16/20, galv. 236
027990 Bolt Ø 14 x 107, galv. 236
018060 Cotter Pin 4/1, galv. 237
028590 Tension Strap 16-25, galv. 237
028000 Universal Tripod, galv. 237
107152 Tripod PEP Ergo, galv. 237
027940 Brace Clamp, galv., 48 – 76 mm 238
027790 Brace Clamp HL, galv., 76 – 120 mm 238
103434 Pallet RP-2 80 x 120, galv. 238
103429 Pallet RP-2 80 x 150, galv. 238
027930 Assembly Bar 24, galv. 239
070740 Erection Bar GT/VT, galv. 239
101290 Guardrail Holder GT 24 / VT 20 239
116292 Guardrail Post HSGP-2 239
061260 Guardrail Post SGP 240
117326 Side-Mesh-Barrier PMB 260 240
117327 Side-Mesh-Barrier PMB 130 240
018290 Framing Clip, galv. 240
018280 Double Head Nail, l = 65 mm 240
035500 Stripping Cart, Alu 241
116614 Flexclip GT/GT 241
116605 Flexclip GT/VT 241
117575 Fixing Tool MF, galv. 242
117574 Distance Device MF-Plus 242


Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX


MULTIFLEX Girder Slab Formwork

PERI

Item no.	Weight kg	Girders GT 24	L
075100	5,300	**Girder GT 24, l = 0.90 m**	918
075120	7,100	**Girder GT 24, l = 1.20 m**	1214
075150	8,900	**Girder GT 24, l = 1.50 m**	1510
075180	10,600	**Girder GT 24, l = 1.80 m**	1806
075210	12,400	**Girder GT 24, l = 2.10 m**	2102
075240	14,200	**Girder GT 24, l = 2.40 m**	2398
075270	15,900	**Girder GT 24, l = 2.70 m**	2694
075300	17,700	**Girder GT 24, l = 3.00 m**	2990
075330	19,500	**Girder GT 24, l = 3.30 m**	3286
075360	21,200	**Girder GT 24, l = 3.60 m**	3582
075390	23,000	**Girder GT 24, l = 3.90 m**	3878
075420	24,800	**Girder GT 24, l = 4.20 m**	4174
075450	26,600	**Girder GT 24, l = 4.50 m**	4470
075480	28,300	**Girder GT 24, l = 4.80 m**	4766
075510	30,100	**Girder GT 24, l = 5.10 m**	5062
075540	31,900	**Girder GT 24, l = 5.40 m**	5358
075570	33,600	**Girder GT 24, l = 5.70 m**	5654
075600	35,400	**Girder GT 24, l = 6.00 m**	5950









MULTIFLEX Girder Slab Formwork


PERI


Item no.	Weight kg	Girders VT 20K with Steel Cap	L
074990	8,560	**Girder VT 20K, l = 1.45 m**	1445
074905	12,700	**Girder VT 20K, l = 2.15 m**	2150
074910	14,460	**Girder VT 20K, l = 2.45 m**	2450
074890	15,640	**Girder VT 20K, l = 2.65 m**	2650
074920	17,110	**Girder VT 20K, l = 2.90 m**	2900
074930	19,470	**Girder VT 20K, l = 3.30 m**	3290
074940	21,240	**Girder VT 20K, l = 3.60 m**	3590
074950	23,010	**Girder VT 20K, l = 3.90 m**	3890
074960	26,550	**Girder VT 20K, l = 4.50 m**	4490
074970	28,910	**Girder VT 20K, l = 4.90 m**	4900
074980	34,810	**Girder VT 20K, l = 5.90 m**	5900





028870	5,430	**Lowering Head 20/24, galv.** For tilt-resistant support of one or two GT 24 or VT 20 Girders. Lowering range 4 cm.	**Note** Required hole diameter of the prop end plate Ø 40 mm. Girder overlap on both sides minimum 16.3 cm for GT 24 and 15 cm for VT 20.







Item no.	Weight kg	
		Crossheads 20/24, galv.
028680	3,190	**Crosshead 20/24 S, galv.**
027890	3,080	**Crosshead 20/24, galv.**

With or without self-locking coupling.
For tilt-resistant support of one or two GT 24 or VT 20 Girders.

Note
Required hole diameter of the pr
Ø 40 mm.
Girder overlap on both sides min
GT 24 and 15 cm for VT 20.






		Clawheads 24, galv.
028890	1,650	**Clawhead 24 S, galv.**
028880	1,540	**Clawhead 24, galv.**

With or without self-locking coupling. For positioning intermediate props on the GT 24 Girder without nailing.

Note
Required hole diameter of the pr
Ø 40 mm.






		Clawheads 16/20, galv.
028660	1,040	**Clawhead 16/20 S, galv.**
028670	0,936	**Clawhead 16/20, galv.**

With or without self-locking coupling.
For positioning intermediate props on the VT 20 girder without nailing.


Note
Required hole diameter of the pr
Ø 40 mm.






027990	0,150	**Bolt Ø 14 x 107, galv.**

For different connections.






Accessories

018060	0,030	**Cotter Pin 4/1, galv.**


Item no.	Weight kg	
018060	0,030	**Cotter Pin 4/1, galv.**






028590	0,568	**Tension Strap 16-25, galv.**

For mounting 2 GT 24 or VT 20 Girders on the Cross Forkhead and Head Spindle TR 38 and on the Crosshead 20/24 or 20/24S.







028000	9,170	**Universal Tripod, galv.**

Erection aid for slab props with Ø 48 – 120 mm and 120 x 120 mm. Can also be used in combination with MULTIPROP MP slab props and all slab props with Base MP 50.

Note
Only use as erection aid!







107152	5,810	**Tripod PEP Ergo, galv.**

Erection aid for PEP Ergo Slab Props with Ø 44 – 64 mm.

Note
Only use as erection aid!







MULTIFLEX Girder Slab Formwork


PERI


Item no.	Weight kg	
027940	1,840	**Brace Clamp, galv., 48 – 76 mm** For assembly of 3 x 15 cm stiffening boards at slab props Ø 48 – 76 mm.





027790	2,460	**Brace Clamp HL, galv., 76 – 120 mm** For assembly of 3 x 15 cm stiffening boards at slab props Ø 76 – 89 mm and 100 x 100 mm to 120 x 120 mm.







		Pallets RP-2, galv.
103434	38,500	**Pallet RP-2 80 x 120, galv.**
103429	45,300	**Pallet RP-2 80 x 150, galv.**

For stacking and transportation of formwork and scaffolding components.

Note
Follow Instructions for Use!
Technical Data
Permissible load-bearing capacity 1.5 t.







MULTIFLEX Girder Slab Formwork


PERI


Item no.	Weight kg	
027930	3,060	**Assembly Bar 24, galv.** For shuttering of MULTIFLEX with GT 24 Girders.






070740	2,980	**Erection Bar GT/VT, galv.** For shuttering of MULTIFLEX with GT 24 or VT 20 Girders.






101290	5,670	**Guardrail Holder GT 24 / VT 20** For assembling a guardrail to GT 24 and VT 20 Girders.

Complete with
1 pc. 105400 Pin Ø 20 x 140, galv.
1 pc. 018060 Cotter Pin 4/1, galv.






Accessories

116292	4,730	**Guardrail Post HSGP-2**
061260	6,150	**Guardrail Post SGP**

116292	4,730	**Guardrail Post HSGP-2** As guardrail for different systems.






Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX

Item no.	Weight kg	
061260	6,150	**Guardrail Post SGP** As guardrail for different systems.







		Side-Mesh-Barrier PMB
117326	19,700	**Side-Mesh-Barrier PMB 260**
117327	10,500	**Side-Mesh-Barrier PMB 130**


Technical Data
Maximum distance with side-mesh-barrier: PMB 260 max. 2.40 m, PMB 130 max. 1.20 m.





018290	0,098	**Framing Clip, galv.** For connecting crossed timbers or girders. For either right or left handling.







Accessories

018280	1,000	**Double Head Nail, l = 65 mm**

018280	1,000	**Double Head Nail, l = 65 mm**


Note
Delivery unit: carton with 1000 pieces.







Item no.	Weight kg	
035500	72,800	**Stripping Cart, Alu** Mobile working scaffold. Height-adjustable in 25-cm-increments. Platform height max. 2.00 m.


Note
Follow Instructions for Use!
Technical Data
Permissible load 100 kg/m².







116614	0,537	**Flexclip GT/GT** For connecting girders GT 24 / GT 24.





116605	0,493	**Flexclip GT/VT** For connecting girders GT 24 / VT 20.






MULTIFLEX Girder Slab Formwork


PERI


Item no.	Weight kg	
117575	0,179	**Fixing Tool MF, galv.** For assembling Flexclips onto the formwork girders.





117574	4,730	**Distance Device MF-Plus** For placing, positioning on given distance and aligning the formwork girders at the MULTIFLEX System, as well as assembling the Flexclips.





PERI

Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX

Lifting Fork


101862 Lifting Fork 1 t / 5.0 m 246
112230 Lifting Fork 1.25 t / 6.0 m compl. 246
103212 Lifting Fork 1.75 t / 8.0 m 247
115865 Lifting Fork 1.5 t / 8.0 m / 6.6 m 248

Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX


Lifting Fork

Item no.	Weight kg
101862	571,000

Lifting Fork 1 t / 5.0 m
For moving PERI Slab Tables. Table length up to 5.0 m




Note
Follow Instructions for Use!
Technical Data
Permissible load-bearing capacity 1.0 t.




Item no.	Weight kg
112230	982,000

Lifting Fork 1.25 t / 6.0 m compl.
For moving PERI Slab Tables.




Note
Follow Instructions for Use!
Technical Data
Permissible load-bearing capacity 1.25 t.




Lifting Fork

Item no.	Weight kg
103212	1610,000

Lifting Fork 1.75 t / 8.0 m
For moving PERI Slab Tables. Table length up to 8.0 m



Note
Follow Instructions for Use!
Technical Data
Permissible load-bearing capacity 1.75 t.




Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX


Lifting Fork

Item no.	Weight kg
115865	1840,000

Lifting Fork 1.5 t / 8.0 m / 6.6 m
For moving PERI Slab Tables. Tables lenght up to 8.00 m over two floors.

Note
Follow Instructions for Use!
Technical Data
Permissible load-bearing capacity 1.5 t.





Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX

Climbing Systems

253 CB Climbing Formwork
277 Ladder Access for Climbing Systems
283 BR Shaft Platform
294 RCS Rail Climbing System
351 SCS Single-Sided Climbing System

Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX

CB Climbing Formwork

201976 CB 240 Climbing Bracket (No Post) 254
051020 Carriage CB 240 254
051040 Rack CB 240 255
127821 Crane Eye CB 240-2 0.7 t 255
051100 Climbing Bracket CB 160 255
051130 Adjusting Unit CB 160 256
051120 Platform Connection CB 160 256
051060 Strongback CB 270 256
051150 Strongback CB 380 256
051030 Height Adjusting Unit CB, SCS 257
051110 Adjustable Brace CB 164-224 257
051090 Connector TRIO-CB 257
110059 Waler Fixation U100 – U120 258
051230 Finishing Platform Beam CB 258
201911 Platform Beam 200 x 75 x 26 258
201913 Platform Beam 230 x 75 x 26 258
051200 Platform Post CB 225 258
051050 Post Extension CB 180 259
051190 Handrail Post CB 200 259
051210 Handrail Post CB 190 260
051220 Handrail Post CB 370 260
201410 Scaff. Tube Steel Ø 48.3 x 4.0, l = 6.4 m 260
201412 Swivel Coupler Pressed Steel 260
017040 Screw-On Coupler AK 48, galv. 261
051160 Guardrail Connector CB 261
201090 Main Post 1.8m 261
201091 CBC Side Guardrail Post 1.8m 261
201092 CBC Intermediate Post 1.8M 262
126399 Handrail Post Extension CB 262
065066 End Guardrail Frame 55 262
051640 Lag Screw DIN 571 6 x 80, galv. 263
051650 F.H. Bolt DIN 603 M6 x 180 MU, galv. 263
710240 F.H. Bolt DIN 603 M8 x 100 MU, galv. 263
024360 F.H. Bolt DIN 603 M8 x 125 MU, galv. 263
108834 F.H. Bolt DIN 603 M8 x 180 MU, galv. 263
029470 Scaffold Mounting Ring M24, galv. 263
029560 Bolt ISO 4014 M24 x 120-10.9 263
114158 Screw-On Cone-2 M24/DW 20, galv. 264
030860 Threaded Anchor Plate DW 20 264
031220 Climbing Cone-2 M24/DW 15, galv. 264
030840 Threaded Anchor Plate DW 15 264
201002 Tie Rod DW 15, l = 6.00 m 265
030740 Tie Rod B 15, spec. length 265
030050 Cutting Cost Tie Rod DW 15, B 15 265
031652 KK Concrete Cone M24-67/52 265
029270 Advancing Bolt M24, galv. 265
029280 Anchor Positioning Plate M24, galv. 266
029440 Lag Screw DIN 571 6 x 20, galv. 266
026420 Anchor Positioning Stud M24, galv. 266
107007 Tension Anchor Connector CB 266
116807 Turnbuckle CB M20/DW 15 267
107008 Wall Tension Anchor 267
051260 Tension Belt Connector CB 267
051250 Tension Belt, l = 5.70 m, 2.5 t 268
051270 Tension Belt Connector Wall M24 268
116752 Wall Bracing Shoe CB M24 268
026430 Bolt ISO 4014 M24 x 70-10.9, glav. 269
027180 Ratchet Lever SW 19 269
031480 Socket Wrench SW 36, chrome-plated 269
027212 Allen Key SW 14, long 269
072180 Ratchet Wrench 1/2" 269
029620 Socket SW 19-1/2" 270
118638 Arch. Anchor Sleeve M24-150/2 270
126793 Arch. Anchor Sleeve M24-150/2, D = 25 270
126795 Arch. Anchor Sleeve M24-150/2, D = 30 270
116279 Arch. Anchor Sleeve M24-120/2 271
116385 Arch. Leading Cone M24/DW 26 271
125512 Arch. Leading Cone M24/DW 26 Steel 271
125963 Arch. Anchor Sleeve M24-150/1 272
114606 Arch. Mounting Cone M24 272
057138 Hex. Bolt ISO 4014 M24 x 160-8.8, galv. 272
031642 DK Concrete Cone DW 15-58/30 272
03164 DK Concrete Cone UNI 58/52 273
031641 DK Concrete Cone Architec. DW 15-58/52 273
108136 Glue for Concrete Cones-2, 5-kg-Set 273
201720 Spacer Tube for DW 15 22/26mm l = 2.00 m 273
201630 10mm Cover Cone for 22mm Tube 273
201630 50mm Cover Cone for 22mm Tube 273
065036 Plug DR 22 274
115499 Leading Cone Screw DW 26 274
031480 Socket Wrench SW 36, chrome-plated 274
031644 DK Tong for Concrete Cone 58 274
101995 Concrete Cone Gauge 274

Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX

CB Climbing Formwork

PERI


Item no.	Weight kg
201976	104,000


CB 240 Climbing Bracket (No Post)
Complete Climbing Scaffold Bracket CB 240.

Complete with
2 pc. 017040 Screw-On Coupler AK 48, galv.
1 pc. 715977 Guardrail Post CB 240
1 pc. 710222 Bolt ISO 4014 M16 x 80-8.8, galv.
1 pc. 070890 Nut ISO 7042 M16-8, galv.

Additional items
1 pc. 201090 CBC Main Post 1.8m

Note
Delivery condition: handrail post in transport secu-ring device.







051020	33,900

Carriage CB 240
For assembly on the Climbing Bracket CB 240. Can be installed in 2 positions: for decking support with GT 24 girder or timber 8 x 16.

Complete with
1 pc. 710944 Key Wedge, FW
1 pc. 710859 Axel Ø 25 x 184
1 pc. 710866 Cog-Wheel Ø 25
1 pc. 710914 Split Pin ISO 8752 8 x 45, galv.





Accessories


027180	1,760
051040	8,440


Ratchet Lever SW 19
Rack CB 240

Item no.	Weight kg
051040	8,440

Rack CB 240
For Carriage CB 240.

Complete with
1 pc. 018050 Pin Ø 16 x 65/86, galv.
1 pc. 018060 Cotter Pin 4/1, galv.





127821	0,957


Crane Eye CB 240-2 0.7 t
For assembly on the Climbing Bracket CB 240 when used as working scaffold.

Complete with
1 pc. 128335 Bolt ISO 4015 M16 x 110
1 pc. 126248 Castle Nut M16 DIN 935-8, galv.
1 pc. 722825 Cotter Pin ISO 1234-04, 0 x 030 St

Note
Follow Instructions for Use!

Technical Data
Permissible load-bearing capacity 700 kg.







051100	79,200

Climbing Bracket CB 160
Complete Climbing Scaffold Bracket CB 160.

Complete with
2 pc. 017040 Screw-On Coupler AK 48, galv.
1 pc. 701209 Guardrail Post CB 160
1 pc. 710222 Bolt ISO 4014 M16 x 80-8.8, galv.
1 pc. 070890 Nut ISO 7042 M16-8, galv.

Note
Delivery condition: handrail post in transport secu-ring device.







Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX

CB Climbing Formwork


PERI


Item no.	Weight kg		
051130	12,900	**Adjusting Unit CB 160** For Climbing Bracket CB 160.	**Complete with** 2 pc. 711084 Bolt ISO 4014 M20 x 150-8.8, galv. 2 pc. 781053 Nut ISO 7042 M20-8, galv.






051120	4,570	**Platform Connection CB 160** For mounting platform decking on the Climbing Bracket CB 160 when used as working scaffold.	**Complete with** 2 pc. 711078 Bolt ISO 4014 M20 x 130-8.8, galv. 2 pc. 781053 Nut ISO 7042 M20-8, galv. **Note** Follow Instructions for Use! **Technical Data** Permissible load-bearing capacity 500 kg.





051060 051150	73,400 103,000	**Strongbacks CB** **Strongback CB 270** **Strongback CB 380** For assembling system formwork on Climbing Brackets CB 240 and 160. For formwork heights up to 5.40 m.	**Complete with** 1 pc. 715936 Pin Ø 25 x 180, incl. dowel pin Ø 6 1 pc. 018060 Cotter Pin 4/1, galv. **Technical Data** Permissible load-bearing point capacity 1.9 t.







CB Climbing Formwork


PERI


Item no.	Weight kg		
051030	5,320	**Height Adjusting Unit CB, SCS** For height adjustment of VARIO GT 24 panels on the Strongbacks CB and SCS.	**Complete with** 1 pc. 715936 Pin Ø 25 x 180, incl. dowel pin Ø 6 1 pc. 018060 Cotter Pin 4/1, galv.







051110	24,900	**Adjustable Brace CB 164-224** For aligning the Strongback CB.	**Complete with** 2 pc. 715936 Pin Ø 25 x 180, incl. dowel pin Ø 6 2 pc. 018060 Cotter Pin 4/1, galv.







051090	13,500	**Connector TRIO-CB** For fixing TRIO panels to the Strongback CB. Used on horizontal or vertical struts. With integrated height adjustment.	**Complete with** 1 pc. 715936 Pin Ø 25 x 180, incl. dowel pin Ø 6 1 pc. 018060 Cotter Pin 4/1, galv.





Item no.	Weight kg	
110059	2,840	**Waler Fixation U100 – U120** For fixing VARIO GT 24 panels to Strongbacks CB or SCS and Steel Waler SRU.







051230	17,000	**Finishing Platform Beam CB**
201911	17,000	**Platform Beam 200 x 75 x 26**
201913	17,000	**Platform Beam 230 x 75 x 26**

For assembling finishing platforms.

Complete with
4 pc. 710232 Bolt ISO 4014 M16 x 130-8.8, galv.
4 pc. 070890 Nut ISO 7042 M16-8, galv.







051200	44,400	**Platform Post CB 225**

For assembling finishing platforms. For concreting heights up to 3.60 m. In combination with Post Extension CB 180 for concreting heights from 3.60 to 5.40 m.

Complete with
2 pc. 710232 Bolt ISO 4014 M16 x 130-8.8, galv.
2 pc. 070890 Nut ISO 7042 M16-8, galv.







Item no.	Weight kg	
051050	26,400	**Post Extension CB 180**

For assembling finishing platforms. In combination with Platform Post CB 225 for concreting heights from 3.60 to 5.40 m.

Complete with
2 pc. 710232 Bolt ISO 4014 M16 x 130-8.8, galv.
2 pc. 070890 Nut ISO 7042 M16-8, galv.







051190	17,400	**Handrail Post CB 200**

For assembling guardrails on finishing platforms. Basic extension for Handrail Post CB 190 and 370.

Complete with
2 pc. 710232 Bolt ISO 4014 M16 x 130-8.8, galv.
2 pc. 070890 Nut ISO 7042 M16-8, galv.







Item no.	Weight kg	
051210	19,000	**Handrail Posts CB** **Handrail Post CB 190** **Handrail Post CB 370** For assembling guardrails on finishing platforms. Handrail Post CB 190 for concreting heights up to 3.60 m. Handrail Post CB 370 for concreting heights from 3.60 to 5.40 m.
051220	34,600	


Complete with
2 pc. 710232 Bolt ISO 4014 M16 x 130-8.8, galv.
2 pc. 070890 Nut ISO 7042 M16-8, galv.







Item no.	Weight kg		L
201410	21,600	**Scaffold Tubes Steel Ø 48.3 x 4.0** **Scaff. Tube Steel Ø 48.3 x 4.0, l = 6.4 m**	6400







Item no.	Weight kg	
201412	1,400	**Swivel Coupler Pressed Steel** For Scaffold Tubes Ø 48 mm.







Item no.	Weight kg	
017040	0,850	**Screw-On Coupler AK 48, galv.** For Scaffold Tubes Ø 48 mm.





Item no.	Weight kg	
051160	0,894	**Guardrail Connector CB** For assembling scaffold tubes on handrail posts.







Accessories


126228	0,030	**F.H. Bolt DIN 603 M8 x 70 MU, galv.**


Item no.	Weight kg	
201090	14,260	**Main Post 1.8m**





Item no.	Weight kg	
201091	16,700	**CBC Side Guardrail Post 1.8m** For assembly of an end guardrail. Bolted to the platform main beam.






Accessories

051640	0,014	**Lag Screw DIN 571 6 x 80, galv.**

Item no.	Weight kg	
201092	25,000	**CBC Intermediate Post 1.8M** For assembling a guardrail with large cantilevers. Bolted on the platform main beam.




Accessories


051640	0,014	**Lag Screw DIN 571 6 x 80, galv.**
051610	6,940	**Side Guardrail Post CB**

126399	4,710	**Handrail Post Extension CB** For the extention of guardrail post CB by 50 cm.

Complete with
1 pc. 710222 Bolt ISO 4014 M16 x 80-8.8, galv.
1 pc. 070890 Nut ISO 7042 M16-8, galv.



065066	15,100	**End Guardrail Frame 55** Clampable end guardrail for all PERI scaffold platforms and climbing systems.



Item no.	Weight kg	
051640	0,014	**Lag Screw DIN 571 6 x 80, galv.**



051650	0,060	**F.H. Bolt DIN 603 M6 x 180 MU, galv.** With nut.



			L	B
		F.H. Bolts DIN 603 M8, galv.		
710240	0,050	**F.H. Bolt DIN 603 M8 x 100 MU, galv.**	100	80
024360	0,058	**F.H. Bolt DIN 603 M8 x 125 MU, galv.**	125	113
108834	0,085	**F.H. Bolt DIN 603 M8 x 180 MU, galv.**	180	28

With nut.



029470	0,723	**Scaffold Mounting Ring M24, galv.** Anchor System M24. For anchoring climbing systems.




Accessories


029560	0,535	**Bolt ISO 4014 M24 x 120-10.9**

029560	0,535	**Bolt ISO 4014 M24 x 120-10.9** High-strength bolts for anchoring climbing systems.



Item no.	Weight kg		
114158	1,030	**Screw-On Cone-2 M24/DW 20, galv.** Anchor system M24. For anchoring climbing systems.	**Note** Separate design information on request.






Accessories


030860	0,801	**Threaded Anchor Plate DW 20**


030860	0,801	**Threaded Anchor Plate DW 20** For use with Tie Rod DW 20, B 20 or Screw-On Cone-2 M24/DW 20. For anchoring in concrete.	**Note** Lost anchor part.





031220	1,010	**Climbing Cone-2 M24/DW 15, galv.** Anchor system M24. For anchoring climbing systems.	**Note** Seperate design information on request.






Accessories

030840	0,516	**Threaded Anchor Plate DW 15**
030030	1,440	**Tie Rod DW 15, spec. length**
030740	1,550	**Tie Rod B 15, spec. length**

030840	0,516	**Threaded Anchor Plate DW 15** For use with Tie Rod DW 15 or B 15. For anchoring in concrete.	**Note** Lost anchor part.





Item no.	Weight kg		
		Tie Rods DW 15	**Note**
201002	8,640	**Tie Rod DW 15, l = 6.00 m**	Non-weldable! Take official approval into consideration! **Technical Data** Permissible tension force 90 kN.






		Tie Rods B 15	**Note**
030740	1,550	**Tie Rod B 15, spec. length**	Weldable! Take official approval into consideration!
030050	0,000	**Cutting Cost Tie Rod DW 15, B 15**	**Technical Data** Permissible tension force 82 kN.





031652	0,247	**KK Concrete Cone M24-67/52** For closing anchor points with Climbing Cone-2, M24/DW 15 and Screw-On Cone-2 M24/DW 20.	**Note** Delivery unit 50 pieces.







Accessories

108136	5,000	**Glue for Concrete Cones-2, 5-kg-Set**

029270	0,331	**Advancing Bolt M24, galv.** For fixing the M24 anchor system if the plywood formlining is drilled through.	







Accessories

029280	0,196	**Anchor Positioning Plate M24, galv.**

Item no.	Weight kg	
029280	0,196	**Anchor Positioning Plate M24, galv.** For fixing the M24 anchor system if the plywood formlining is drilled through.






Accessories

029440	0,005	**Lag Screw DIN 571 6 x 20, galv.**

029440	0,005	**Lag Screw DIN 571 6 x 20, galv.**






026420	0,123	**Anchor Positioning Stud M24, galv.** For fixing the M24 anchor system if the plywood formlining is not drilled through.

Note
Allen Key SW 14.







Accessories

027212	0,445	**Allen Key SW 14, long**
710312	0,005	**Nail 3 x 80**

107007	3,410	**Tension Anchor Connector CB** To prevent tipping over due to wind loads with Tie Rod DW 15.

Complete with
1 pc. 710219 Bolt ISO 4014 M16 x 100-8.8, galv.
1 pc. 070890 Nut ISO 7042 M16-8, galv.







Accessories

116807	1,820	**Turnbuckle CB M20/DW 15**
030030	1,440	**Tie Rod DW 15, spec. length**
107008	4,100	**Wall Tension Anchor**
116752	5,050	**Wall Bracing Shoe CB M24**

Item no.	Weight kg	
116807	1,820	**Turnbuckle CB M20/DW 15** For tensioning of Tie Rod DW 15 to prevent tipping over due to wind loads. Connects Tie Rod DW 15 with Wall Bracing Shoe CB M24.


Complete with
1 pc. 711059 Turnbuckle for tension anchor CB
1 pc. 711060 Eye Bolt M20, left, galv.






107008	4,100	**Wall Tension Anchor** Alternative wall connector to prevent tipping over due to wind loads with Tie Rod DW 15. Including Turnbuckle CB M20/DW 15.

Complete with
1 pc. 027170 Pin Ø 16 x 42, galv.
1 pc. 018060 Cotter Pin 4/1, galv.







Accessories

026430	0,334	**Bolt ISO 4014 M24 x 70-10.9**

051260	3,300	**Tension Belt Connector CB** To prevent tipping over due to wind loads with tension belt.

Complete with
1 pc. 710219 Bolt ISO 4014 M16 x 100-8.8, galv.
1 pc. 070890 Nut ISO 7042 M16-8, galv.






Accessories


051250	2,790	**Tension Belt, l = 5.70 m, 2.5 t**
051270	1,620	**Tension Belt Connector Wall M24**
116752	5,050	**Wall Bracing Shoe CB M24**

CB Climbing Formwork


PERI


Item no.	Weight kg	
051250	2,790	**Tension Belt, l = 5.70 m, 2.5 t** To prevent climbing systems from tipping over due to wind loads. **Note** Follow Instructions for Assembly and Use! **Technical Data** Permissible tension force 2.5 t.





051270	1,620	**Tension Belt Connector Wall M24** Wall connector to prevent tipping over due to wind loads with Tension Belt. To be used for climbing systems CB and FB.







Accessories

026430	0,334	**Bolt ISO 4014 M24 x 70-10.9**

116752	5,050	**Wall Bracing Shoe CB M24** To prevent tipping over due to wind loads with Tension Belt or Tie Rod DW 15 and to stabilise the finishing platform. To be mounted on the Climbing Anchor M24 embedded in the concrete. **Complete with** 2 pc. 104031 Fitting Pin Ø 21 x 120 2 pc. 018060 Cotter Pin 4/1, galv.






Accessories


026430	0,334	**Bolt ISO 4014 M24 x 70-10.9**

CB Climbing Formwork


PERI


Item no.	Weight kg	
026430	0,334	**Bolt ISO 4014 M24 x 70-10.9, glav.** High-strength bolt for anchoring climbing systems.





027180	1,760	**Ratchet Lever SW 19** For operation of the adjusting unit and of the carriage with drive shaft SW 19.







Accessories

027200	0,100	**Insert Socket SW 19**


031480	2,460	**Socket Wrench SW 36, chrome-plated** For various purposes.






027212	0,445	**Allen Key SW 14, long** Fits to PERI Anchor Positioning Studs and Allen Key Bolts M16.





072180	0,560	**Ratchet Wrench 1/2"**







Item no.	Weight kg	
029620	0,075	**Socket SW 19-1/2"** Fits to Hex. Bolts M12 or Height Adjusting Unit SW 19.







118638	8,790	**Arch. Anchor Sleeve M24-150/2** Centre piece of the double-sided architectural concrete anchoring CB. Anchor Tie DW 15 is passing through. Plate size 150 mm.	**Note** Order item! Specify wall thickness D. Seperate design information on request. **Technical Data** Min. D = 200 mm. Max. D = 400 mm. L = D -130 mm.







		Arch. Anchors Sleeve M24-150/2	**Note**
126793	3,190	**Arch. Anchor Sleeve M24-150/2, D = 25**	Seperate design information on request.
126795	3,490	**Arch. Anchor Sleeve M24-150/2, D = 30**	






Item no.	Weight kg		
116279	7,530	**Arch. Anchor Sleeve M24-120/2** Centre piece of the double-sided architectural concrete anchoring CB. Anchor Tie DW 15 is passing through. Plate size 120 mm.	**Note** Order item! Specify wall thickness D. Seperate design information on request. **Technical Data** Min. D = 200 mm. Max. D = 400 mm. L = D -130 mm.





116385	0,189	**Arch. Leading Cone M24/DW 26** Leading cone for single- or double-sided architectural concrete anchorings CB. Creates a recess for Arch. Mounting Cone M24 and Concrete Cone DK 58/52.	**Note** Plastic version.






Accessories

115499	0,878	**Leading Cone Screw DW 26**

125512	0,966	**Arch. Leading Cone M24/DW 26 Steel** Leading cone for single- or double-sided architectural anchorings CB. Creates a recess for Arch. Mounting Cone M24 and Concrete Cone DK 58/52. Can also be used as shear cone for anchoring FB or KG Brackets.	**Note** Steel version. Seperate design information on request.







Accessories

115499	0,878	**Leading Cone Screw DW 26**

Item no.	Weight kg		
125963	3,100	**Arch. Anchor Sleeve M24-150/1** Anchor sleeve for single-sided architectural concrete anchoring CB. Anchor Tie DW 15 is passing through. Plate size 150 mm.	**Note** Seperate design information on request. **Technical Data** Fixed embedment depth 170 mm. Min. wall thickness 200 mm.







Accessories

065027	0,359	**Spacer Tube rough DR 22, l = 2.00 m**
065033	0,010	**Cone DR 22**

114606	1,630	**Arch. Mounting Cone M24** For anchoring climbing systems compatible with Mounting Ring M24. Fixation to Arch. Anchor Sleeves M24-120/2, M24-150/2 or M24-150/1.	**Note** Seperate design information on request.







Accessories

057138	0,665	**Hex. Bolt ISO 4014 M24 x 160-8.8, galv.**


057138	0,665	**Hex. Bolt ISO 4014 M24 x 160-8.8, galv.**	






031642	0,152	**DK Concrete Cone DW 15-58/30** For closing anchor points with DK Sealing Cone DW 15/35.	**Note** Delivery unit 50 pieces.






Item no.	Weight kg		
031643	0,265	**DK Concrete Cone UNI 58/52** For closing anchor points with DK Sealing Cone DW 15/55, DW 20/55, DW 26/55 and SK Anchor Cone DW 15.	**Note** Delivery unit 50 pieces.






031641	0,260	**DK Concrete Cone Architec. DW 15-58/52** For closing anchor points with DK Sealing Cone DW 15/55 with corresponding architectural requirements.	**Note** Delivery unit 50 pieces.







108136	5,000	**Glue for Concrete Cones-2, 5-kg-Set** For bonding PERI concrete cones.	**Note** See Safety Data sheet! Consisting of: 6 x Component A, 6 x Component B 2 x Stirring Container, 3 x Stirring Staff




201720	0,359	**Spacer Tube for DW 15 22/26mm l = 2.00 m** Plastic Spacer Tube for DW 15, B 15.	





201630	0,010	**10mm Cover Cone for 22mm Tube**	**Note** Delivery unit 500 pieces.
201630	0,010	**50mm Cover Cone for 22mm Tube** Plastic. Suitable for Spacer Tube DR 22.	






CB Climbing Formwork


PERI


Item no.	Weight kg	
065036	0,002	**Plug DR 22** Plastic. Suitable for Spacer Tube DR 22. **Note** Delivery unit 1000 pieces.







115499	0,878	**Leading Cone Screw DW 26** For recovering the Arch. Leading Cone M24/DW 26.







031480	2,460	**Socket Wrench SW 36, chrome-plated** For various purposes.







031644	0,588	**DK Tong for Concrete Cone 58** For holding DK, SK or KK Concrete Cones with corresponding diameter during installation.





101995	1,020	**Concrete Cone Gauge** Installation of concrete cones flush with the surface.





PERI
Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX

PERI

Ladder Access for Climbing Systems


126431 Hatch 55 x 60-2, foldable 278
110608 Hatch 55 x 60, foldable 278
051410 Ladder 180/6, galv. 279
051420 Ladder 220/6 279
103724 End Ladder 180/2, galv. 279
109105 Ladder Base 30 adjustable, galv. 279
051460 Ladder Base, galv. 280
103718 Ladder Hook, galv. 280
104132 Ladder Safety Cage 75, galv. 280
051450 Ladder Safety Cage 150, galv. 280
111165 Ladder Connector VARIO, adjustable 280


PERI
Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX

Ladder Access for Climbing Systems

PERI

Item no.	Weight kg		
126431	12,300	**Hatch 55 x 60-2, foldable** Self-closing hatch for ladder access. Clear opening approx. 55 x 60 cm. Ladder fixation with bolts or by hanging up.	**Complete with** 1 pc. 126785 Hatch Hinge RCS 12 pc. 108647 Rivet DIN 7337- A5 x 20 2 pc. 022230 Cotter Pin 5/1, galv.







Accessories

710224	0,047	**Bolt ISO 4017 M12 x 40-8.8, galv.**
710381	0,017	**Nut ISO 7042 M12-8, galv.**

110608	15,600	**Hatch 55 x 60, foldable** Self-closing hatch for ladder access. Clear opening approx. 55 x 60 cm. Ladder fixation with bolts.	**Complete with** 1 pc. 110529 Hinging Plate left, galv. 1 pc. 110535 Hinging Plate right, galv. 8 pc. 721412 Rivet DIN 7337 - A4,8 x 12






Accessories


710224	0,047	**Bolt ISO 4017 M12 x 40-8.8, galv.**
710381	0,017	**Nut ISO 7042 M12-8, galv.**

Ladder Access for Climbing Systems

PERI


Item no.	Weight kg		
051410	11,700	**Ladder 180/6, galv.** As access for PERI formwork systems.	**Complete with** 4 pc. 710224 Bolt ISO 4017 M12 x 40-8.8, galv. 4 pc. 710381 Nut ISO 7042 M12-8, galv.







051420	12,800	**Ladder 220/6** As access for PERI formwork systems.	**Complete with** 4 pc. 710224 Bolt ISO 4017 M12 x 40-8.8, galv. 4 pc. 710381 Nut ISO 7042 M12-8, galv.







103724	10,400	**End Ladder 180/2, galv.** As access for PERI formwork systems.	**Complete with** 4 pc. 710224 Bolt ISO 4017 M12 x 40-8.8, galv. 4 pc. 710381 Nut ISO 7042 M12-8, galv.





109105	5,070	**Ladder Base 30 adjustable, galv.** For horizontal fixing of ladders on the platform decking.






Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX

Ladder Access for Climbing Systems

PERI

Item no.	Weight kg	
051460	2,180	**Ladder Base, galv.** As bottom ladder connection and for securing ladders against sliding on the scaffold decks.






103718	0,684	**Ladder Hook, galv.** For adjusting the bottom ladder. Always use in pairs.


Complete with
2 pc. 710266 Bolt ISO 4017 M12 x 25-8.8, galv.
2 pc. 710381 Nut ISO 7042 M12-8, galv.






		Ladder Safety Cages, galv.
104132	15,600	**Ladder Safety Cage 75, galv.**
051450	25,200	**Ladder Safety Cage 150, galv.**
		Ladder safety cage for PERI access ladders.


Complete with
4 pc. 710266 Bolt ISO 4017 M12 x 25-8.8, galv.
4 pc. 701763 Clamping Plate Fl 25 x 10 x 90






111165	6,080	**Ladder Connector VARIO, adjustable** For connecting ladders to Steel Walers SRZ and SRU, Profile U100 – U120.

Complete with
2 pc. 710266 Bolt ISO 4017 M12 x 25-8.8, galv.
2 pc. 701763 Clamping Plate Fl 25 x 10 x 90





PERI
Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX

BR Shaft Platform

201871	Platform Beam BR 100 X 65 X 10	284
201872	Platform Beam BR 125 X 65 X 15	284
201873	Platform Beam BR 150 X 75 X 18	284
201909	Platform Beam BR 180 X 75 X 20	284
201911	Platform Beam 200 x 75 x 26	284
201913	Platform Beam 230 x 75 x 26	284
020620	Spacer for Platform Beam BR	284
127834	Crane Eye BR-2 2.5 t, galv.	284
020600	Gravity Pivot Plate BR	285
108162	Bearing Box BR	285
020330	Folding Bearing Plate 25	285
026430	Bolt ISO 4014 M24 x 70-10.9, glav.	286
026230	Anchor Sleeve M24	286
026240	Cone PP Ø 31/26, c = 25	286
026250	Plug Ø 26 mm	286
114158	Screw-On Cone-2 M24/DW 20, galv.	287
030860	Threaded Anchor Plate DW 20	287
029270	Advancing Bolt M24, galv.	287
029280	Anchor Positioning Plate M24, galv.	287
029440	Lag Screw DIN 571 6 x 20, galv.	288
026420	Anchor Positioning Stud M24, galv.	288
024070	Hook Strap HB 24-100/120, galv.	288
024860	Hook Strap HB 24 QB 150, galv.	288
024080	Hook Strap HB 24-140/160, galv.	289
115544	Hook Strap Uni HBU 14-17	289
104931	Hook Strap Uni HBU 20-24	289
103845	Hook Strap Uni HBU 24-28	290
111806	Hook Strap Uni HBU 24-26 U200	290
201004	DW 15 Wingnut Pivot Plate, galv.	290
201021	DW 15 Hex. Nut	291
115378	Eye Nut RCS DW 15	291
201002	Tie Rod DW 15, l = 6.00 m	291
030740	Tie Rod B 15, spec. length	291
030050	Cutting Cost Tie Rod DW 15, B 15	291
201410	Scaff. Tube Steel Ø 48.3 x 4.0, l = 6.4 m	292
103868	Steel Waler Universal SRU U120, l = 0.72 m	292
103871	Steel Waler Universal SRU U120, l = 0.97 m	292
103874	Steel Waler Universal SRU U120, l = 1.22 m	292
103877	Steel Waler Universal SRU U120, l = 1.47 m	292
103886	Steel Waler Universal SRU U120, l = 1.72 m	292
103889	Steel Waler Universal SRU U120, l = 1.97 m	292
103898	Steel Waler Universal SRU U120, l = 2.22 m	292
103892	Steel Waler Universal SRU U120, l = 2.47 m	292
103929	Steel Waler Universal SRU U120, l = 2.72 m	292
103903	Steel Waler Universal SRU U120, l = 2.97 m	292
103906	Steel Waler Universal SRU U120, l = 3.47 m	292
103915	Steel Waler Universal SRU U120, l = 3.97 m	292
103918	Steel Waler Universal SRU U120, l = 4.47 m	292
103922	Steel Waler Universal SRU U120, l = 4.97 m	292
103925	Steel Waler Universal SRU U120, l = 5.47 m	292
103928	Steel Waler Universal SRU U120, l = 5.97 m	292

Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX


BR Shaft Platform


PERI

Item no.	Weight kg	
		Platform Beam BR
021871	21,800	**Platform Beam BR 100 X 65 X 10**
021872	27,400	**Platform Beam BR 125 X 65 X 15**
021873	32,800	**Platform Beam BR 150 X 75 X 18**
021909	38,600	**Platform Beam BR 180 X 75 X 20**
201911	32,800	**Platform Beam 200 x 75 x 26**
201913	38,600	**Platform Beam 230 x 75 x 26**

As cross beam for shaft platforms. The specified item no. is for the platform beams only (2 pieces). Required accessories are to be ordered separately.

Note
Structural calculations are required.
Information on longitudinal separation corresponding to item numbers and a separate design information on request.
Technical Data
Double U-profile corresponding to DIN 1026-1, S235






Accessories


020620	0,561	**Spacer for Platform Beam BR**
127834	2,210	**Crane Eye BR-2 2.5 t, galv.**
020330	12,100	**Folding Bearing Plate 25**
020600	6,870	**Gravity Pivot Plate BR**

020620 0,561 **Spacer for Platform Beam BR**

For Platform Beam BR or Steel Walers SRU.

Complete with
1 pc. 710226 Bolt ISO 4014 M20 x 90-8.8, galv.
1 pc. 781053 Nut ISO 7042 M20-8, galv.






127834 2,210 **Crane Eye BR-2 2.5 t, galv.**

As attachment point for moving climbing systems or Platform Beam BR.

Note
Follow Instructions for Use!
Technical Data
Permissible load-bearing point capacity 2.5 t.





Accessories

020620	0,561	**Spacer for Platform Beam BR**


BR Shaft Platform


PERI

Item no.	Weight kg	
020600	6,870	**Gravity Pivot Plate BR**

For supporting Platform Beam BR in wall box-outs. 2 pieces per platform beam.

Complete with
1 pc. 710226 Bolt ISO 4014 M20 x 90-8.8, galv.
1 pc. 781053 Nut ISO 7042 M20-8, galv.
Note
Seperate design information on request.






Accessories


108162	1,800	**Bearing Box BR**

108162 1,800 **Bearing Box BR**

For creating wall box-outs for mounting with the gravity pivot plate.

Note
Reusable.






Accessories


029270	0,331	**Advancing Bolt M24, galv.**

020330 12,100 **Folding Bearing Plate 25**

For supporting Platform Beam BR with Anchor System M24. 2 pieces per platform beam.

Note
Seperate design information on request.
Technical Data
Permissible load 25.0 kN.





Accessories


026430	0,334	**Bolt ISO 4014 M24 x 70-10.9**

BR Shaft Platform

PERI


Item no.	Weight kg	
026430	0,334	**Bolt ISO 4014 M24 x 70-10.9, glav.** High-strength bolt for anchoring climbing systems.






026230	1,010	**Anchor Sleeve M24** To anchor platform systems.

Note
Separate design information on request.






Accessories

026240	0,026	**Cone PP Ø 31/26, c = 25**
026250	0,005	**Plug Ø 26 mm**
116233	0,116	**Cone FRC Ø 32/52, c = 40**
026420	0,123	**Anchor Positioning Stud M24, galv.**
116234	0,033	**Plug FRC Ø 32 mm**
115150	0,200	**Anchor Positioning Stud M24 x 65, galv.**


026240	0,026	**Cone PP Ø 31/26, c = 25** Resulting in a concrete cover of 25 mm in combination with Anchor Sleeve M24. Made of polypropylene.





026250	0,005	**Plug Ø 26 mm** For closing Cone PP Ø 31 for Anchor Sleeve M24. Made of polypropylene.







BR Shaft Platform

PERI

Item no.	Weight kg	
114158	1,030	**Screw-On Cone-2 M24/DW 20, galv.** Anchor system M24. For anchoring climbing systems.

Note
Separate design information on request.







Accessories

030860	0,801	**Threaded Anchor Plate DW 20**


030860	0,801	**Threaded Anchor Plate DW 20** For use with Tie Rod DW 20, B 20 or Screw-On Cone-2 M24/DW 20. For anchoring in concrete.


Note
Lost anchor part.





029270	0,331	**Advancing Bolt M24, galv.** For fixing the M24 anchor system if the plywood formlining is drilled through.







Accessories

029280	0,196	**Anchor Positioning Plate M24, galv.**

029280	0,196	**Anchor Positioning Plate M24, galv.** For fixing the M24 anchor system if the plywood formlining is drilled through.





Accessories


029440	0,005	**Lag Screw DIN 571 6 x 20, galv.**

BR Shaft Platform

PERI

Item no.	Weight kg	
029440	0,005	**Lag Screw DIN 571 6 x 20, galv.**






026420	0,123	**Anchor Positioning Stud M24, galv.** For fixing the M24 anchor system if the plywood formlining is not drilled through.

Note
Allen Key SW 14.







Accessories


027212	0,445	**Allen Key SW 14, long**
710312	0,005	**Nail 3 x 80**


024070	0,691	**Hook Strap HB 24-100/120, galv.** For fixing GT 24 Girders to Steel Walers SRZ, SRU and BR: U100 – U120.





024860	0,616	**Hook Strap HB 24 QB 150, galv.** For fixing GT 24 Girders independant from girder node and timber beams to Steel Walers SRZ, SRU and BR: U100 – U120.







BR Shaft Platform


PERI


Item no.	Weight kg	
024080	0,735	**Hook Strap HB 24-140/160, galv.** For fixing GT 24 Girders to Steel Walers SRZ, SRU and BR: U140 – U160.





115544	0,837	**Hook Strap Uni HBU 14-17** For fixing timbers 80 x 160 mm to Steel Walers SRZ, SRU and BR: U100 – U140.







Accessories

024540	0,005	**TSS-Torx 6 x 40, galv.**

104931	0,865	**Hook Strap Uni HBU 20-24** For fixing GT 24 Girders or VT 20 Girders to Steel Walers SRZ, SRU and BR: U100 – U140.

Note
The girders can be mounted at right-angles or diagonally to the steel walers and also outside of the nodes.





Accessories


024540	0,005	**TSS-Torx 6 x 40, galv.**


BR Shaft Platform

PERI

Item no.	Weight kg	
103845	0,893	**Hook Strap Uni HBU 24-28** For fixing GT 24 Girders to Steel Walers SRZ, SRU and BR: U100 – U140.

Note
The girders can be mounted at right-angles or diagonally to the steel walers and also outside of the nodes.







Accessories

024540	0,005	**TSS-Torx 6 x 40, galv.**

111806	0,921	**Hook Strap Uni HBU 24-26 U200** For assembling the GT 24 Girder on the Climbing Rails RCS and LPS or on Steel Walers BR: U140 – U160.







Accessories

024540	0,005	**TSS-Torx 6 x 40, galv.**

030370	1,660	**Wingnut Pivot Plate DW 15, galv.** For anchoring with Tie Rod DW 15 and B 15. With pivoting captive nut. Maximum angle of tilting 8°.

Note
Wrench size SW 27.
Technical Data
Permissible load 90 kN.






BR Shaft Platform

PERI

Item no.	Weight kg	
201021	0,222	**DW 15 Hex. Nut** For anchoring with Tie Rod DW 15 and B 15.


Technical Data
Permissible load 90 kN.





115378	1,080	**Eye Nut RCS DW 15** As an articulated connection to the Climbing Rail RCS, Steel Waler SRU for bracing with DW 15.






Accessories

104031	0,462	**Fitting Pin Ø 21 x 120**
018060	0,030	**Cotter Pin 4/1, galv.**
111567	0,729	**Fitting Pin Ø 26 x 120**
022230	0,033	**Cotter Pin 5/1, galv.**

		Tie Rods DW 15
201002	8,640	**Tie Rod DW 15, l = 6.00 m**

Note
Non-weldable! Take official approval into consideration!
Technical Data
Permissible tension force 90 kN.





		Tie Rod B 15
030740	1,550	**Tie Rod B 15, spec. length**
030050	0,000	**Cutting Cost Tie Rod DW 15, B 15**

Note
Weldable! Take official approval into consideration!
Technical Data
Permissible tension force 82 kN.







BR Shaft Platform

PERI

Item no.	Weight kg	Scaffold Tubes Steel Ø 48.3 x 4.0	L
201410	21,600	**Scaff. Tube Steel Ø 48.3 x 4.0, l = 6.4 m**	6400







Item no.	Weight kg	Steel Walers Universal SRU	L
103868	18,100	**Steel Waler Universal SRU U120, l = 0.72 m**	722
103871	24,200	**Steel Waler Universal SRU U120, l = 0.97 m**	972
103874	30,900	**Steel Waler Universal SRU U120, l = 1.22 m**	1222
103877	38,100	**Steel Waler Universal SRU U120, l = 1.47 m**	1472
103886	44,700	**Steel Waler Universal SRU U120, l = 1.72 m**	1722
103889	52,000	**Steel Waler Universal SRU U120, l = 1.97 m**	1972
103898	58,600	**Steel Waler Universal SRU U120, l = 2.22 m**	2222
103892	65,600	**Steel Waler Universal SRU U120, l = 2.47 m**	2472
103929	72,000	**Steel Waler Universal SRU U120, l = 2.72 m**	2722
103903	81,000	**Steel Waler Universal SRU U120, l = 2.97 m**	2972
103906	92,600	**Steel Waler Universal SRU U120, l = 3.47 m**	3472
103915	106,000	**Steel Waler Universal SRU U120, l = 3.97 m**	3972
103918	119,000	**Steel Waler Universal SRU U120, l = 4.47 m**	4472
103922	135,000	**Steel Waler Universal SRU U120, l = 4.97 m**	4972
103925	146,000	**Steel Waler Universal SRU U120, l = 5.47 m**	5472
103928	159,000	**Steel Waler Universal SRU U120, l = 5.97 m**	5972

Universal steel waler profile U120 used as waling for girder wall formwork and for diverse special applications. With adjustable spacers.

Note
Permissible load: see PERI Design Tables.
Technical Data
U120: Wy = 121.4 cm³, Iy = 728 cm⁴.





PERI
Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX

114166	Climbing Rail RCS 148	296
109469	Climbing Rail RCS 248	296
112102	Climbing Rail RCS 298	296
109470	Climbing Rail RCS 348	296
112141	Climbing Rail RCS 398	296
109471	Climbing Rail RCS 498	296
109472	Climbing Rail RCS 748	296
109472	Climbing Rail RCS 998	296
110022	Spacer M20-82	296
110023	Spacer M24-82	296
115626	M24 Kicker Connector RCS	296
110569	Climbing Rail Hinge RCS	297
109791	Climbing Rail Extension RCS 100	297
111390	Climbing Rail Connector RCS 97	297
113744	Climbing Rail Connector RCS 73	298
111833	Climbing Rail Connector RCS 40	298
109743	Climbing Rail Connector RCS 33	298
111283	Angle Connector RCS/SRU	299
123534	Brace Connector RCS DW 15/M20	299
111382	Climbing Rail Angle Connector RCS	299
104031	Fitting Pin Ø 21 x 120	300
018060	Cotter Pin 4/1, galv.	300
111567	Fitting Pin Ø 26 x 120	300
022230	Cotter Pin 5/1, galv.	300
202650	Crossbeam RCS 220, VARIO GB	301
110285	Crossbeam Head RCS/TRIO	301
116477	Platform Beam Support RCS	301
109717	Intermediate Platform Beam RCS 241	302
109722	Finishing Platform Beam RCS 122	302
109718	Diagonal Strut RCS 142	302
110012	Diagonal Strut RCS 212	302
114301	Platform Beam RCS/SRU 113	303
114328	Guardrail Post RCS/SRU 184	303
109720	Guardrail Post RCS 226	303
109721	Guardrail Post RCS 384	304
109773	Guardrail Post RCS 509	304
126088	Guardrail Post Holder MULTI	304
111035	Heavy Duty Spindle SLS 40/80	305
101773	Heavy Duty Spindle SLS 80/140	305
101774	Heavy Duty Spindle SLS 100/180	305
101776	Heavy Duty Spindle SLS 140/240	305
101778	Heavy Duty Spindle SLS 200/300	305
101779	Heavy Duty Spindle SLS 260/360	305
109726	Heavy Duty Spindle SLS 320/420	305
109785	Heavy Duty Spindle SLS 380/480	305
110477	Spindle Adapter SLS/RCS	305
103868	Steel Waler Universal SRU U120, l = 0.72 m	306
103871	Steel Waler Universal SRU U120, l = 0.97 m	306
103874	Steel Waler Universal SRU U120, l = 1.22 m	306
103877	Steel Waler Universal SRU U120, l = 1.47 m	306
103886	Steel Waler Universal SRU U120, l = 1.72 m	306
103889	Steel Waler Universal SRU U120, l = 1.97 m	306
103898	Steel Waler Universal SRU U120, l = 2.22 m	306
103892	Steel Waler Universal SRU U120, l = 2.47 m	306
103929	Steel Waler Universal SRU U120, l = 2.72 m	306
103903	Steel Waler Universal SRU U120, l = 2.97 m	306
103906	Steel Waler Universal SRU U120, l = 3.47 m	306
103915	Steel Waler Universal SRU U120, l = 3.97 m	306
103918	Steel Waler Universal SRU U120, l = 4.47 m	306
103922	Steel Waler Universal SRU U120, l = 4.97 m	306
103925	Steel Waler Universal SRU U120, l = 5.47 m	306
103928	Steel Waler Universal SRU U120, l = 5.97 m	306
020620	Spacer for Platform Beam BR	306
110059	Waler Fixation U100 – U120	307
110400	Adjusting Unit SRU, external	307
111135	Adjusting Unit SRU, internal	307
115325	Strongback Adapter RCS/SRU	308
115623	Connector SRU VARIOKIT	308
111403	Mounting Castor Climbing Rail RCS	308
057050	Suspension Tube Vario 53	308
125823	Formwork Suspension VARIO GT 24, Ø 60	309
111631	Crossbar RCS 69	309
110234	Crossbar RCS 103	309
110012	Diagonal Strut RCS 212	310
128671	Climbing Rail Connector RCS/LPS 73	310
127875	Screen Support LPS M20	310
110290	Timber Fixation RCS 12/20	311
117644	Cover Mat LPS 40 x 30, U120 – 140	311
125857	Platform Bracket Multi LPS	311
125991	Oval-Head Screw ISO 7380 M10 x 25-10.9, galv	312
125719	Washer ISO 7094-10 100 HV, galv.	312
780356	Nut ISO 7042 M10-8, galv.	312
127568	Screen Element DX LPS 250 x 123	312
127572	Screen Element DX LPS 300 x 123	312
127576	Screen Element DX LPS 350 x 123	312
127580	Screen Element DX LPS 500 x 123	312
127556	Telescopic Screen LPS 123 x 248, DX	312
127560	Telescopic Screen LPS 123 x 373, DX	313
127564	Telescopic Screen DX LPS 123 x 498	313
125972	Telescopic Scaffold Tube LPS	314
117166	Screen Adapter Single LPS 60	314
117152	Screen Adapter Double LPS 60	314
124226	Screen Adapter Telescope LPS	314
117165	Screen Adapter Combi LPS 60	315
117535	Screen Adapter Corner LPS	315
127053	Cover Clip Profile LPS 112	315
127060	Draw-in Profile LPS 20/55, l = 15 m	316
127061	Draw-in Profile LPS 18/93, l = 15 m	316
201410	Scaff. Tube Steel Ø 48.3 x 4.0, l = 6.4 m	316
201412	Swivel Coupler Pressed Steel	316
110084	Scaffold Tube Adapter Ø 48 RCS	317
110296	Clamp A64 DIN 3570 M12, galv.	317
017040	Screw-On Coupler AK 48, galv.	317
125856	Scaffold Tube Adapter LPS/RCS Ø 48	317
125458	Flap Safety Plate LPS Ø 48	318
125461	Flap Hinge LPS Ø 48/M10	318
110289	L-Angle RCS 120 x 120 x 200	318
123478	Toe Board Angle 90°	318
070030	Bulldog-Spike Ø 48/12 mm	319
111436	Hinge DIN 7957-200-ST, yellow galv.	319
114937	Fixation Bar RCS	319
104477	Bolt ISO 4014 M20 x 120-8.8, galv.	319
781053	Nut ISO 7042 M20-8, galv.	319
109612	Bolt ISO 4014 M24 x 130-8.8, galv.	320
105032	Nut ISO 7042 M24-8, galv.	320
126076	Cover Strip LPS 16 x 107.5	320
126834	Cover Strip LPS 18 x 158	320
125971	Cover Strip LPS 20 x 248	321
125945	Cover Strip LPS 20 x 373	321
125973	Cover Strip Rubber 0.20 x 10 m	321
126268	Cable Binder PA 6.6 SW 203 x 7.6	321
112986	Lifting Beam RCS 10 t	322
127320	Lifting Beam 10 t	322
105401	Crane Eye BR 2.5 t	323
127834	Crane Eye BR-2 2.5 t, galv.	323
113745	Climbing Rail Extension RCS 125	323
116469	RCS Wheel 1.5 t	324
109468	Climbing Shoe RCS	324

109503	Wall Shoe RCS	324
110667	Wall Shoe RCS, pivoted	325
110315	Mounting Ring Adapter RCS M30	325
029480	Scaffold Mounting Ring M30, galv.	325
030920	Climbing Cone-2 M30/DW 20, galv.	326
030860	Threaded Anchor Plate DW 20	326
201842	DW 20 Tie Rod l = 6.00 m	326
030745	Tie Rod B 20, spec. length	326
030800	Cutting Cost Tie Rod DW 20/B 20	326
057257	Screw-On Cone M30/DW 26	327
030870	Threaded Anchor Plate DW 26	327
031653	KK Concrete Cone M30-80/52	327
108136	Glue for Concrete Cones-2, 5-kg-Set	327
029380	Anchor Positioning Plate M30, galv.	328
029450	Advancing Screw M30, galv.	328
029420	Bolt ISO 4017 M30 x 70-8.8, galv.	328
029540	Bolt ISO 4014 M30 x 130-10.9, galv.	328
109567	Slab Shoe RCS	329
110375	Slab Shoe RCS Corner	329
115570	Slab Shoe Adjustable RCS 30	329
114113	Cover RCS 70 x 70	330
114947	Slab Anchor Template 61 RCS	330
029270	Advancing Bolt M24, galv.	330
115918	Slab Shoe Adapter RCS/AV/SLS	331
115850	Slab Support Adapter RCS	331
112359	Slab Support Anchor Shoe RCS M24	331
116538	Slab Support Alignment RCS	332
114158	Screw-On Cone-2 M24/DW 20, galv.	332
030860	Threaded Anchor Plate DW 20	332
031220	Climbing Cone-2 M24/DW 15, galv.	333
030840	Threaded Anchor Plate DW 15	333
201002	Tie Rod DW 15, l = 6.00 m	333
030740	Tie Rod B 15, spec. length	333
030050	Cutting Cost Tie Rod DW 15, B 15	333
026430	Bolt ISO 4014 M24 x 70-10.9, glav.	334
113232	Slab Stopend Shoe RCS	334
113822	Reducing Bush Ø 30 - 25	334
113820	Stopend Slab Anchor M24/20-128	335
113821	Stopend Slab Anchor M30/25-160	335
114997	Bracing Shoe RCS DW 15	335
115375	Articulated Spanner RCS DW 15	335
115378	Eye Nut RCS DW 15	336
115388	Forkhead Adapter RCS/SLS	336
115298	Spindle Shoe SLS/RCS M24	336
109765	Climbing Device RCS 50	336
109766	Hydraulic Pump RCS 4-fold, 380 – 460V	337
057376	Hydraulic Fluid HV LP46, 20 l	337
110069	Hydraulic Twin Hose RCS, 10 m	337
110070	Hydraulic Twin Hose RCS, 20 m	337
110280	Adapter Cable RCS	338
110279	Plug Socket RCS, black	338
072180	Ratchet Wrench 1/2"	338
051764	Ratchet Wrench 3/4"	338
029610	Ratchet Wrench 1"	338
029620	Socket SW 19-1/2"	338
057276	Socket SW 30-3/4"	338
102785	Socket SW 36-3/4"	338
029630	Socket SW 46-1"	338
110094	Carriage Crank Lever SW 19	339
110950	Excentric Lever RCS	339
114317	Guide in Tool RCS	339
114243	Hydr. Pump RCS 4 x 190 / 460 V CSA	339
135500	Hydraulic Pump RCS MAX 2 x 210	340
135499	Power Cable RCS MAX CEE-32A 2M	340
135498	Power Connection Cable RCS MAX 10m	340
135501	Power Connection Cable RCS MAX 20m	340
135502	Connector Power Cable RCS MAX	341
135503	Data Connection Cable RCS MAX 10m	341
135504	Data Connection Cable RCS MAX 20m	341
135505	Connector Data Cable RCS MAX	341
135506	Remote Control RCS max. 15m	341
135507	Display RCS MAX	342
135606	Return Filter RCS MAX	342
135607	Tank Breather Filter RCS MAX	342
135413	Climbing Device-2 RCS 50	342
135411	Conv. Set Climb Device-2 RCS 50	343
110069	Hydraulic Twin Hose RCS, 10 m	343
110070	Hydraulic Twin Hose RCS, 20 m	343
129035	Hydraulic Hose 2SN-DN08-FF 1.0 m	343
129036	Hydraulic Hose 2SN-DN08-FF 2.0 m	343
129419	Hydraulic Hose 2SN-DN08-FF 5.0 m	344
129420	Hydraulic Hose 2SN-DN08-FF 10.0 m	344
129421	Hydraulic Hose 2SN-DN08-FF 15.0 m	344
129422	Hydraulic Hose 2SN-DN08-FF 20.0 m	344
131270	Hydraulic Oil ISO 11158 HM10, 20 l	344
131274	Hydraulic Oil ISO 11158 HVI22, 20 l	344
057376	Hydraulic Oil ISO 11158 HVI46, 20 l	344
131273	Hydraulic Oil ISO 11158 HM10, 210 l	344
131275	Hydraulik Oil ISO 11158 HVI22, 210 l	344
131277	Hydraulic Oil ISO 11158 HVI46, 210 l	344
131313	Hydraulic Oil Filter Pump CE	345
131314	Hydraulic Oil Filter Element 5 MIC	345
130685	Universal Funnel	345
051760	Cable Binder NT-240H	345
125632	Protect. Covers Climb. Device RCS	346
129424	FF-Coupling Pair X-GE 12PSR-ED+	346
128992	Pin ISO16028 DN10 R3/8IG	346
128993	Sleeve ISO16028 DN10 R3/8IG	346
115581	Hydraulic Service Case	347
12600	Schr ISO 4017 M12 x 60-8.8, verz.	347
780702	Washer ISO 7089 200 HV, A 12, galv.	348
723805	Skt Mutter ISO 4034 M 12-5	348


RCS Rail Climbing System

PERI


Item no.	Weight kg	Climbing Rails RCS	L
114166	78,200	**Climbing Rail RCS 148**	1480
109469	130,000	**Climbing Rail RCS 248**	2480
112102	156,000	**Climbing Rail RCS 298**	2980
109470	182,000	**Climbing Rail RCS 348**	3480
112141	209,000	**Climbing Rail RCS 398**	3980
109471	262,000	**Climbing Rail RCS 498**	4980
109472	393,000	**Climbing Rail RCS 748**	7480
109610	524,000	**Climbing Rail RCS 998**	9980


Steel profile for all-purpose use of climbing application or civil constructions. With Spacers M20-82 and M24-82.







110022	0,493	**Spacer M20-82** Spacer for Climbing Rails RCS.	**Complete with** 1 pc. 104477 Bolt ISO 4014 M20 x 120-8.8, galv. 1 pc. 781053 Nut ISO 7042 M20-8, galv.







110023	0,910	**Spacer M24-82** Spacer for Climbing Rails RCS.	**Complete with** 1 pc. 109612 Bolt ISO 4014 M24 x 130-8.8, galv. 1 pc. 105032 Nut ISO 7042 M24-8, galv.





115626	1,880	**M24 Kicker Connector RCS** Bolted in holes Ø 26 of the Climbing Rail RCS. Serves for connecting Kicker AV or Bracing DW 15.	**Complete with** 1 pc. 115916 Pin Ø = 16, L = 70 mm, geomet. 2 pc. 018060 Cotter Pin 4/1, galv. 1 pc. 109612 Bolt ISO 4014 M24 x 130-8.8, galv.







RCS Rail Climbing System

PERI


Item no.	Weight kg		
110569	16,700	**Climbing Rail Hinge RCS** For an articulated connection of the Climbing Rails RCS and as pressure point on the RCS Climbing Brackets.	**Complete with** 3 pc. 710894 Pin Ø 25 x 180, geomet. 6 pc. 018060 Cotter Pin 4/1, galv.







109791	25,900	**Climbing Rail Extension RCS 100** As extension of the Climbing Rail RCS for connecting the finishing platform.	**Complete with** 2 pc. 109612 Bolt ISO 4014 M24 x 130-8.8, galv. 2 pc. 105032 Nut ISO 7042 M24-8, galv.





111390	32,800	**Climbing Rail Connector RCS 97** For rigidly connecting the Climbing Rails RCS. With connection for the Heavy-Duty Spindles SLS.	





Accessories


104031	0,462	**Fitting Pin Ø 21 x 120**
018060	0,030	**Cotter Pin 4/1, galv.**
111567	0,729	**Fitting Pin Ø 26 x 120**
022230	0,033	**Cotter Pin 5/1, galv.**

RCS Rail Climbing System

PERI

Item no.	Weight kg	
113744	21,000	**Climbing Rail Connector RCS 73** For rigid connection of Climbing Rails RCS. Perm. bending moment limited.







Accessories

104031	0,462	**Fitting Pin Ø 21 x 120**
018060	0,030	**Cotter Pin 4/1, galv.**
111567	0,729	**Fitting Pin Ø 26 x 120**
022230	0,033	**Cotter Pin 5/1, galv.**

111833	12,700	**Climbing Rail Connector RCS 40** For an articulated connection or doubling of the RCS Climbing Rails.






Accessories

104031	0,462	**Fitting Pin Ø 21 x 120**
018060	0,030	**Cotter Pin 4/1, galv.**
111567	0,729	**Fitting Pin Ø 26 x 120**
022230	0,033	**Cotter Pin 5/1, galv.**

109743	6,520	**Climbing Rail Connector RCS 33** For an articulated connection of RCS Climbing Rails.	**Complete with** 3 pc. 710894 Pin Ø 25 x 180, geomet. 6 pc. 018060 Cotter Pin 4/1, galv.







RCS Rail Climbing System

PERI

Item no.	Weight kg	
111283	9,950	**Angle Connector RCS/SRU** For right-angled connection of Steel Walers SRU to the Climbing Rails RCS and for attaching guardrail posts to Steel Walers SRU.







Accessories


104031	0,462	**Fitting Pin Ø 21 x 120**
018060	0,030	**Cotter Pin 4/1, galv.**
111567	0,729	**Fitting Pin Ø 26 x 120**
022230	0,033	**Cotter Pin 5/1, galv.**


123534	5,910	**Brace Connector RCS DW 15/M20** For mounting diagonal bracing with Tie Rod DW 15 and a compression strut to the Climbing Rail RCS.	**Complete with** 2 pc. 710894 Pin Ø 25 x 180, geomet. 4 pc. 018060 Cotter Pin 4/1, galv.





111382	35,200	**Climbing Rail Angle Connector RCS** For rigidly connecting the Climbing Rails RCS at right-angles, for frame construction or as bracket. With connection for the Heavy-Duty Spindle SLS and Tie Rod Cylinder Yoke SRU.







Accessories

104031	0,462	**Fitting Pin Ø 21 x 120**
018060	0,030	**Cotter Pin 4/1, galv.**
111567	0,729	**Fitting Pin Ø 26 x 120**
022230	0,033	**Cotter Pin 5/1, galv.**
110755	5,140	**Tie Yoke SRU**

Item no.	Weight kg	
104031	0,462	**Fitting Pin Ø 21 x 120** For different connections.





Accessories


018060	0,030	**Cotter Pin 4/1, galv.**


018060	0,030	**Cotter Pin 4/1, galv.**





Item no.	Weight kg	
111567	0,729	**Fitting Pin Ø 26 x 120** For different connections.





Accessories

022230	0,033	**Cotter Pin 5/1, galv.**


022230	0,033	**Cotter Pin 5/1, galv.**






Item no.	Weight kg	
202650	159,000	**Crossbeam RCS 220, VARIO GB** Platform Beam for RCS climbing formwork. Assembly unit of Crossbeam RCS 220, Crossbeam Head RCS/VARIO and Carriage RCS.

Complete with
1 pc. 109716 Crossbeam RCS 220
1 pc. 110015 Crossbeam Head RCS/VARIO
1 pc. 109968 Carriage RCS
1 pc. 109612 Bolt ISO 4014 M24 x 130-8.8, galv.
1 pc. 105032 Nut ISO 7042 M24-8, galv.
1 pc. 104477 Bolt ISO 4014 M20 x 120-8.8, galv.
1 pc. 781053 Nut ISO 7042 M20-8, galv.







Accessories

110094	0,895	**Carriage Crank Lever SW 19**
710240	0,050	**F.H. Bolt DIN 603 M8 x 100 MU, galv.**
024390	0,090	**F.H. Bolt DIN 603 M8 x 200 MU, galv.**
024470	0,008	**TSS-Torx 6 x 60, galv.**
109720	26,600	**Guardrail Post RCS 226**

110285	7,920	**Crossbeam Head RCS/TRIO** For connecting the Crossbeam RCS 220 to the Climbing Rail RCS when using TRIO formwork (x = 1364).


Complete with
1 pc. 109612 Bolt ISO 4014 M24 x 130-8.8, galv.
1 pc. 105032 Nut ISO 7042 M24-8, galv.
3 pc. 104477 Bolt ISO 4014 M20 x 120-8.8, galv.
3 pc. 781053 Nut ISO 7042 M20-8, galv.






116477	10,600	**Platform Beam Support RCS** Support for additional Platform Beams 2 x GT 24 or VT 20 when used with Cross Beam RCS 220. With connector for Guardrail Post RCS.

Complete with
1 pc. 109612 Bolt ISO 4014 M24 x 130-8.8, galv.
1 pc. 105032 Nut ISO 7042 M24-8, galv.







RCS Rail Climbing System

PERI

Item no.	Weight kg		
109717	59,300	**Intermediate Platform Beam RCS 241** Platform beam for climbing platform.	**Complete with** 1 pc. 109612 Bolt ISO 4014 M24 x 130-8.8, galv. 1 pc. 105032 Nut ISO 7042 M24-8, galv. 2 pc. 104031 Fitting Pin Ø 21 x 120 2 pc. 018060 Cotter Pin 4/1, galv.







Accessories

710240	0,050	**F.H. Bolt DIN 603 M8 x 100 MU, galv.**
024390	0,090	**F.H. Bolt DIN 603 M8 x 200 MU, galv.**

109722	14,200	**Finishing Platform Beam RCS 122** Platform beam for finishing platform.	**Complete with** 1 pc. 104477 Bolt ISO 4014 M20 x 120-8.8, galv. 1 pc. 781053 Nut ISO 7042 M20-8, galv. 1 pc. 109612 Bolt ISO 4014 M24 x 130-8.8, galv. 1 pc. 105032 Nut ISO 7042 M24-8, galv.






Accessories

710240	0,050	**F.H. Bolt DIN 603 M8 x 100 MU, galv.**
024390	0,090	**F.H. Bolt DIN 603 M8 x 200 MU, galv.**

		Diagonal Struts RCS	
109718	16,500	**Diagonal Strut RCS 142**	
110012	23,400	**Diagonal Strut RCS 212**	
		For bracing RCS framework brackets.	**Complete with** 2 pc. 109612 Bolt ISO 4014 M24 x 130-8.8, galv. 2 pc. 105032 Nut ISO 7042 M24-8, galv.

L	X	Y
1512	1000	1000
2217	1500	1500







RCS Rail Climbing System

PERI

Item no.	Weight kg		
114301	17,100	**Platform Beam RCS/SRU 113** For assembling cantilevered platforms on Steel Walers SRU or Climbing Rails RCS.	**Complete with** 2 pc. 104031 Fitting Pin Ø 21 x 120 2 pc. 706454 Washer ISO 7089 200 HV, A 20 2 pc. 022230 Cotter Pin 5/1, galv. 2 pc. 706458 Bolt ISO 4017 M20 x 40-8.8, galv. 2 pc. 781053 Nut ISO 7042 M20-8, galv.






Accessories

114328	16,600	**Guardrail Post RCS/SRU 184**


114328	16,600	**Guardrail Post RCS/SRU 184** For assembly of the guardrail on the Platform Beam RCS/SRU or Angle connector RCS/SRU.	**Complete with** 2 pc. 114727 Bolt ISO 4017 M20 x 100-8.8, galv. 2 pc. 781053 Nut ISO 7042 M20-8, galv.





109720	26,600	**Guardrail Post RCS 226** For assembly of the guardrail on the main platform with RCS formwork scaffolding or as horizontal strut in the bracing.	**Complete with** 2 pc. 104477 Bolt ISO 4014 M20 x 120-8.8, galv. 2 pc. 781053 Nut ISO 7042 M20-8, galv.






RCS Rail Climbing System

PERI


Item no.	Weight kg		
109721	40,700	**Guardrail Posts RCS**	**Complete with**
109773	67,900	**Guardrail Post RCS 384**	1 pc. 104477 Bolt ISO 4014 M20 x 120-8.8, galv.
		Guardrail Post RCS 509	1 pc. 781053 Nut ISO 7042 M20-8, galv.
		For assembly of the guardrail on the intermediate and finishing platforms with RCS formwork scaffolding or as horizontal strut in the bracing.	





126088	4,390	**Guardrail Post Holder MULTI**	
		For fixing of an end guardrail post on Girders GT 24, VT 20 or Timbers 80/160. Fixing of the guardrail posts by means of Hex. Bolts M20 or Clamp A64.	






Accessories


710285	0,050	**Bolt ISO 4014 M8 x 100-8.8, galv.**
024090	0,005	**Nut ISO 4032 M8-8, galv.**
024470	0,008	**TSS-Torx 6 x 60, galv.**

RCS Rail Climbing System

PERI

Item no.	Weight kg	Heavy Duty Spindles SLS	A	min. L	max. L
111035	11,900	**Heavy Duty Spindle SLS 40/80**	344	400	800
101773	14,200	**Heavy Duty Spindle SLS 80/140**	746	800	1400
101774	17,700	**Heavy Duty Spindle SLS 100/180**	946	1000	1800
101776	24,200	**Heavy Duty Spindle SLS 140/240**	1346	1400	2400
101778	31,600	**Heavy Duty Spindle SLS 200/300**	1944	2000	3000
101779	37,700	**Heavy Duty Spindle SLS 260/360**	2544	2600	3600
109726	44,100	**Heavy Duty Spindle SLS 320/420**	3144	3200	4200
109785	50,300	**Heavy Duty Spindle SLS 380/480**	3744	3800	4800
		Used as adjustable spindle for truss beams made of Steel Walers SRU and Climbing Rails RCS.	**Note** Permissible load see PERI Design Tables.		







Accessories

104031	0,462	**Fitting Pin Ø 21 x 120**
018060	0,030	**Cotter Pin 4/1, galv.**
110477	3,990	**Spindle Adapter SLS/RCS**

110477	3,990	**Spindle Adapter SLS/RCS**	**Complete with**
		For connecting the Heavy-Duty Spindle SLS to the Climbing Rail RCS.	1 pc. 104031 Fitting Pin Ø 21 x 120 1 pc. 018060 Cotter Pin 4/1, galv.





Accessories

104031	0,462	**Fitting Pin Ø 21 x 120**
018060	0,030	**Cotter Pin 4/1, galv.**
111567	0,729	**Fitting Pin Ø 26 x 120**
022230	0,033	**Cotter Pin 5/1, galv.**


Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX


Item no.	Weight kg		L
		Steel Walers Universal SRU U120	
103868	18,100	**Steel Waler Universal SRU U120, l = 0.72 m**	722
103871	24,200	**Steel Waler Universal SRU U120, l = 0.97 m**	972
103874	30,900	**Steel Waler Universal SRU U120, l = 1.22 m**	1222
103877	38,100	**Steel Waler Universal SRU U120, l = 1.47 m**	1472
103886	44,700	**Steel Waler Universal SRU U120, l = 1.72 m**	1722
103889	52,000	**Steel Waler Universal SRU U120, l = 1.97 m**	1972
103898	58,600	**Steel Waler Universal SRU U120, l = 2.22 m**	2222
103892	65,600	**Steel Waler Universal SRU U120, l = 2.47 m**	2472
103929	72,000	**Steel Waler Universal SRU U120, l = 2.72 m**	2722
103903	81,000	**Steel Waler Universal SRU U120, l = 2.97 m**	2972
103906	92,600	**Steel Waler Universal SRU U120, l = 3.47 m**	3472
103915	106,000	**Steel Waler Universal SRU U120, l = 3.97 m**	3972
103918	119,000	**Steel Waler Universal SRU U120, l = 4.47 m**	4472
103922	135,000	**Steel Waler Universal SRU U120, l = 4.97 m**	4972
103925	146,000	**Steel Waler Universal SRU U120, l = 5.47 m**	5472
103928	159,000	**Steel Waler Universal SRU U120, l = 5.97 m**	5972

Universal steel waler profile U120 used as waling for girder wall formwork and for diverse special applications. With adjustable spacers.


Note
Permissible load: see PERI Design Tables.


Technical Data
U120: Wy = 121.4 cm³, Iy = 728 cm⁴.







020620	0,561	**Spacer for Platform Beam BR** For Platform Beam BR or Steel Walers SRU.	**Complete with** 1 pc. 710226 Bolt ISO 4014 M20 x 90-8.8, galv. 1 pc. 781053 Nut ISO 7042 M20-8, galv.







Item no.	Weight kg		
110059	2,840	**Waler Fixation U100 – U120** For fixing VARIO GT 24 panels to Strongbacks CB or SCS and Steel Waler SRU.	







110400	7,160	**Adjusting Unit SRU, external** For the external height adjustment of the formwork element at the strongback (Steel Waler SRU).	**Complete with** 1 pc. 105400 Pin Ø 20 x 140, galv. 1 pc. 018060 Cotter Pin 4/1, galv. 1 pc. 706454 Washer ISO 7089 200 HV, A 20, galv. 1 pc. 110637 Schr. ISO 4017-M20 x 260 BEARB. 1 pc. 128304 Nut ISO 4032 M20-10, galv. 1 pc. 780807 Sleeve ISO8752-08, 0 x 028, galv.







111135	5,620	**Adjusting Unit SRU, internal** For internal height adjustment of the formwork on the strongback (Steel Waler SRU).	**Complete with** 1 pc. 105400 Pin Ø 20 x 140, galv. 1 pc. 018060 Cotter Pin 4/1, galv.







Item no.	Weight kg	
115325	16,600	**Strongback Adapter RCS/SRU** For mounting the Strongback SRU to the Carriage RCS when used with TRIO. **Complete with** 2 pc. 105400 Pin Ø 20 x 140, galv. 2 pc. 018060 Cotter Pin 4/1, galv.





115623	5,060	**Connector SRU VARIOKIT** For a rigid connection of Steel Walers SRU.







Accessories


104031	0,462	**Fitting Pin Ø 21 x 120**
018060	0,030	**Cotter Pin 4/1, galv.**


111403	4,840	**Mounting Castor Climbing Rail RCS** For mounting and moving formwork elements on horizontally-positioned Climbing Rails RCS. **Technical Data** Permissible load-bearing capacity 1.5 t.







057050	4,450	**Suspension Tube Vario 53** For attaching VARIO GT 24 elements. **Complete with** 2 pc. 710593 Bolt ISO 4014 M10 x 80-8.8, galv. 2 pc. 710234 Nut ISO 4032 M10-8, galv.





Item no.	Weight kg	
125823	2,170	**Formwork Suspension VARIO GT 24, Ø 60** For connecting the Suspension Tube VARIO 53 to Formwork Girders GT 24.







Accessories

024540	0,005	**TSS-Torx 6 x 40, galv.**
024470	0,008	**TSS-Torx 6 x 60, galv.**

111631	10,100	**Crossbar RCS 69** As horizontal bar or strut for assembly as Climbing Protection Panel (platform width 1.00 m). **Complete with** 2 pc. 109612 Bolt ISO 4014 M24 x 130-8.8, galv. 2 pc. 105032 Nut ISO 7042 M24-8, galv.







Accessories

710330	0,017	**Nut ISO 4032 M12-8, galv.**
113348	0,043	**Washer ISO 7094 100 HV A 12, galv.**
110599	0,242	**Bolt ISO 4017 M12 x 240-8.8, galv.**

110234	18,200	**Crossbar RCS 103** As horizontal bar for assembly as Climbing Protection Panel (platform width 1.32 m). **Complete with** 1 pc. 710226 Bolt ISO 4014 M20 x 90-8.8, galv. 1 pc. 781053 Nut ISO 7042 M20-8, galv. 2 pc. 109612 Bolt ISO 4014 M24 x 130-8.8, galv. 2 pc. 105032 Nut ISO 7042 M24-8, galv.





Accessories


710330	0,017	**Nut ISO 4032 M12-8, galv.**
113348	0,043	**Washer ISO 7094 100 HV A 12, galv.**
110599	0,242	**Bolt ISO 4017 M12 x 240-8.8, galv.**

RCS Rail Climbing System

PERI


Item no.	Weight kg	
110012	23,400	**Diagonal Strut RCS 212** For bracing RCS framework brackets. **Complete with** 2 pc. 109612 Bolt ISO 4014 M24 x 130-8.8, galv. 2 pc. 105032 Nut ISO 7042 M24-8, galv.





128671	19,100	**Climbing Rail Connector RCS/LPS 73** For height extension of Climbing Rails RCS in combination with Screen Elements LPS.







Accessories

127875	1,960	**Screen Support LPS M20**

127875	1,960	**Screen Support LPS M20** For vertical support of Screen elements LPS in combination with Climbing Rail Connector RCS/ LPS 73.







RCS Rail Climbing System

PERI

Item no.	Weight kg	
110290	5,030	**Timber Fixation RCS 12/20** For assembly of timbers on the Climbing Rails RCS for use as climbing protection panel. **Complete with** 1 pc. 110281 Eye Bolt M20, right, galv. 1 pc. 781053 Nut ISO 7042 M20-8, galv.






Accessories


070030	0,015	**Bulldog-Spike Ø 48/12 mm**
018330	0,140	**Bolt ISO 4016 M12 x 140-4.6 MU**
027340	0,180	**Bolt ISO 4016 M12 x 180-4.6 MU**
113348	0,043	**Washer ISO 7094 100 HV A 12, galv.**


117644	0,449	**Cover Mat LPS 40 x 30, U120 – 140** Elastic covering for Platform LPS. Seals area around Climbing Rail LPS or Steel Waler Universal SRU U120.





125857	27,700	**Platform Bracket Multi LPS** Bracket for fixing Platform LPS to LPS, RCS or SRU rails. **Complete with** 2 pc. 125991 Oval-Head Screw ISO 7380 M10 x 25-10.9, galv 2 pc. 780356 Nut ISO 7042 M10-8, galv. **Note** Allen key SW 6. Wrench size SW 16. Wrench size SW 24.






Accessories

104031	0,462	**Fitting Pin Ø 21 x 120**
018060	0,030	**Cotter Pin 4/1, galv.**
111567	0,729	**Fitting Pin Ø 26 x 120**
022230	0,033	**Cotter Pin 5/1, galv.**

Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX


Item no.	Weight kg	
125991	0,023	**Oval-Head Screw ISO 7380 M10 x 25-10.9, galv**





125719	0,019	**Washer ISO 7094-10 100 HV, galv.**






780356	0,011	**Nut ISO 7042 M10-8, galv.** Self-locking.	**Note** Wrench size SW 16, 24, 36.






		Screen Elements DX LPS	**L**
127568	41,000	**Screen Element DX LPS 250 x 123**	2500
127572	47,600	**Screen Element DX LPS 300 x 123**	3000
127576	54,500	**Screen Element DX LPS 350 x 123**	3500
127580	77,600	**Screen Element DX LPS 500 x 123**	5000


Standard protection panels. Duplex coated. Mesh size 40 x 17 x 3.






Item no.	Weight kg	
127556	46,500	**Telescopic Screen LPS 123 x 248, DX**


Mesh protection panel with telescopic function or as side protection on Material platforms RCS-MP. Duplex coated. Mesh size 40 x 17 x 3.






Item no.	Weight kg	
127560	69,900	**Telescopic Screen LPS 123 x 373, DX**


Mesh protection panel with telescopic function or as side protection on Material platforms RCS-MP. Duplex coated. Mesh size 40 x 17 x 3.






Item no.	Weight kg	
127564	93,100	**Telescopic Screen DX LPS 123 x 498**

Mesh protection panel with telescopic function. Duplex coated. Mesh size 40 x 17 x 3.







RCS Rail Climbing System


PERI


Item no.	Weight kg		
125972	6,070	**Telescopic Scaffold Tube LPS** For telescopic extension of safety flap scaffold tube.	**Complete with** 2 pc. 710335 Bolt ISO 4014 M10 x 50-8.8, galv. **Note** Wrench size SW 16.





117166	2,290	**Screen Adapter Single LPS 60** For connection of single Screen Element LPS to Climbing Rail LPS or RCS.	**Note** Wrench size SW 24.







Accessories

710226	0,340	**Bolt ISO 4014 M20 x 90-8.8, galv.**
781053	0,065	**Nut ISO 7042 M20-8, galv.**
104031	0,462	**Fitting Pin Ø 21 x 120**
022230	0,033	**Cotter Pin 5/1, galv.**

117152	2,150	**Screen Adapter Double LPS 60** For connection of two standard Screen Elements LPS to Climbing Rail LPS or RCS.	**Note** Wrench size SW 24.







Accessories

710226	0,340	**Bolt ISO 4014 M20 x 90-8.8, galv.**
781053	0,065	**Nut ISO 7042 M20-8, galv.**
104031	0,462	**Fitting Pin Ø 21 x 120**
022230	0,033	**Cotter Pin 5/1, galv.**

124226	2,320	**Screen Adapter Telescope LPS** For connection of Telescopic Screen LPS to standard Screen Element LPS.	**Note** Wrench size SW 24.







RCS Rail Climbing System

PERI

Item no.	Weight kg		
117165	5,050	**Screen Adapter Combi LPS 60** For connection of Telescopic Screen LPS to standard Screen Element LPS and to Climbing Rail LPS or RCS.	**Note** Wrench size SW 24.







Accessories


710226	0,340	**Bolt ISO 4014 M20 x 90-8.8, galv.**
781053	0,065	**Nut ISO 7042 M20-8, galv.**
104031	0,462	**Fitting Pin Ø 21 x 120**
022230	0,033	**Cotter Pin 5/1, galv.**


117535	4,650	**Screen Adapter Corner LPS** For right angle connection of Telescopic Screen LPS to other screen elements.	**Note** Wrench size SW 24.





127053	0,810	**Cover Clip Profile LPS 112** For fixation of elastic covering of gaps between climbing units with mesh panel encloswe LPS.	





Accessories


127060	7,500	**Draw-in Profile LPS 20/55, l = 15 m**
127061	17,250	**Draw-in Profile LPS 18/93, l = 15 m**

RCS Rail Climbing System

PERI


Item no.	Weight kg	
127060	7,500	**Draw-in Profile LPS 20/55, l = 15 m** Elastic rubber profile to cover gaps up to 50 mm.







127061	17,250	**Draw-in Profile LPS 18/93, l = 15 m** Elastic rubber profile to cover gaps up to 90 mm.







			L
201410	21,600	**Scaff. Tubes Steel Ø 48,3 x 4.0** **Scaff. Tube Steel Ø 48.3 x 4.0, l = 6.4 m**	6400





201412	1,400	**Swivel Coupler Pressed Steel** For Scaffold Tubes Ø 48 mm.






RCS Rail Climbing System


PERI


Item no.	Weight kg		
110084	2,310	**Scaffold Tube Adapter Ø 48 RCS** For connecting Scaffold Tubes Ø 48 mm to Climbing Rails RCS.	**Complete with** 1 pc. 017040 Screw-On Coupler AK 48, galv. 1 pc. 710894 Pin Ø 25 x 180, geomet. 2 pc. 018060 Cotter Pin 4/1, galv.





110296	0,220	**Clamp A64 DIN 3570 M12, galv.** For assembling Scaffold Tubes Ø 48 or Ø 60.	**Note** Wrench size SW 19.







Accessories


710330	0,017	**Nut ISO 4032 M12-8, galv.**


017040	0,850	**Screw-On Coupler AK 48, galv.** For Scaffold Tubes Ø 48 mm.





125856	2,380	**Scaffold Tube Adapter LPS/RCS Ø 48** For assembling scaffold tubes Ø 48 on Climbing Rail RCS.	**Complete with** 1 pc. 017040 Screw-On Coupler AK 48, galv. 1 pc. 710894 Pin Ø 25 x 180, geomet. 2 pc. 018060 Cotter Pin 4/1, galv.







Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX

RCS Rail Climbing System

PERI

Item no.	Weight kg	
125458	0,271	**Flap Safety Plate LPS Ø 48** For safety flap up-lift protection.







Accessories

024550	0,005	**Spax Screw TX 30 8 x 20, yellow galv.**


125461	0,711	**Flap Hinge LPS Ø 48/M10** For mounting safety flap on scaffold tubes Ø 48.3 x 3.2.


Note
Wrench size SW 16.





110289	4,260	**L-Angle RCS 120 x 120 x 200** For fixing end handrail posts on the decking.






Accessories

017040	0,850	**Screw-On Coupler AK 48, galv.**

123478	0,255	**Toe Board Angle 90°** For diverse timber connections.





Accessories


024550	0,005	**Spax Screw TX 30 8 x 20, yellow galv.**

RCS Rail Climbing System

PERI


Item no.	Weight kg	
070030	0,015	**Bulldog-Spike Ø 48/12 mm** To strengthen the timber fixation and for other connections of timber with steel.





111436	0,150	**Hinge DIN 7957-200-ST, yellow galv.** For mounting the cover flap at the climbing protection panel.







Accessories

111437	0,004	**Spax Screw TX25, 5 x 20, yellow galv.**
110642	0,006	**Spax Screw TX25, 5 x 40, yellow galv.**

114937	0,402	**Fixation Bar RCS** For fixing the cover flap to the climbing protection panel during climbing.







Accessories

111437	0,004	**Spax Screw TX25, 5 x 20, yellow galv.**

104477	0,300	**Bolt ISO 4014 M20 x 120-8.8, galv.**






Accessories

781053	0,065	**Nut ISO 7042 M20-8, galv.**

781053	0,065	**Nut ISO 7042 M20-8, galv.** Self-locking.







Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX

RCS Rail Climbing System

PERI


Item no.	Weight kg	
109612	0,600	**Bolt ISO 4014 M24 x 130-8.8, galv.**






105032	0,070	**Nut ISO 7042 M24-8, galv.** Self-locking.





126076	0,998	**Cover Strip LPS 16 x 107.5** Elastic covering for closing gaps between platforms LPS.







Accessories

125991	0,023	**Oval-Head Screw ISO 7380 M10 x 25-10.9, galv**
780356	0,011	**Nut ISO 7042 M10-8, galv.**
125719	0,019	**Washer ISO 7094-10 100 HV, galv.**

126834	1,370	**Cover Strip LPS 18 x 158** Elastic covering for closing gaps between corner platforms LPS.







RCS Rail Climbing System

PERI

Item no.	Weight kg		L
		Cover Strips LPS	
125971	2,300	**Cover Strip LPS 20 x 248**	2480
125945	3,460	**Cover Strip LPS 20 x 373**	3730

Elastic covering for closing gaps between screen elements.







Accessories


126268	0,003	**Cable Binder PA 6.6 SW 203 x 7,6**


125973	12,400	**Cover Strip Rubber 0.20 x 10 m** Universal elastic covering for closing gaps between platforms.





126268	0,003	**Cable Binder PA 6.6 SW 203 x 7.6**







Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX

RCS Rail Climbing System


PERI


Item no.	Weight kg		
112986	153,000	**Lifting Beam RCS 10 t** For moving climbing units.	**Note** Follow Instructions for Use. **Technical Data** Permissible load-bearing capacity 10 t.





127320	0,000	**Lifting Beam 10 t** For moving climbing units.	**Note** Follow Instructions for Use. **Technical Data** Permissible load-bearing capacity 10 t.







RCS Rail Climbing System

PERI

Item no.	Weight kg		
105401	2,210	**Crane Eye BR 2.5 t** As attachment point for moving climbing systems or Platform Beam BR.	**Note** Follow Instructions for Use for item no. 127834! Application beyond the EU only! **Technical Data** Permissible load-bearing point capacity 2.5 t.






Accessories

020620	0,561	**Spacer for Platform Beam BR**

127834	2,210	**Crane Eye BR-2 2.5 t, galv.** As attachment point for moving climbing systems or Platform Beam BR.	**Note** Follow Instructions for Use! **Technical Data** Permissible load-bearing point capacity 2.5 t.







Accessories

020620	0,561	**Spacer for Platform Beam BR**

113745	30,200	**Climbing Rail Extension RCS 125** For extending the Climbing Rail RCS and using the Climbing Device RCS 50 on the working platform.	**Complete with** 4 pc. 110022 Spacer M20-82 2 pc. 111567 Fitting Pin Ø 26 x 120 2 pc. 022230 Cotter Pin 5/1, galv.







Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX

RCS Rail Climbing System


PERI


Item no.	Weight kg		
116469	5,920	**RCS Wheel 1.5 t** For assembling in Climbing Rails RCS, foldable.	**Complete with** 2 pc. 113012 Pin Ø 20 x 260, galv. 2 pc. 018060 Cotter Pin 4/1, galv. **Technical Data** Permissible load-bearing capacity 1.5 t.







109468	19,800	**Climbing Shoe RCS** Guide and support for Climbing Rail RCS. With foldable leading runners and self-actuating bearing pawl.	**Complete with** 2 pc. 116067 Locking Device 2 pc. 109902 Pin Ø 30 x 290, galv. 4 pc. 711063 Dowel Pin Ø 5 x 35 2 pc. 109508 Pin Ø 16 x 239, galv. 4 pc. 750329 Dowel Pin Ø 5 x 20 1 pc. 109903 Spring Lock





109503	7,380	**Wall Shoe RCS** Anchor System M30. For anchoring Climbing Shoe RCS to the wall.	**Complete with** 1 pc. 715585 Pin Ø 25 x 240, SKS, galv. 1 pc. 022230 Cotter Pin 5/1, galv.






Accessories


029420	0,590	**Bolt ISO 4017 M30 x 70-8.8, galv.**

RCS Rail Climbing System

PERI

Item no.	Weight kg		
110667	13,800	**Wall Shoe RCS, pivoted** Anchor System M30. For anchoring Climbing Shoe RCS to circular walls. Swivel range ± 15°.	**Complete with** 1 pc. 715585 Pin Ø 25 x 240, SKS, galv. 1 pc. 022230 Cotter Pin 5/1, galv.







Accessories

113007	0,700	**Cyl. Bolt ISO 4762 M30 x 70-8.8, galv.**

110315	11,100	**Mounting Ring Adapter RCS M30** For suspension with Scaffold Mounting Ring M30 during use as unguided climbing formwork.	**Complete with** 1 pc. 715585 Pin Ø 25 x 240, SKS, galv. 2 pc. 104031 Fitting Pin Ø 21 x 120 2 pc. 018060 Cotter Pin 4/1, galv.







Accessories

029480	1,830	**Scaffold Mounting Ring M30, galv.**

029480	1,830	**Scaffold Mounting Ring M30, galv.** Anchor System M30. For anchoring climbing systems.






Accessories


029540	0,920	**Bolt ISO 4014 M30 x 130-10.9, galv.**

RCS Rail Climbing System

PERI

Item no.	Weight kg		
030920	1,650	**Climbing Cone-2 M30/DW 20, galv.** Anchor System M30. For anchoring climbing systems.	**Note** Separate design information on request.






Accessories


030860	0,801	**Threaded Anchor Plate DW 20**
030700	2,560	**Tie Rod DW 20, spec. length**
030745	2,600	**Tie Rod B 20, spec. length**

030860	0,801	**Threaded Anchor Plate DW 20** For use with Tie Rod DW 20, B 20 or Screw-On Cone-2 M24/DW 20. For anchoring in concrete.	**Note** Lost anchor part.





201842	15,360	**Tie Rods DW 20** **DW 20 Tie Rod l = 6.00 m**	**Note** Non-weldable! Take official approval into consideration! **Technical Data** Permissible tension force 150 kN.





		Tie Rods B 20	
030745	2,600	**Tie Rod B 20, spec. length**	**Note** Weldable! Take official approval into consideration! **Technical Data** Permissible tension force 150 kN.
030800	0,000	**Cutting Cost Tie Rod DW 20/B 20**	







RCS Rail Climbing System

PERI

Item no.	Weight kg		
057257	1,810	**Screw-On Cone M30/DW 26** Anchor System M30. For anchoring climbing systems.	**Note** Permissible load see PERI product information.







Accessories


030870	1,240	**Threaded Anchor Plate DW 26**


030870	1,240	**Threaded Anchor Plate DW 26** For use with Tie Rod DW 26 or Screw-On Cone M36/DW 26. For anchoring in concrete.	**Note** Lost anchor part.





031653	0,364	**KK Concrete Cone M30-80/52** For closing anchor points with Climbing Cone-2 M30/DW 20 or Screw-On Cone M30/DW 26.	**Note** Delivery unit 50 pieces.






Accessories

108136	5,000	**Glue for Concrete Cones-2, 5-kg-Set**


108136	5,000	**Glue for Concrete Cones-2, 5-kg-Set** For bonding PERI concrete cones.	**Note** See Safety Data sheet! Consisting of: 6 x Component A, 6 x Component B 2 x Stirring Container, 3 x Stirring Staff




RCS Rail Climbing System

PERI

Item no.	Weight kg	
029380	0,200	**Anchor Positioning Plate M30, galv.** For fixing the M30 anchor system if the plywood formlining is drilled through.







Accessories

029440	0,005	**Lag Screw DIN 571 6 x 20, galv.**

029450	0,339	**Advancing Screw M30, galv.** For fixing the M30 anchor system if the plywood formlining is drilled through.







Accessories

029380	0,200	**Anchor Positioning Plate M30, galv.**

029420	0,590	**Bolt ISO 4017 M30 x 70-8.8, galv.** Bolt for anchoring of climbing systems.







Accessories

029380	0,200	**Anchor Positioning Plate M30, galv.**

029540	0,920	**Bolt ISO 4014 M30 x 130-10.9, galv.** High-strength bolt for anchoring climbing systems.







RCS Rail Climbing System


PERI


Item no.	Weight kg		
109567	20,300	**Slab Shoe RCS** Anchor System M24. For mounting Climbing Shoe RCS to slab edges.	**Complete with** 1 pc. 715585 Pin Ø 25 x 240, SKS, galv. 1 pc. 022230 Cotter Pin 5/1, galv.







Item no.	Weight kg		
110375	30,900	**Slab Shoe RCS Corner** Anchor System M24. For mounting Climbing Shoe RCS to the corners of slab edges.	**Complete with** 1 pc. 715585 Pin Ø 25 x 240, SKS, galv. 1 pc. 022230 Cotter Pin 5/1, galv.





Item no.	Weight kg		
115570	54,500	**Slab Shoe Adjustable RCS 30** Anchor System M24. For mounting the Climbing Shoe RCS to slab edges. Offset up to 30 cm. Anchor distance variable 61 ± 5 cm or 76 ± 5 cm.	**Complete with** 1 pc. 715585 Pin Ø 25 x 240, SKS, galv. 2 pc. 022230 Cotter Pin 5/1, galv. 1 pc. 104031 Fitting Pin Ø 21 x 120







Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX

RCS Rail Climbing System


PERI


Item no.	Weight kg	
114113	2,030	**Cover RCS 70 x 70** Elastic covering for the area of the climbing shoe for use as climbing protection panel.





114947	12,600	**Slab Anchor Template 61 RCS** For positioning the Advancing Bolt M24 for the Slab Shoe RCS. Fixed on the stopend formwork.







Accessories

029270	0,331	**Advancing Bolt M24, galv.**

029270	0,331	**Advancing Bolt M24, galv.** For fixing the M24 anchor system if the plywood formlining is drilled through.






Accessories


029280	0,196	**Anchor Positioning Plate M24, galv.**

RCS Rail Climbing System


PERI


Item no.	Weight kg		
115918	9,380	**Slab Shoe Adapter RCS/AV/SLS** Mounted on the Slab Shoe RCS and serves for connecting Kicker AV or SLS Spindles and Bracing DW 15.	**Complete with** 2 pc. 104031 Fitting Pin Ø 21 x 120 2 pc. 027170 Pin Ø 16 x 42, galv. 4 pc. 018060 Cotter Pin 4/1, galv.







115850	11,300	**Slab Support Adapter RCS** For attaching the Climbing Shoe RCS to a slab support with horizontal Climbing Rail RCS.	**Complete with** 1 pc. 111567 Fitting Pin Ø 26 x 120 1 pc. 715585 Pin Ø 25 x 240, SKS, galv. 2 pc. 022230 Cotter Pin 5/1, galv.





112359	15,000	**Slab Support Anchor Shoe RCS M24** Anchor System M24. For anchoring the slab support with horizontal Climbing Rail RCS.	**Complete with** 2 pc. 111567 Fitting Pin Ø 26 x 120 2 pc. 022230 Cotter Pin 5/1, galv. 2 pc. 026290 Bolt ISO 4017 M24 x 50-10.9, galv.





Accessories


026430	0,334	**Bolt ISO 4014 M24 x 70-10.9**


Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX

RCS Rail Climbing System

PERI

Item no.	Weight kg		
116538	6,900	**Slab Support Alignment RCS** As compression point and for alignment of the slab support with horizontal Climbing Rail RCS. Fixation with the Anchor Bolt 14/20 x 130 or the anchor system M24.	**Complete with** 1 pc. 111567 Fitting Pin Ø 26 x 120 1 pc. 022230 Cotter Pin 5/1, galv.







Accessories

124777	0,210	**Anchor Bolt PERI 14/20 x 130**

114158	1,030	**Screw-On Cone-2 M24/DW 20, galv.** Anchor system M24. For anchoring climbing systems.	**Note** Separate design information on request.






Accessories

030860	0,801	**Threaded Anchor Plate DW 20**

030860	0,801	**Threaded Anchor Plate DW 20** For use with Tie Rod DW 20, B 20 or Screw-On Cone-2 M24/DW 20. For anchoring in concrete.	**Note** Lost anchor part.







RCS Rail Climbing System

PERI

Item no.	Weight kg		
031220	1,010	**Climbing Cone-2 M24/DW 15, galv.** Anchor system M24. For anchoring climbing systems.	**Note** Seperate design information on request.






Accessories

030840	0,516	**Threaded Anchor Plate DW 15**
030030	1,440	**Tie Rod DW 15, spec. length**
030740	1,550	**Tie Rod B 15, spec. length**


030840	0,516	**Threaded Anchor Plate DW 15** For use with Tie Rod DW 15 or B 15. For anchoring in concrete.	**Note** Lost anchor part.





		Tie Rods DW 15	**Note**
201002	8,640	**Tie Rod DW 15, l = 6.00 m**	Non-weldable! Take official approval into consideration! **Technical Data** Permissible tension force 90 kN.





		Tie Rods B 15	**Note**
030740	1,550	**Tie Rod B 15, spec. length**	Weldable! Take official approval into consideration!
030050	0,000	**Cutting Cost Tie Rod DW 15, B 15**	**Technical Data** Permissible tension force 82 kN.






RCS Rail Climbing System

PERI


Item no.	Weight kg	
026430	0,334	**Bolt ISO 4014 M24 x 70-10.9, glav.** High-strength bolt for anchoring climbing systems.






113232	10,600	**Slab Stopend Shoe RCS** For anchoring the Climbing Shoe RCS at the front end of the slab. Anchor System M30. With the Reduction Bush Ø 30 – 25, Item no. 113822, also usable with Anchor System M24.

Complete with
1 pc. 113247 Pin Ø 25 x 260, mont.
1 pc. 022230 Cotter Pin 5/1, galv.






Accessories

029420	0,590	**Bolt ISO 4017 M30 x 70-8.8, galv.**

113822	0,108	**Reducing Bush Ø 30 - 25** For using Stopend Slab Anchor M24/20-128 on the Stopend Slab Shoe RCS.





Accessories

026430	0,334	**Bolt ISO 4014 M24 x 70-10.9**

Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX


RCS Rail Climbing System


PERI

Item no.	Weight kg	
		Stopend Slab Anchors
113820	3,450	**Stopend Slab Anchor M24/20-128**
113821	6,700	**Stopend Slab Anchor M30/25-160**

Anchor System M24 or M30 for transferring clear tension forces into the slab with the use of Front Slab Shoe RCS.
With Positioning Plate M24 (grey) and M30 (red).


Note
Separate design information on request.







114997	7,160	**Bracing Shoe RCS DW 15** For anchoring the bracing with DW 15 to the building slab. Fixation with Anchor System M24 or corresponding dowels.


Complete with
1 pc. 104031 Fitting Pin Ø 21 x 120
1 pc. 018060 Cotter Pin 4/1, galv.





115375	6,100	**Articulated Spanner RCS DW 15** For tensioning and as an articulated connection to the Climbing Rail RCS, Steel Waler SRU or Bracing Shoe RCS for bracing with DW 15.





Accessories


104031	0,462	**Fitting Pin Ø 21 x 120**
018060	0,030	**Cotter Pin 4/1, galv.**
111567	0,729	**Fitting Pin Ø 26 x 120**
022230	0,033	**Cotter Pin 5/1, galv.**
030070	0,222	**Hex. Nut DW 15 SW 30/50, galv.**

RCS Rail Climbing System

PERI

Item no.	Weight kg	
115378	1,080	**Eye Nut RCS DW 15** As an articulated connection to the Climbing Rail RCS, Steel Waler SRU for bracing with DW 15.






Accessories

104031	0,462	**Fitting Pin Ø 21 x 120**
018060	0,030	**Cotter Pin 4/1, galv.**
111567	0,729	**Fitting Pin Ø 26 x 120**
022230	0,033	**Cotter Pin 5/1, galv.**


115388	1,910	**Forkhead Adapter RCS/SLS** For horizontal bracing of the climbing protection panel against the Slab Stopend Shoe RCS with a Heavy Duty Spindle SLS.






115298	4,210	**Spindle Shoe SLS/RCS M24** For horizontal bracing of the climbing protection panel against the Advancing Anchor M24 with a Heavy Duty Spindle SLS.

Complete with
1 pc. 104031 Fitting Pin Ø 21 x 120
1 pc. 018060 Cotter Pin 4/1, galv.







Accessories

104031	0,462	**Fitting Pin Ø 21 x 120**
111567	0,729	**Fitting Pin Ø 26 x 120**

109765	27,000	**Climbing Device RCS 50** For crane-independent climbing of RCS Climbing Units.

Note
Follow Instructions for Use!
Technical Data
Maximum lifting capacity 50 kN.







RCS Rail Climbing System

PERI

Item no.	Weight kg	
109766	109,000	**Hydraulic Pump RCS 4-fold, 380 – 460V** Hydraulic pump for actuating the Climbing Device RCS 50 and LPS 30.

Note
Follow Instructions for Use.
Use only original PERI hydraulic oil HV LP46.







Accessories

057376	17,400	**Hydraulic Fluid HV LP46, 20 l**


057376	17,400	**Hydraulic Fluid HV LP46, 20 l** High-grade, synthetic hydraulic oil for PERI Hydraulic Pump.






		Hydraulic Twin Hoses RCS
110069	9,000	**Hydraulic Twin Hose RCS, 10 m**
110070	16,000	**Hydraulic Twin Hose RCS, 20 m** For connecting Hydraulic Pump RCS with the Climbing Device RCS 50. With quick-release connectors.

Complete with
2 pc. 110822 Quick Coupler Bushing RCS
2 pc. 110823 Quick Coupler Nipple RCS







RCS Rail Climbing System

PERI


Item no.	Weight kg		
110280	0,500	**Adapter Cable RCS** For the power supply to the Hydraulic Pump RCS.	**Note** Follow Instructions for Use! With CEE plug connector 400 V 16 A.







110279	0,250	**Plug Socket RCS, black** For providing the power supply to the Hydraulic Pump RCS with 380 – 460 V, 50 – 60 Hz.	**Note** Follow Instructions for Use!





		Ratchets Wrench	L
072180	0,560	**Ratchet Wrench 1/2"**	300
051764	2,650	**Ratchet Wrench 3/4"**	630
029610	5,300	**Ratchet Wrench 1"**	900





		Sockets SW
029620	0,075	**Socket SW 19-1/2"**
057276	0,625	**Socket SW 30-3/4"**
102785	0,452	**Socket SW 36-3/4"**
029630	0,580	**Socket SW 46-1"**

Fits to Hex. Bolts M12 or Height Adjusting Unit SW 19.







RCS Rail Climbing System


PERI


Item no.	Weight kg		
110094	0,895	**Carriage Crank Lever SW 19** For operating the Carriage RCS.	







110950	4,760	**Excentric Lever RCS** For dismantling Climbing Shoe RCS.	





114317	3,210	**Guide in Tool RCS** For pulling up the Climbing Rail RCS in order to close the leading runners of the Climbing Shoe.	






114243	109,000	**Hydr. Pump RCS 4 x 190 / 460 V CSA** Hydraulic pump for actuating the Climbing Device RCS 50 or LPS 30.	**Note** Application in canada only! **Technical Date** Follow Instructions for Use! Use only orginal PERI hydraulic oil HV LP46.


Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX

RCS Rail Climbing System

PERI

Item no.	Weight kg		
135500	47.000	**Hydraulic Pump RCS MAX 2 x 210** For the operation of two Climbing Devices-2 RCS 50.	**Note** Follow Assembly Instructions of the manufacturer! See PERI Product Information. Only use original PERI Hydraulic Fluid.






Accessories


135606	0.100	**Return Filter RCS MAX**
135607	0.100	**Tank Breather Filter RCS MAX**


135499	0.800	**Power Cable RCS MAX CEE-32A 2M** For connecting max. 8 Hydraulic Pumps RCS MAX 2 x 210 bar to the power supply.	**Note** Follow Assembly Instructions of the manufacturer! With CEE-Plug 400 V, 32 A. Manual phase inverter inside.





135498	2.500	**Power Connection Cables RCS MAX**	**Note**
135501	5.000	**Power Connection Cable RCS MAX 10m** **Power Connection Cable RCS MAX 20m** For the power supply between max. 8 Hydraulic Pumps RCS MAX 2 x 210 bar.	Follow Assembly Instructions of the manufacturer!





Accessories

135502	0.200	**Connector Power Cable RCS MAX**

RCS Rail Climbing System


PERI

Item no.	Weight kg		
135502	0.200	**Connector Power Cable RCS MAX** For connecting two Power Connection Cables RCS MAX.	**Note** Follow Assembly Instructions of the manufacturer!



135503	0.600	**Data Connection Cables RCS MAX**	**Note**
135504	1.000	**Data Connection Cable RCS MAX 10m** **Data Connection Cable RCS MAX 20m** For data connection between Hydraulic Pumps RCS MAX 2 x 210 bar.	Follow Assembly Instructions of the manufacturer!





Accessories


135505	1.000	**Connector Data Cable RCS MAX**

135505	1.000	**Connector Data Cable RCS MAX** For connecting two Data Connection Cables RCS MAX.	**Note** Follow Assembly Instructions of the manufacturer!




135506	2.500	**Remote Control RCS max. 15m** Remote control for the simultaneous operation of a climbing unit.	**Note** Follow Assembly Instructions of the manufacturer!






Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX


Item no.	Weight kg		
135507	1.600	**Display RCS MAX** For monitoring information about Hydraulic Pump RCS MAX 2 x 210 bar.	**Note** Follow Assembly Instructions of the manufacturer! Cable length: 1.5 m






135606	0.100	**Return Filter RCS MAX** Spare part for Hydraulic Pump RCS MAX 2 x 210 bar.	**Note** Follow Assembly Instructions of the manufacturer!







135607	0.100	**Tank Breather Filter RCS MAX** Spare part for Hydraulic Pump RCS MAX 2 x 210 bar.	**Note** Follow Assembly Instructions of the manufacturer!






135413	27.000	**Climbing Device-2 RCS 50** For crane-independent climbing of RCS Climbing Units.	**Note** Follow Assembly Instructions of the manufacturer! **Technical Data** Effective lifting capacity 50 kN. Ready for operation with Hydraulic Pump RCS MAX 2 x 210 bar and Hydraulic Pump RCS 4-fold, 380-460V.







Item no.	Weight kg		
135411	1.000	**Conv. Set Climb Device-2 RCS 50** Conversion set for the modification of the Climbing Device RCS 50 in Climbing Device-2 RCS 50.	**Note** Always observe the Conversion Set Instructions (see DO-19-0265205).





110069 110070	8.500 15.300	**Hydraulic Twin Hose RCS** **Hydraulic Twin Hose RCS, 10 m** **Hydraulic Twin Hose RCS, 20 m** Two permanently connected hydraulic hoses for connecting hydraulic pumps with hydraulic climbing devices.	**Complete with** 2 pc. 128992 Pin ISO16028 DN10 R3/8IG 2 pc. 128993 Sleeve ISO16028 DN10 R3/8IG 4 pc. 051750 Male Stud Coupler X-GE12PSR-ED





129035 129036	0.996 1.430	**Hydraulic Hoses 2SN-DN08-FF** **Hydraulic Hose 2SN-DN08-FF 1.0 m** **Hydraulic Hose 2SN-DN08-FF 2.0 m** For connecting hydraulic striking modules with hydraulic climbing devices.	**L** **X** 1169 1000 2169 2000 **Complete with** 1 pc. 128992 Pin ISO16028 DN10 R3/8IG 1 pc. 128993 Sleeve ISO16028 DN10 R3/8IG 2 pc. 051750 Male Stud Coupler X-GE12PSR-ED **Note** Follow applicable Safety Regulations for the installation and maintenance of hydraulic lines!





RCS Rail Climbing System


PERI


Item no.	Weight kg		L	X
129419	2.690	**Hydraulic Hoses 2SN-DN08-FF**		
129420	4.900	**Hydraulic Hose 2SN-DN08-FF 5.0 m**	5170	5000
129421	7.120	**Hydraulic Hose 2SN-DN08-FF 10.0 m**	10170	10000
129422	9.330	**Hydraulic Hose 2SN-DN08-FF 15.0 m**	15170	15000
		Hydraulic Hose 2SN-DN08-FF 20.0 m	20170	20000

For connecting hydraulic pumps with hydraulic climbing devices.

Complete with
1 pc. 128992 Pin ISO16028 DN10 R3/8IG
1 pc. 128993 Sleeve ISO16028 DN10 R3/8IG
2 pc. 051750 Male Stud Coupler X-GE12PSR-ED

Note
Follow applicable Safety Regulations for the installation and maintenance of hydraulic lines!






		Hydraulic Oil in the canister	
131270	17.900	**Hydraulic Oil ISO 11158 HM10, 20 l**	
131274	18.300	**Hydraulic Oil ISO 11158 HVI22, 20 l**	
057376	18.300	**Hydraulic Oil ISO 11158 HVI46, 20 l**	

High-quality synthetic hydraulic oils for PERI Hydraulic Pumps with different viscosity suitable for certain temperature ranges.

Technical Data
Observe Safety Data Sheet and applicable National Safety Regulations regarding hydraulic oil, in particular for transport, storage and disposal! Observe the technical documentation for the hydraulic pump! Product Data Sheet on request.






		Hydraulic Oil in the drum	
131273	200.000	**Hydraulic Oil ISO 11158 HM10, 210 l**	
131275	200.000	**Hydraulik Oil ISO 11158 HVI22, 210 l**	
131277	201.000	**Hydraulic Oil ISO 11158 HVI46, 210 l**	

High-quality synthetic hydraulic oils for PERI Hydraulic Pumps with different viscosity suitable for certain temperature ranges.

Technical Data
Observe Safety Data Sheet and applicable National Safety Regulations regarding hydraulic oil, in particular for transport, storage and disposal! Observe the technical documentation for the hydraulic pump! Product Data Sheet on request.





RCS Rail Climbing System

PERI


Item no.	Weight kg		
131313	12.500	**Hydraulic Oil Filter Pump CE**	

Hydraulic oil filter pump for fast and clean transfer of hydraulic oil in drums with simultaneous filtration.

Note
Follow Instructions for Use!
Country-specific inquiries for Hydraulic Oil Filter Pump CUL for USA / CAN!

Technical Data
Power connection 220V/50Hz, plug CEE 7/7





Accessories


131314	1.000	**Hydraulic Oil Filter Element 5 MIC**

131314	1.000	**Hydraulic Oil Filter Element 5 MIC**	

Wear part of the Hydraulic Oil Filter Pump.

Note
Follow Instructions for Use!
Observe the maintenance instructions in the technical documentation for the oil filter pump!
Observe the disposal notes!






130685	0.225	**Universal Funnel**	


For easy filling of hydraulic pumps with oil.






051760	0.004	**Cable Binder NT-240H**	

Note
Delivery unit = 1 pc.




Item no.	Weight kg		
125632	0.050	**Protect. Covers Climb. Device RCS** To protect unplugged quick couplings X-GE 12PSR-ED+ against dirt and damage.	**Technical Data** 1 set for 1 Climbing Device RCS 50 (2x bushing and 2x nipple each).






129424	0.440	**FF-Coupling Pair X-GE 12PSR-ED+** Spare parts set for PERI Hydraulic Components with quick couplings X-GE 12PSR-ED+.	**Complete with** 1 pc. 128992 Pin ISO16028 DN10 R3/8IG 1 pc. 128993 Sleeve ISO16028 DN10 R3/8IG 2 pc. 051750 Male Stud Coupler X-GE12PSR-ED






128992	0.140	**Pin ISO16028 DN10 R3/8IG**






128993	0.280	**Sleeve ISO16028 DN10 R3/8IG**






Item no.	Weight kg	
115581	10.280	**Hydraulic Service Case** Consisting of: 1 pc. 115590 Tool Box 580 x 260 x 285 mm 6 pc. 115583 Pressure Gauge Typ 570 VA-Geh. 6 pc. 115584 Hose MKT 6-02 DN 02 12 pc. 115582 Measuring Coupl. SMK 20-G 1/4-PC 2 pc. 115591 Double Spanner SW 10 x 13 1 pc. 115592 Double Spanner SW 13 x 17 1 pc. 115588 Double Spanner SW 19 x 24 1 pc. 051778 Double Spanner SW 24 x 27 1 pc. 115589 Double Spanner SW 27 x 32 1 pc. 057278 Allen Key Set, 8 pcs. 1 pc. 115585 Allen Key SW 12 1 pc. 057279 Allen Key SW 14 1 pc. 057282 Pipe Wrench 1 pc. 115147 Angle Fitting Set PS 2 pc. 115396 Fitting Set PS 1 pc. 072180 Ratchet Wrench 1/2" 20 pc. 123881 Tube Screw Plug ROV12SX 20 pc. 123880 Threaded Plug VKAN 12S VIT 100 pc. 051760 Cable Binder NT-240H 2 pc. 126425 Distance Piece Ø 120 1 pc. 126440 Socket SW 17 - 1/2" 1 pc. 135172 Double Spanner SW 19 x 22 1 pc. 135173 Allen Key SHR-Bit SW 05 1 pc. 135174 Allen Key SHR-Bit SW 06 1 pc. 135175 Allen Key SHR-Bit SW 08 1 pc. 135176 Allen Key SHR-Bit SW 10 1 pc. 135177 SHR Screwdriver Bit 6 Tl. Slot/PH 2 pc. 711035 Adhesive Label 128 x 65 mm 1 pc. 126434 List of contents Hydraulic Service Case




126001	0.060	**Schr ISO 4017 M12 x 60-8.8, verz.**






Item no.	Weight kg	
780702	0.006	**Washer ISO 7089 200 HV, A 12, galv.** Corresponds to old standard DIN 125 Form A





723805	0.017	**Skt Mutter ISO 4034 M 12-5**






SCS Single-Sided Climbing System


118737	Crossbeam Unit SCS 250	352
118710	Vertical Strut SCS 237	352
118714	Diagonal Strut SCS 257	353
118730	Crossbeam Unit SCS 190	353
118583	Platform Beam SCS 112	354
118579	Guardrail Post SCS 150	354
118578	Platform Post SCS 232	354
118799	Starter Bar SCS 187	355
118584	Strongback SCS 325	355
110022	Spacer M20-82	355
051030	Height Adjusting Unit CB, SCS	356
110059	Waler Fixation U100 – U120	356
118585	Heavy Duty Spindle SCS 198-250	356
123828	Spindle Adapter SCS Ø 26/31	356
201410	Scaff. Tube Steel Ø 48.3 x 4.0, l = 6.4m	357
201412	Swivel Coupler Pressed Steel	357
110084	Scaffold Tube Adapter Ø 48 RCS	357
123664	Connection Plate SCS Ø 21-125	357
113762	Guardrail Conn. Plate ACS/SCS	358
110296	Clamp A64 DIN 3570 M12, galv.	358
126088	Guardrail Post Holder MULTI	358
116477	Platform Beam Support RCS	359
110330	Girder Fixation M20	359
118582	Mounting Ring SCS M30	359
030920	Climbing Cone-2 M30/DW 20, galv.	360
201842	DW 20 Tie Rod l = 6.00 m	360
030745	Tie Rod B 20, spec. length	360
030800	Cutting Cost Tie Rod DW 20/B 20	360
030860	Threaded Anchor Plate DW 20	360
031653	KK Concrete Cone M30-80/5	361
029450	Advancing Screw M30, galv.	361
029380	Anchor Positioning Plate M30, galv.	361
026450	Anchor Positioning Stud M30, galv.	361
118769	Mounting Bolt SCS M36	362
118772	Mounting Ring SCS M36	362
030940	Climbing Cone-2 M36/DW 26, galv.	362
201688	DW 26 Tie Rod l = 0.50 m	362
201689	DW 26 Tie Rod l = 1.50 m	362
201687	DW 26 Tie Rod l = 6.00 m	362
030870	Threaded Anchor Plate DW 26	363
031654	KK Concrete Cone M36-90/52	363
108136	Glue for Concrete Cones-2, 5-kg-Set	363
029390	Anchor Positioning Plate M36, galv.	363
029430	Bolt ISO 4017 M36 x 70-8.8, galv.	364
026460	Anchor Positioning Stud M36, galv.	364
123819	Bracing Shoe SCS M30/DW20	364
030580	Hex. Nut DW 20 SW 36/60, weldable	365
114082	Counterplate RCS DW 20	365
201020	DW 20 Wingnut, galv.	365
051250	Tension Belt, l = 5.70 m, 2.5 t	365
110469	Tension Belt Connector Wall M36	366
104477	Bolt ISO 4014 M20 x 120-8.8, galv.	366
781053	Nut ISO 7042 M20-8, galv.	366
124630	Tie Yoke SCS Ø 60 - 200	366
201022	DW 15 Hex. Coupler	367
030090	Hex. Nut DW 15 SW 30/108, galv.	367
103874	Steel Waler Universal SRU U120, l = 1.22 m	368
103877	Steel Waler Universal SRU U120, l = 1.47 m	368
103886	Steel Waler Universal SRU U120, l = 1.72 m	368
103889	Steel Waler Universal SRU U120, l = 1.97 m	368
103898	Steel Waler Universal SRU U120, l = 2.22 m	368
103892	Steel Waler Universal SRU U120, l = 2.47 m	368
103929	Steel Waler Universal SRU U120, l = 2.72 m	368
103903	Steel Waler Universal SRU U120, l = 2.97 m	368
030370	Wingnut Pivot Plate DW 15, galv.	368
201002	Tie Rod DW 15, l = 6.00 m	369
030840	Threaded Anchor Plate DW 15	369
031580	V-Tie Holder DW 15	369
031631	Leading Anchor Coupler DW 15, compl.	369
072180	Ratchet Wrench 1/2"	370
029610	Ratchet Wrench 1"	370
123751	Socket SW 19-1/2" L	370
104823	Socket SW 30-1/2"	370
029630	Socket SW 46-1"	370
029640	Socket SW 55-1"	370
123750	Hexagon Socket SW 27-1"	371
027212	Allen Key SW 14, long	371
118575	Adjusting Unit SCS	371
118580	Spindle Connector SCS Ø 26-21	371
118690	Carriage SCS	372

SCS Single-Sided Climbing System

PERI

Item no.	Weight kg		
118737	140,000	**Crossbeam Unit SCS 250** Platform Beam for single-sided climbing brackets with Adjusting Unit SCS and Carriage SCS to work in front of the formwork.	**Complete with** 1 pc. 118690 Carriage SCS 1 pc. 118575 Adjusting Unit SCS 2 pc. 104477 Bolt ISO 4014 M20 x 120-8.8, galv. 2 pc. 781053 Nut ISO 7042 M20-8, galv. 1 pc. 123692 Pin Ø 25 x 200 SCS 1 pc. 022230 Cotter Pin 5/1, galv. **Note** Wrench Size Carriage SW 19, Height Adjusting Unit SW 30.







Accessories

118710	45,800	**Vertical Strut SCS 237**
118714	40,600	**Diagonal Strut SCS 257**
118579	6,280	**Guardrail Post SCS 150**

118710	45,800	**Vertical Strut SCS 237** Vertical tension strut of the climbing bracket for support heights of 2.58 m and 2.40 m.	**Complete with** 4 pc. 711078 Bolt ISO 4014 M20 x 130-8.8, galv. 4 pc. 781053 Nut ISO 7042 M20-8, galv.







SCS Single-Sided Climbing System


PERI


Item no.	Weight kg		
118714	40,600	**Diagonal Strut SCS 257** Diagonal compression strut of the climbing bracket.	**Complete with** 2 pc. 017040 Screw-On Coupler AK 48, galv. 2 pc. 125999 Hex Bolt M30 x 140-8.8, galv. 2 pc. 725119 Nut ISO 7042 M30-8, galv.





118730	96,700	**Crossbeam Unit SCS 190** Platform Beam for single-sided climbing brackets with Adjusting Unit SCS to prevent tipping of the formwork.	**Complete with** 1 pc. 118575 Adjusting Unit SCS 2 pc. 104477 Bolt ISO 4014 M20 x 120-8.8, galv. 2 pc. 781053 Nut ISO 7042 M20-8, galv. 1 pc. 123692 Pin Ø 25 x 200 SCS 1 pc. 022230 Cotter Pin 5/1, galv. **Note** Wrench Size Height Adjusting Unit SW 30.






Accessories


118710	45,800	**Vertical Strut SCS 237**
118714	40,600	**Diagonal Strut SCS 257**
118579	6,280	**Guardrail Post SCS 150**

SCS Single-Sided Climbing System

PERI

Item no.	Weight kg		
118583	15,100	**Platform Beam SCS 112** Platform beam for the finishing and concreting platform. Inclination can be adjusted.	**Complete with** 2 pc. 113546 Bolt ISO 4017 M20 x 45-8.8, galv. 2 pc. 710226 Bolt ISO 4014 M20 x 90-8.8, galv. 4 pc. 781053 Nut ISO 7042 M20-8, galv.







Accessories

118579	6,280	**Guardrail Post SCS 150**


Item no.	Weight kg		
118579	6,280	**Guardrail Post SCS 150** Guardrail post to connect handrail boards and toe-boards.	





Item no.	Weight kg		
118578	23,900	**Platform Post SCS 232** Rigidly suspension of the Finishing Platform SCS with Platform Beam SCS or use as Platform Beam for inclined working platforms.	






Accessories


123664	2,520	**Connection Plate SCS Ø 21-125**

SCS Single-Sided Climbing System


PERI


Item no.	Weight kg		
118799	51,300	**Starter Bar SCS 187** Basic bar for the erection of a brace frame for the starter.	**Complete with** 2 pc. 017040 Screw-On Coupler AK 48, galv. 1 pc. 111567 Fitting Pin Ø 26 x 120 1 pc. 022230 Cotter Pin 5/1, galv.





Item no.	Weight kg		
118584	111,000	**Strongback SCS 325** Strongback with spindle connector SCS to support the formwork.	**Complete with** 1 pc. 118580 Spindle Connector SCS Ø 26 – 21







Accessories

051030	5,320	**Height Adjusting Unit CB, SCS**
110059	2,840	**Waler Fixation U100 – U120**

Item no.	Weight kg		
110022	0,493	**Spacer M20-82** Spacer for Climbing Rails RCS.	**Complete with** 1 pc. 104477 Bolt ISO 4014 M20 x 120-8.8, galv. 1 pc. 781053 Nut ISO 7042 M20-8, galv.







Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX

SCS Single-Sided Climbing System

PERI


Item no.	Weight kg		
051030	5,320	**Height Adjusting Unit CB, SCS** For height adjustment of VARIO GT 24 panels on the Strongbacks CB and SCS.	**Complete with** 1 pc. 715936 Pin Ø 25 x 180, incl. dowel pin Ø 6 1 pc. 018060 Cotter Pin 4/1, galv.







110059	2,840	**Waler Fixation U100 – U120** For fixing VARIO GT 24 panels to Strongbacks CB or SCS and Steel Waler SRU.	






118585	46,300	**Heavy Duty Spindle SCS 198-250** Adjustable diagonal strut to support the strongback.	**Complete with** 2 pc. 111567 Fitting Pin Ø 26 x 120 2 pc. 022230 Cotter Pin 5/1, galv.





123828	2,430	**Spindle Adapter SCS Ø 26/31** For connection of Heavy Duty Spindles SCS to Climbing Rails RCS, Crossbeam SCS or Bracing Shoe SCS M30/DW 20.	







SCS Single-Sided Climbing System


PERI


Item no.	Weight kg		L
		Scaffold Tubes Steel Ø 48.3 x 4.0	
201410	21,600	**Scaff. Tube Steel Ø 48.3 x 4.0, l = 6.4 m**	6400






201412	1,400	**Swivel Coupler Pressed Steel** For Scaffold Tubes Ø 48 mm.	







110084	2,310	**Scaffold Tube Adapter Ø 48 RCS** For connecting Scaffold Tubes Ø 48 mm to Climbing Rails RCS.	**Complete with** 1 pc. 017040 Screw-On Coupler AK 48, galv. 1 pc. 710894 Pin Ø 25 x 180, geomet. 2 pc. 018060 Cotter Pin 4/1, galv.





123664	2,520	**Connection Plate SCS Ø 21-125** For connecting the Guardrail Post to the Platform Post when using as inclined Platform Beam.	**Complete with** 2 pc. 710226 Bolt ISO 4014 M20 x 90-8.8, galv. 1 pc. 706458 Bolt ISO 4017 M20 x 40-8.8, galv. 3 pc. 781053 Nut ISO 7042 M20-8, galv.







Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX

SCS Single-Sided Climbing System

PERI

Item no.	Weight kg	
113762	0,884	**Guardrail Conn. Plate ACS/SCS** For assembling scaffold tubes Ø 48 or Ø 60 as guardrail by means of Bail Pin A64 on Guardrail Posts ACS, SCS and GT 24. Fixation by Hex. Bolt M8, M12, M16 or Wood Screw Ø 8.







Accessories

110296	0,220	**Clamp A64 DIN 3570 M12, galv.**
710330	0,017	**Nut ISO 4032 M12-8, galv.**

110296	0,220	**Clamp A64 DIN 3570 M12, galv.** For assembling Scaffold Tubes Ø 48 or Ø 60.

Note
Wrench size SW 19.






Accessories

710330	0,017	**Nut ISO 4032 M12-8, galv.**

126088	4,390	**Guardrail Post Holder MULTI** For fixing of an end guardrail post on Girders GT 24, VT 20 or Timbers 80/160. Fixing of the guardrail posts by means of Hex. Bolts M20 or Clamp A64.





Accessories


710285	0,050	**Bolt ISO 4014 M8 x 100-8.8, galv.**
024090	0,005	**Nut ISO 4032 M8-8, galv.**
024470	0,008	**TSS-Torx 6 x 60, galv.**


SCS Single-Sided Climbing System

PERI

Item no.	Weight kg	
116477	10,600	**Platform Beam Support RCS** Support for additional Platform Beams 2 x GT 24 or VT 20 when used with Cross Beam RCS 220. With connector for Guardrail Post RCS.

Complete with
1 pc. 109612 Bolt ISO 4014 M24 x 130-8.8, galv.
1 pc. 105032 Nut ISO 7042 M24-8, galv.






110330	0,865	**Girder Fixation M20** For the fixation of 80 mm wide decking supports made of wood on Platform Beams with suitable boring of Ø 21 mm.

Complete with
1 pc. 706458 Bolt ISO 4017 M20 x 40-8.8, galv.
1 pc. 781053 Nut ISO 7042 M20-8, galv.







Accessories

024470	0,008	**TSS-Torx 6 x 60, galv.**

118582	1,850	**Mounting Ring SCS M30** For anchoring of the SCS Bracket at high vertical loads.






Accessories


030920	1,650	**Climbing Cone-2 M30/DW 20, galv.**

SCS Single-Sided Climbing System

PERI

Item no.	Weight kg		
030920	1,650	**Climbing Cone-2 M30/DW 20, galv.** Anchor System M30. For anchoring climbing systems.	**Note** Separate design information on request.





Accessories

030860	0,801	**Threaded Anchor Plate DW 20**
030700	2,560	**Tie Rod DW 20, spec. length**
030745	2,600	**Tie Rod B 20, spec. length**

		Tie Rods DW 20	**Note**
201842	15,360	**DW 20 Tie Rod l = 6.00 m**	Non-weldable! Take official approval into consideration! **Technical Data** Permissible tension force 150 kN.






		Tie Rod B 20	**Note**
030745	2,600	**Tie Rod B 20, spec. length**	Weldable! Take official approval into consideration!
030800	0,000	**Cutting Cost Tie Rod DW 20/B 20**	**Technical Data** Permissible tension force 150 kN.





030860	0,801	**Threaded Anchor Plate DW 20** For use with Tie Rod DW 20, B 20 or Screw-On Cone-2 M24/DW 20. For anchoring in concrete.	**Note** Lost anchor part.







SCS Single-Sided Climbing System

PERI

Item no.	Weight kg		
031653	0,364	**KK Concrete Cone M30-80/52** For closing anchor points with Climbing Cone-2 M30/DW 20 or Screw-On Cone M30/DW 26.	**Note** Delivery unit 50 pieces.







Accessories

108136	5,000	**Glue for Concrete Cones-2, 5-kg-Set**

029450	0,339	**Advancing Screw M30, galv.** For fixing the M30 anchor system if the plywood formlining is drilled through.	







Accessories

029380	0,200	**Anchor Positioning Plate M30, galv.**

029380	0,200	**Anchor Positioning Plate M30, galv.** For fixing the M30 anchor system if the plywood formlining is drilled through.	






Accessories

029440	0,005	**Lag Screw DIN 571 6 x 20, galv.**

026450	0,214	**Anchor Positioning Stud M30, galv.** For fixing the M30 anchor system if the plywood formlining is not drilled through.	






Accessories


027212	0,445	**Allen Key SW 14, long**
710312	0,005	**Nail 3 x 80**

SCS Single-Sided Climbing System

PERI

Item no.	Weight kg	
118769	1,880	**Mounting Bolt SCS M36** For anchoring of the SCS Bracket at high tension forces.







Accessories

030940	3,040	**Climbing Cone-2 M 36/DW 26, galv.**

118772	2,550	**Mounting Ring SCS M36** For anchoring of the SCS Bracket at high tension forces and vertical loads.







Accessories

030940	3,040	**Climbing Cone-2 M36/DW 26, galv.**

030940	3,040	**Climbing Cone-2 M36/DW 26, galv.** Tie System M36. For anchoring of climbing systems.

Note
Separate design information on request.






Accessories

030870	1,240	**Threaded Anchor Plate DW 26**
030340	4,480	**Tie Rod DW 26, spec. length**

		Tie Rods DW 26
201688	2,240	**DW 26 Tie Rod l = 0.50 m**
201689	4,480	**DW 26 Tie Rod l = 1.50 m**
201687	26,880	**DW 26 Tie Rod l = 6.00 m**

Note
Non-weldable! Take official approval into consideration!
Technical Data
Permissible tension force 250 kN.







SCS Single-Sided Climbing System

PERI

Item no.	Weight kg	
030870	1,240	**Threaded Anchor Plate DW 26** For use with Tie Rod DW 26 or Screw-On Cone M36/DW 26. For anchoring in concrete.


Note
Lost anchor part.






031654	0,571	**KK Concrete Cone M36-90/52** For closing anchor points with Climbing Cone-2 M36/DW 26.

Note
Delivery unit 50 pieces.







Accessories

108136	5,000	**Glue for Concrete Cones-2, 5-kg-Set**


108136	5,000	**Glue for Concrete Cones-2, 5-kg-Set** For bonding PERI concrete cones.


Note
See Safety Data sheet!
Consisting of:
6 x Component A, 6 x Component B
2 x Stirring Container, 3 x Stirring Staff





029390	0,170	**Anchor Positioning Plate M36, galv.** For fixing the M36 anchor system if the plywood formlining is drilled through.







Accessories

029440	0,005	**Lag Screw DIN 571 6 x 20, galv.**


Item no.	Weight kg	
029430	0,930	**Bolt ISO 4017 M36 x 70-8.8, galv.** Bolt for anchoring of climbing systems and as advancing bolt.





026460	0,308	**Anchor Positioning Stud M36, galv.** For fixing the M36 anchor system if the plywood formlining is not drilled through.







Accessories

027212	0,445	**Allen Key SW 14, long**
710312	0,005	**Nail 3 x 80**

123819	9,380	**Bracing Shoe SCS M30/DW20** Used as compression point at starter sections with optional connections to Scaffold Tube Bracing Ø 48, Vertical Tie Rod DW 20 Suspension, Climbing Anchor M36, Diagonal Strut SCS or Heavy Duty Spindle SCS.	**Complete with** 1 pc. 017040 Screw-On Coupler AK 48, galv.






Accessories

029420	0,590	**Bolt ISO 4017 M30 x 70-8.8, galv.**
029430	0,930	**Bolt ISO 4017 M36 x 70-8.8, galv.**


Item no.	Weight kg		
030580	0,371	**Hex. Nut DW 20 SW 36/60, weldable** For anchoring with Tie Rod DW 20 and B 20.	**Note** Weldable! **Technical Data** Permissible load 150 kN.






114082	2,860	**Counterplate RCS DW 20** Counterplate with centring for anchoring through the Climbing Rail RCS.	







201020	0,786	**DW 20 Wingnut, galv.** For anchoring with Tie Rod DW 20 and B 20.	**Technical Data** Permissible load 150 kN.







051250	2,790	**Tension Belt, l = 5.70 m, 2.5 t** To prevent climbing systems from tipping over due to wind loads.	**Note** Follow Instructions for Assembly and Use! **Technical Data** Permissible tension force 2.5 t.





Item no.	Weight kg	
110469	1,660	**Tension Belt Connector Wall M36** To connect Tension Belt to the previous anchor M30 or M36.







Accessories

029420	0,590	**Bolt ISO 4017 M30 x 70-8.8, galv.**
029430	0,930	**Bolt ISO 4017 M36 x 70-8.8, galv.**

104477	0,300	**Bolt ISO 4014 M20 x 120-8.8, galv.**






Accessories

781053	0,065	**Nut ISO 7042 M20-8, galv.**

781053	0,065	**Nut ISO 7042 M20-8, galv.** Self-locking.







124630	5,330	**Tie Yoke SCS Ø 60 - 200** For anchoring of Starter Bar SCS with Tie Rods DW 15.

Complete with
1 pc. 110755 Tie Yoke SRU
1 pc. 710222 Bolt ISO 4014 M16 x 80-8.8, galv.
1 pc. 070890 Nut ISO 7042 M16-8, galv.

Technical Data
Permissible load 2 x 90 kN.
Valid for Tie Yokes SRU with centre hole Ø 18 rectangular to outside holes Ø 18.






Item no.	Weight kg	
201022	0,439	**DW 15 Hex. Coupler** For coupling Tie Rod DW 15 and B 15.


Technical Data
Permissible load 90 kN.






030090	0,402	**Hex. Nut DW 15 SW 30/108, galv.** For coupling Tie Rod DW 15 and B 15.

Technical Data
Permissible load 90 kN.






SCS Single-Sided Climbing System


PERI

Item no.	Weight kg	Steel Walers Universal SRU	L
103874	30,900	**Steel Waler Universal SRU U120, l = 1.22 m**	1222
103877	38,100	**Steel Waler Universal SRU U120, l = 1.47 m**	1472
103886	44,700	**Steel Waler Universal SRU U120, l = 1.72 m**	1722
103889	52,000	**Steel Waler Universal SRU U120, l = 1.97 m**	1972
103898	58,600	**Steel Waler Universal SRU U120, l = 2.22 m**	2222
103892	65,600	**Steel Waler Universal SRU U120, l = 2.47 m**	2472
103929	72,000	**Steel Waler Universal SRU U120, l = 2.72 m**	2722
103903	81,000	**Steel Waler Universal SRU U120, l = 2.97 m**	2972


Universal steel waler profile U120 used as waling for girder wall formwork and for diverse special applications. With adjustable spacers.


Note
Permissible load: see PERI Design Tables.





030370	1,660	**Wingnut Pivot Plate DW 15, galv.** For anchoring with Tie Rod DW 15 and B 15. With pivoting captive nut. Maximum angle of tilting 8°.	**Note** Wrench size SW 27. **Technical Data** Permissible load 90 kN.






SCS Single-Sided Climbing System

PERI


Item no.	Weight kg	Tie Rods DW 15	Note
201002	8,640	**Tie Rod DW 15, l = 6.00 m**	Non-weldable! Take official approval into consideration! **Technical Data** Permissible tension force 90 kN.







030840	0,516	**Threaded Anchor Plate DW 15** For use with Tie Rod DW 15 or B 15. For anchoring in concrete.	**Note** Lost anchor part.







031580	0,440	**V-Tie Holder DW 15** For easy installation of DW 15 Tie Rods at 45° inclinations.	





031631	0,345	**Leading Anchor Coupler DW 15, compl.** For easy installation of DW 15 Tie Rods at 45° inclinations.	






SCS Single-Sided Climbing System


PERI


Item no.	Weight kg	
072180	0,560	**Ratchet Wrench 1/2"**





029610	5,300	**Ratchet Wrench 1"**





123751	0,216	**Socket SW 19-1/2" L**

Fitts to Hex. Bolts M12. To operate the Carriage SCS with Drive Shaft SW 19.





104823	0,175	**Socket SW 30-1/2"**

Fitts to Hex. Bolts M20.
To operate the Adjusting Unit SCS.





029630	0,580	**Socket SW 46-1"**

Fits to Hex. Bolts M30.






029640	1,000	**Socket SW 55-1"**

Fits to Hex. Bolts M36.







SCS Single-Sided Climbing System

PERI

Item no.	Weight kg	
123750	0,776	**Hexagon Socket SW 27-1"**

Fitts to Cyl. Bolts ISO 4762 M36.






027212	0,445	**Allen Key SW 14, long**

Fits to PERI Anchor Positioning Studs and Allen Key Bolts M16.







118575	16,800	**Adjusting Unit SCS**

Spare part for Crossbeam Unit SCS.

Complete with
3 pc. 111567 Fitting Pin Ø 26 x 120
3 pc. 022230 Cotter Pin 5/1, galv.
2 pc. 710219 Bolt ISO 4014 M16 x 100-8.8, galv.
2 pc. 070890 Nut ISO 7042 M16-8, galv.







118580	5,500	**Spindle Connector SCS Ø 26-21**

Spare part for Strongback SCS.

Complete with
2 pc. 104031 Fitting Pin Ø 21 x 120
2 pc. 018060 Cotter Pin 4/1, galv.






Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX

SCS Single-Sided Climbing System


PERI

Item no.	Weight kg
118690	23,500

Carriage SCS
Spare part for Crossbeam Unit SCS 250.



Complete with
2 pc. 103740 Bolt ISO 4016 M16 x 280-4.6 MU
2 pc. 070890 Nut ISO 7042 M16-8, galv.



PERI

Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX

Bridge and Tunnel Formwork

377 VARIOKIT Engineering Construction Kit - Core Elements

VARIOKIT Engineering Construction Kit - Core Elements

114166 Climbing Rail RCS 148 378
109469 Climbing Rail RCS 248 378
112102 Climbing Rail RCS 298 378
109470 Climbing Rail RCS 348 378
112141 Climbing Rail RCS 398 378
109471 Climbing Rail RCS 498 378
109472 Climbing Rail RCS 748 378
109610 Climbing Rail RCS 998 378
117585 Climbing Rail Profile RCS 98 378
103868 Steel Waler Universal SRU U120, l = 0.72 m 379
103871 Steel Waler Universal SRU U120, l = 0.97 m 379
103874 Steel Waler Universal SRU U120, l = 1.22 m 379
103877 Steel Waler Universal SRU U120, l = 1.47 m 379
103886 Steel Waler Universal SRU U120, l = 1.72 m 379
103889 Steel Waler Universal SRU U120, l = 1.97 m 379
103898 Steel Waler Universal SRU U120, l = 2.22 m 379
103892 Steel Waler Universal SRU U120, l = 2.47 m 379
103929 Steel Waler Universal SRU U120, l = 2.72 m 379
103903 Steel Waler Universal SRU U120, l = 2.97 m 379
103906 Steel Waler Universal SRU U120, l = 3.47 m 379
103915 Steel Waler Universal SRU U120, l = 3.97 m 379
103918 Steel Waler Universal SRU U120, l = 4.47 m 379
103922 Steel Waler Universal SRU U120, l = 4.97 m 379
103925 Steel Waler Universal SRU U120, l = 5.47 m 379
103928 Steel Waler Universal SRU U120, l = 5.97 m 379
103943 Steel Waler Universal SRU U140, l = 4.97 m 380
111035 Heavy Duty Spindle SLS 40/80 380
101773 Heavy Duty Spindle SLS 80/140 380
101774 Heavy Duty Spindle SLS 100/180 380
101776 Heavy Duty Spindle SLS 140/240 380
101778 Heavy Duty Spindle SLS 200/300 380
101779 Heavy Duty Spindle SLS 260/360 380
109726 Heavy Duty Spindle SLS 320/420 380
109785 Heavy Duty Spindle SLS 380/480 380
110477 Spindle Adapter SLS/RCS 381
111390 Climbing Rail Connector RCS 97 381
113744 Climbing Rail Connector RCS 73 381
111833 Climbing Rail Connector RCS 40 382
109743 Climbing Rail Connector RCS 33 382
103737 Universal Coupling UK 70 382
115623 Connector SRU VARIOKIT 382
111382 Climbing Rail Angle Connector RCS 383
111283 Angle Connector RCS/SRU 383
111279 Cross Connector VARIOKIT 383
123509 Cross Connector RCS 384
113933 Adjusting Unit VARIOKIT 384
111806 Hook Strap Uni HBU 24-26 U200 384
115544 Hook Strap Uni HBU 14-17 385
104931 Hook Strap Uni HBU 20-24 385
103845 Hook Strap Uni HBU 24-28 385
104027 Extension VARIO 24 U120 385
115682 Height Adjustment VARIOKIT 386
114328 Guardrail Post RCS/SRU 184 386
116363 Spacer RCS 184 386
201131 Handrail-Post Holder SRU/SRZ (GB) 386
116292 Guardrail Post HSGP-2 387
061260 Guardrail Post SGP 387
024000 Compensation Washer 16, yellow galv 387
024180 Compensation Washer 20, galv. 387
116469 RCS Wheel 1.5 t 388
104031 Fitting Pin Ø 21 x 120 388
111567 Fitting Pin Ø 26 x 120 388
105400 Pin Ø 20 x 140, galv. 388
022230 Cotter Pin 5/1, galv. 389
018060 Cotter Pin 4/1, galv. 389
110022 Spacer M20-82 389
110023 Spacer M24-82 389
201415 SRU Scaffold Tube Coupler 389

Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX


VARIOKIT Engineering Construction Kit - Core Elements

PERI

Item no.	Weight kg		L
		Climbing Rails RCS	
114166	78,200	**Climbing Rail RCS 148**	1480
109469	130,000	**Climbing Rail RCS 248**	2480
112102	156,000	**Climbing Rail RCS 298**	2980
109470	182,000	**Climbing Rail RCS 348**	3480
112141	209,000	**Climbing Rail RCS 398**	3980
109471	262,000	**Climbing Rail RCS 498**	4980
109472	393,000	**Climbing Rail RCS 748**	7480
109610	524,000	**Climbing Rail RCS 998**	9980


Steel profile for all-purpose use of climbing application or civil constructions. With Spacers M20-82 and M24-82.






117585	24,300	**Climbing Rail Profile RCS 98**

Steel profile for all-purpose use of climbing application or civil constructions. Single profile.





Accessories

110022	0,493	**Spacer M20-82**
110023	0,910	**Spacer M24-82**


VARIOKIT Engineering Construction Kit - Core Elements


PERI

Item no.	Weight kg		L
		Steel Walers Universal SRU	
103868	18,100	**Steel Waler Universal SRU U120, l = 0.72 m**	722
103871	24,200	**Steel Waler Universal SRU U120, l = 0.97 m**	972
103874	30,900	**Steel Waler Universal SRU U120, l = 1.22 m**	1222
103877	38,100	**Steel Waler Universal SRU U120, l = 1.47 m**	1472
103886	44,700	**Steel Waler Universal SRU U120, l = 1.72 m**	1722
103889	52,000	**Steel Waler Universal SRU U120, l = 1.97 m**	1972
103898	58,600	**Steel Waler Universal SRU U120, l = 2.22 m**	2222
103892	65,600	**Steel Waler Universal SRU U120, l = 2.47 m**	2472
103929	72,000	**Steel Waler Universal SRU U120, l = 2.72 m**	2722
103903	81,000	**Steel Waler Universal SRU U120, l = 2.97 m**	2972
103906	92,600	**Steel Waler Universal SRU U120, l = 3.47 m**	3472
103915	106,000	**Steel Waler Universal SRU U120, l = 3.97 m**	3972
103918	119,000	**Steel Waler Universal SRU U120, l = 4.47 m**	4472
103922	135,000	**Steel Waler Universal SRU U120, l = 4.97 m**	4972
103925	146,000	**Steel Waler Universal SRU U120, l = 5.47 m**	5472
103928	159,000	**Steel Waler Universal SRU U120, l = 5.97 m**	5972

Universal steel waler profile U120 used as waling for girder wall formwork and for diverse special applications. With adjustable spacers.

Note
Permissible load: see PERI Design Tables.
Technical Data
U120: Wy = 121.4 cm³, Iy = 728 cm⁴.






Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX


VARIOKIT Engineering Construction Kit - Core Elements

PERI

Item no.	Weight kg	
103943	157,000	**Steel Waler Universal SRU U140, l = 4.97 m** Universal steel waler profile U140 used as waling for girder wall formwork and for diverse special applications. With adjustable spacers.

Note
Permissible load: see PERI Design Tables.
Technical Data
U140: Wy = 172.8 cm³, Iy = 1210 cm⁴.







		Heavy Duty Spindles SLS	A	min. L	max. L
111035	11,900	**Heavy Duty Spindle SLS 40/80**	344	400	800
101773	14,200	**Heavy Duty Spindle SLS 80/140**	746	800	1400
101774	17,700	**Heavy Duty Spindle SLS 100/180**	946	1000	1800
101776	24,200	**Heavy Duty Spindle SLS 140/240**	1346	1400	2400
101778	31,600	**Heavy Duty Spindle SLS 200/300**	1944	2000	3000
101779	37,700	**Heavy Duty Spindle SLS 260/360**	2544	2600	3600
109726	44,100	**Heavy Duty Spindle SLS 320/420**	3144	3200	4200
109785	50,300	**Heavy Duty Spindle SLS 380/480**	3744	3800	4800

Used as adjustable spindle for truss beams made of Steel Walers SRU and Climbing Rails RCS.

Note
Permissible load see PERI Design Tables.





Accessories


104031	0,462	**Fitting Pin Ø 21 x 120**
018060	0,030	**Cotter Pin 4/1, galv.**
110477	3,990	**Spindle Adapter SLS/RCS**


VARIOKIT Engineering Construction Kit - Core Elements

PERI

Item no.	Weight kg	
110477	3,990	**Spindle Adapter SLS/RCS** For connecting the Heavy-Duty Spindle SLS to the Climbing Rail RCS.

Complete with
1 pc. 104031 Fitting Pin Ø 21 x 120
1 pc. 018060 Cotter Pin 4/1, galv.







Accessories

104031	0,462	**Fitting Pin Ø 21 x 120**
018060	0,030	**Cotter Pin 4/1, galv.**
111567	0,729	**Fitting Pin Ø 26 x 120**
022230	0,033	**Cotter Pin 5/1, galv.**

111390	32,800	**Climbing Rail Connector RCS 97** For rigidly connecting the Climbing Rails RCS. With connection for the Heavy-Duty Spindles SLS.







Accessories

104031	0,462	**Fitting Pin Ø 21 x 120**
018060	0,030	**Cotter Pin 4/1, galv.**
111567	0,729	**Fitting Pin Ø 26 x 120**
022230	0,033	**Cotter Pin 5/1, galv.**

113744	21,000	**Climbing Rail Connector RCS 73** For rigid connection of Climbing Rails RCS. Perm. bending moment limited.






Accessories


104031	0,462	**Fitting Pin Ø 21 x 120**
018060	0,030	**Cotter Pin 4/1, galv.**
111567	0,729	**Fitting Pin Ø 26 x 120**
022230	0,033	**Cotter Pin 5/1, galv.**

VARIOKIT Engineering Construction Kit - Core Elements

PERI

Item no.	Weight kg	
111833	12,700	**Climbing Rail Connector RCS 40** For an articulated connection or doubling of the RCS Climbing Rails.






Accessories


104031	0,462	**Fitting Pin Ø 21 x 120**
018060	0,030	**Cotter Pin 4/1, galv.**
111567	0,729	**Fitting Pin Ø 26 x 120**
022230	0,033	**Cotter Pin 5/1, galv.**


109743	6,520	**Climbing Rail Connector RCS 33** For an articulated connection of RCS Climbing Rails. **Complete with** 3 pc. 710894 Pin Ø 25 x 180, geomet. 6 pc. 018060 Cotter Pin 4/1, galv.





103737	10,800	**Universal Coupling UK 70** For a rigid connection of Steel Walers SRU and for connecting Heavy-Duty Spindles SLS. **Note** Permissible load: see PERI Design Tables.







Accessories

104031	0,462	**Fitting Pin Ø 21 x 120**
018060	0,030	**Cotter Pin 4/1, galv.**

115623	5,060	**Connector SRU VARIOKIT** For a rigid connection of Steel Walers SRU.






Accessories


104031	0,462	**Fitting Pin Ø 21 x 120**
018060	0,030	**Cotter Pin 4/1, galv.**

VARIOKIT Engineering Construction Kit - Core Elements

PERI

Item no.	Weight kg	
111382	35,200	**Climbing Rail Angle Connector RCS** For rigidly connecting the Climbing Rails RCS at right-angles, for frame construction or as bracket. With connection for the Heavy-Duty Spindle SLS and Tie Rod Cylinder Yoke SRU.







Accessories

104031	0,462	**Fitting Pin Ø 21 x 120**
018060	0,030	**Cotter Pin 4/1, galv.**
111567	0,729	**Fitting Pin Ø 26 x 120**
022230	0,033	**Cotter Pin 5/1, galv.**
110755	5,140	**Tie Yoke SRU**

111283	9,950	**Angle Connector RCS/SRU** For right-angled connection of Steel Walers SRU to the Climbing Rails RCS and for attaching guardrail posts to Steel Walers SRU.







Accessories

104031	0,462	**Fitting Pin Ø 21 x 120**
018060	0,030	**Cotter Pin 4/1, galv.**
111567	0,729	**Fitting Pin Ø 26 x 120**
022230	0,033	**Cotter Pin 5/1, galv.**

111279	2,450	**Cross Connector VARIOKIT** For right-angled connection of Steel Walers SRU or Climbing Rails RCS.





Accessories


104031	0,462	**Fitting Pin Ø 21 x 120**
018060	0,030	**Cotter Pin 4/1, galv.**


Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX

VARIOKIT Engineering Construction Kit - Core Elements

PERI

Item no.	Weight kg	
123509	13,400	**Cross Connector RCS** For crosswise connection of Climbing Rails RCS.







Accessories

104031	0,462	**Fitting Pin Ø 21 x 120**
018060	0,030	**Cotter Pin 4/1, galv.**
111567	0,729	**Fitting Pin Ø 26 x 120**
022230	0,033	**Cotter Pin 5/1, galv.**

113933	17,100	**Adjusting Unit VARIOKIT** For an articulated connection of Steel Walers SRZ and SRU. With integrated adjustment feature.

Complete with
3 pc. 104031 Fitting Pin Ø 21 x 120
3 pc. 018060 Cotter Pin 4/1, galv.







Accessories

104031	0,462	**Fitting Pin Ø 21 x 120**
018060	0,030	**Cotter Pin 4/1, galv.**

111806	0,921	**Hook Strap Uni HBU 24-26 U200** For assembling the GT 24 Girder on the Climbing Rails RCS and LPS or on Steel Walers BR: U140 – U160.






Accessories


024540	0,005	**TSS-Torx 6 x 40, galv.**

VARIOKIT Engineering Construction Kit - Core Elements

PERI

Item no.	Weight kg	
115544	0,837	**Hook Strap Uni HBU 14-17** For fixing timbers 80 x 160 mm to Steel Walers SRZ, SRU and BR: U100 – U140.







Accessories

024540	0,005	**TSS-Torx 6 x 40, galv.**

104931	0,865	**Hook Straps Uni HBU**
103845	0,893	**Hook Strap Uni HBU 20-24**
		Hook Strap Uni HBU 24-28
		For fixing GT 24 Girders or VT 20 Girders to Steel Walers SRZ, SRU and BR: U100 – U140.

Note
The girders can be mounted at right-angles or diagonally to the steel walers and also outside of the nodes.







Accessories

024540	0,005	**TSS-Torx 6 x 40, galv.**


104027	7,610	**Extension VARIO 24 U120** For assembly on Steel Waler SRU.


Complete with
4 pc. 710252 Bolt ISO 4017 M16 x 50-8.8, galv.
4 pc. 104024 Nut ISO 7040 M16-8, galv.
4 pc. 710880 Washer DIN 434 18, galv.
Technical Data
U120: Wy = 121.4 cm³, Iy = 728 cm⁴.





Item no.	Weight kg		
115682	5,770	**Height Adjustment VARIOKIT** For height adjustment of Steel Walers SRU.	**Complete with** 2 pc. 104031 Fitting Pin Ø 21 x 120 2 pc. 018060 Cotter Pin 4/1, galv.






Accessories

100411	3,420	**Adj. Base Plate UJB 38-50/30**
100242	4,570	**Adj. Base Plate UJB 38-80/55**

114328	16,600	**Guardrail Post RCS/SRU 184** For assembly of the guardrail on the Platform Beam RCS/SRU or Angle connector RCS/SRU.	**Complete with** 2 pc. 114727 Bolt ISO 4017 M20 x 100-8.8, galv. 2 pc. 781053 Nut ISO 7042 M20-8, galv.







116363	0,089	**Spacer RCS 184** Compensator between Angle Connector RCS/SRU and Guardrail Post RCS 184.





201131	3,940	**Handrail-Post Holder SRU/SRZ (GB)** For assembling a guardrail to the Steel Walers SRU and SRZ, Profile U100 to U140.	**Complete with** 2 pc. 105400 Pin Ø 20 x 140, galv. 2 pc. 018060 Cotter Pin 4/1, galv.






Accessories

116292	4,730	**Guardrail Post HSGP-2**
061260	6,150	**Guardrail Post SGP**


Item no.	Weight kg	
116292	4,730	**Guardrail Post HSGP-2** As guardrail for different systems.






061260	6,150	**Guardrail Post SGP** As guardrail for different systems.





		Compensation Washers, galv.
024000	0,131	**Compensation Washer 16, yellow galv**
024180	0,126	**Compensation Washer 20, galv.** For assembling in the VKZ holes.







Accessories


024910	0,303	**Bolt ISO 4014 M20 x 100-8.8, galv.**
710219	0,184	**Bolt ISO 4014 M16 x 100-8.8, galv.**
781053	0,065	**Nut ISO 7042 M20-8, galv.**
070890	0,030	**Nut ISO 7042 M16-8, galv.**


Item no.	Weight kg	
116469	5,920	**RCS Wheel 1.5 t** For assembling in Climbing Rails RCS, foldable. **Complete with** 2 pc. 113012 Pin Ø 20 x 260, galv. 2 pc. 018060 Cotter Pin 4/1, galv. **Technical Data** Permissible load-bearing capacity 1.5 t.





104031	0,462	**Fitting Pin Ø 21 x 120** For different connections.







Accessories

018060	0,030	**Cotter Pin 4/1, galv.**

111567	0,729	**Fitting Pin Ø 26 x 120** For different connections.







Accessories

022230	0,033	**Cotter Pin 5/1, galv.**

105400	0,330	**Pin Ø 20 x 140, galv.** For different connections.





Accessories


018060	0,030	**Cotter Pin 4/1, galv.**


Item no.	Weight kg	
		Cotter Pins, galv.
022230	0,033	**Cotter Pin 5/1, galv.**
018060	0,030	**Cotter Pin 4/1, galv.**







110022	0,493	**Spacer M20-82** Spacer for Climbing Rails RCS. **Complete with** 1 pc. 104477 Bolt ISO 4014 M20 x 120-8.8, galv. 1 pc. 781053 Nut ISO 7042 M20-8, galv.







110023	0,910	**Spacer M24-82** Spacer for Climbing Rails RCS. **Complete with** 1 pc. 109612 Bolt ISO 4014 M24 x 130-8.8, galv. 1 pc. 105032 Nut ISO 7042 M24-8, galv.





201415	0,060	**SRU Scaffold Tube Coupler**





Shoring

393 MULTIPROP Single Props and System
405 PERI UP Flex Heavy Duty Prop

MULTIPROP Single Props and System

027288 MULTIPROP MP 120 394
027289 MULTIPROP MP 250 394
027290 MULTIPROP MP 350 394
027291 MULTIPROP MP 480 394
027305 MULTIPROP MP 625 394
028390 Frame MRK 62.5 394
028400 Frame MRK 75 394
028330 Frame MRK 90 394
028340 Frame MRK 120 394
028380 Frame MRK 137.5 394
028350 Frame MRK 150 394
028460 Frame MRK 201.5 395
028360 Frame MRK 225 395
028470 Frame MRK 230 395
028480 Frame MRK 237 395
028490 Frame MRK 266 395
028370 Frame MRK 296 395
107169 MULTIPROP Platform 150 x 60 395
107170 MULTIPROP Platform 225 x 60 395
107171 MULTIPROP Platform 150 x 60 with Hatch 395
107172 MULTIPROP Platform 225 x 60 with Hatch 395
107173 Ladder 220 x 350, telescopic 396
022027 Wing Nut Spanner HD 396
027310 Base MP 50 396
027297 Tilting Forkhead MKK 397
027296 Tilting Base MKF 397
027298 Scaffold Tube Coupler MG-A/C 397
027299 Scaffold Tube Coupler MG-B/D 397
028000 Universal Tripod, galv. 397
027301 Connector MPV-2 398
201142 ASSEMBLY Bolt MPB24 with Nut 398
027302 MULTIPROP Strap SRZ U100 – U140 398
107161 Compression Brace Head MP/SRU 399
107160 Connector MP-SRU 399
104031 Fitting Pin Ø 21 x 120 399
018060 Cotter Pin 4/1, galv. 399
019200 Trolley with Winch 400
118114 Connector MP – Trolley 400
079300 Alu Beam MPB 24 l = 3.00 m 401
079360 Alu Beam MPB 24 l = 3.60 m 401
079420 Alu Beam MPB 24 l = 4.20 m 401
079480 Alu Beam MPB 24 l = 4.80 m 401
079540 Alu Beam MPB 24 l = 5.40 m 401
079600 Alu Beam MPB 24 l = 6.00 m 401
107348 Coupling MPB 24 401
108339 Quick Strap MPB 24/GT 24 401
111000 Tension Strap MPB 24 / GT 24 402
107820 Strap MPB 24 402
108213 Brace Connector MPB 24 402
201131 Handrail-Post Holder SRU/SRZ (GB) 403
116292 Guardrail Post HSGP-2 403

Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX

MULTIPROP Single Props and System

PERI


Item no.	Weight kg		min. L	max. L
		MULTIPROP MP		
027288	10,200	**MULTIPROP MP 120**	800	1200
027289	15,400	**MULTIPROP MP 250**	1450	2500
027290	19,500	**MULTIPROP MP 350**	1950	3500
027291	24,900	**MULTIPROP MP 480**	2600	4800
027305	34,700	**MULTIPROP MP 625**	4300	6250

Slab prop made of aluminium. Used as individual prop as well as in combination with MULTIPROP Frames MRK to form towers.

Note
Approved by the German Building Authorities No. Z-8.312-824.

Technical Data
Permissible load: see PERI Design Tables.







Item no.	Weight kg		L	X
		MULTIPROP Frames MRK, Steel		
028390	9,840	**Frame MRK 62.5**	545	625
028400	10,100	**Frame MRK 75**	670	750
028330	11,300	**Frame MRK 90**	820	900
028340	14,000	**Frame MRK 120**	1120	1200
028380	15,400	**Frame MRK 137.5**	1295	1375
028350	16,300	**Frame MRK 150**	1420	1500

Bracing frame for MULTIPROP. For connecting to outer and inner tube.
With captive wedge coupling.

Note
L = Loading Length
X = Axis Length






MULTIPROP Single Props and System


PERI

Item no.	Weight kg		L	X
		MULTIPROP Frames MRK, Alu		
028460	11,600	**Frame MRK 201.5**	1935	2015
028360	12,300	**Frame MRK 225**	2170	2250
028470	12,500	**Frame MRK 230**	2220	2300
028480	12,700	**Frame MRK 237**	2290	2370
028490	13,900	**Frame MRK 266**	2580	2660
028370	14,900	**Frame MRK 296**	2880	2960

Bracing frame for MULTIPROP. For connecting to outer and inner tube.
With captive wedge coupling.

Note
L = Loading Length
X = Axis Length







Item no.	Weight kg		
		MULTIPROP Platforms	
107169	12,000	**MULTIPROP Platform 150 x 60**	
107170	18,000	**MULTIPROP Platform 225 x 60**	

For assembly of a working scaffold.

Technical Data
Permissible load up to 2,0 kN/m².







Item no.	Weight kg		
		MULTIPROP Platforms with Hatch	
107171	12,500	**MULTIPROP Platform 150 x 60 with Hatch**	
107172	18,500	**MULTIPROP Platform 225 x 60 with Hatch**	

For assembly of a working scaffold. Self-locking hatch opening for access ladder.

Technical Data
Permissible load up to 2,0 kN/m².







MULTIPROP Single Props and System

PERI


Item no.	Weight kg	
107173	9,000	**Ladder 220 x 350, telescopic** As access for MULTIPROP towers. Mounted to platform with hatch.


Technical Data
Extension length 2.20 – 3.50 m.






022027	3,600	**Wing Nut Spanner HD** For easy release of the Head Spindle HDK 45, the Head Spindle TR 110-80/55 and the MULTIPROP slab prop.






027310	8,900	**Base MP 50** For use with slab props with an end plate thickness of 6 – 10 mm. With clamped quick-release fastener.

Note
Permissible load: see PERI Design Tables.







MULTIPROP Single Props and System

PERI

Item no.	Weight kg	
027297	8,730	**Tilting Forkhead MKK** For tilt-resistant support of one or two GT 24 or VT 20 Girders. Can be pivoted by 3° in all directions. With clamped quick-release fastener.


Technical Data
Separate design information on request.






027296	6,220	**Tilting Base MKF** For use on inclined assembly areas. Can be pivoted by 3° in all directions. With clamped quick-release fastener.

Technical Data
Maximum permissible load 60 kN.








		Scaffold Tube Couplers
027298	1,930	**Scaffold Tube Coupler MG-A/C**
027299	1,930	**Scaffold Tube Coupler MG-B/D**

For connecting Scaffold Tubes Ø 48 mm to the MULTIPROP MP slab props.

Note
Non-swivelling coupler.









028000	9,170	**Universal Tripod, galv.** Erection aid for slab props with Ø 48 – 120 mm and 120 x 120 mm. Can also be used in combination with MULTIPROP MP slab props and all slab props with Base MP 50.


Note
Only use as erection aid!






Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX


Item no.	Weight kg	
027301	1,020	**Connector MPV-2** For connecting 2 MULTIPROP slab props.







201142	0,082	**ASSEMBLY Bolt MPB24 with Nut** For connecting 2 MULTIPROP slab props, for connecting compression Brace Head MP/SRU and for the assembly of accessories on the Alu Beam MPB 24.






027302	2,100	**MULTIPROP Strap SRZ U100 – U140** For fixing Steel Walers SRZ and SRU, Profile U100 to U140 on MULTIPROP slab props.






Item no.	Weight kg	
107161	3,050	**Compression Brace Head MP/SRU** As connecting element between MULTIPROP slab props and Steel Waler SRU/SRZ.




Technical Data
Seperate design information on request.
Permissible load-bearing point capacity up to 70 kN.




Accessories

104031	0,462	**Fitting Pin Ø 21 x 120**
018060	0,030	**Cotter Pin 4/1, galv.**
111142	0,082	**MULTIPROP Bolt with Nut**

107160	3,960	**Connector MP-SRU** As compensation element between the Prop Head MP/SRU and inclined positioned Steel Waler SRU.







Accessories

104031	0,462	**Fitting Pin Ø 21 x 120**
018060	0,030	**Cotter Pin 4/1, galv.**

104031	0,462	**Fitting Pin Ø 21 x 120** For different connections.






Accessories

018060	0,030	**Cotter Pin 4/1, galv.**

018060	0,030	**Cotter Pin 4/1, galv.**







MULTIPROP Single Props and System

PERI

Item no.	Weight kg	
019200	162,000	**Trolley with Winch** For moving towers and tables with MULTIPROP, Rosett, Rosett Plus and PD 8 with appropriate support for the system.




Note
Follow Instructions for Use!
Technical Data
Permissible load-bearing capacity 1.0 t.




Accessories

118114	14,200	**Connector MP – Trolley**
118605	21,500	**Connector Rosett – Trolley**
117954	21,200	**Connector Rosett Plus – Trolley**
118115	11,000	**Connector PD 8 – Trolley**

118114	14,200	**Connector MP – Trolley** For moving MULTIPROP towers with Trolley with Winch.



Note
Consisting of 2 parts:
Support left and right.




MULTIPROP Single Props and System


PERI

Item no.	Weight kg		L
		Alu Beams MPB 24	
079300	24,000	**Alu Beam MPB 24 l = 3.00 m**	2998
079360	28,800	**Alu Beam MPB 24 l = 3.60 m**	3598
079420	33,700	**Alu Beam MPB 24 l = 4.20 m**	4198
079480	38,500	**Alu Beam MPB 24 l = 4.80 m**	4798
079540	43,300	**Alu Beam MPB 24 l = 5.40 m**	5398
079600	48,100	**Alu Beam MPB 24 l = 6.00 m**	5998


Aluminium main beam for the MULTIPROP system.


Technical Data
perm. Q = 50 kN
perm. A = 80 kN
perm. M = 15 kNm





107348	9,590	**Coupling MPB 24** For connecting the Alu Beam MPB 24.







Accessories

104031	0,462	**Fitting Pin Ø 21 x 120**
018060	0,030	**Cotter Pin 4/1, galv.**

108339	0,203	**Quick Strap MPB 24/GT 24** For assembly of GT 24 Girders on the Alu Beam MPB 24.







Accessories

018280	1,000	**Double Head Nail, l = 65 mm**

Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX


Item no.	Weight kg	
111000	0,815	**Tension Strap MPB 24 / GT 24** For fixing of GT 24 Girders on the Alu Beam MPB 24.





107820	0,057	**Strap MPB 24** For fixing Alu Beam MPB 24 to the MULTIPROP prop or mounting the GT 24 Girders on the Alu Beam MPB 24.






Accessories

111142	0,082	**MULTIPROP Bolt with Nut**

108213	2,590	**Brace Connector MPB 24** For connecting push-pull props or bracings to Aluminium Beam MPB 24.







Accessories

104031	0,462	**Fitting Pin Ø 21 x 120**
018060	0,030	**Cotter Pin 4/1, galv.**

Item no.	Weight kg		
201131	3,940	**Handrail-Post Holder SRU/SRZ (GB)** For assembling a guardrail to the Steel Walers SRU and SRZ, Profile U100 to U140.	**Complete with** 2 pc. 105400 Pin Ø 20 x 140, galv. 2 pc. 018060 Cotter Pin 4/1, galv.






Accessories

116292	4,730	**Guardrail Post HSGP-2**
061260	6,150	**Guardrail Post SGP**

116292	4,730	**Guardrail Post HSGP-2** As guardrail for different systems.







PERI UP Flex Heavy Duty Prop

102859	Standard UVR 50	406
101306	Standard UVR 100	406
102860	Standard UVR 150	406
100009	Standard UVR 200	406
100012	Standard UVR 300	406
100013	Standard UVR 400	406
114613	Ledger UH 25 Plus	406
111053	Locking Pin Ø 48/57	406
100719	Bolt ISO 4014 M10 x 70-8.8 MU, galv.	407
126435	Head Spindle TR 110-80/55	407
022027	Wing Nut Spanner HD	407
126436	Lowering Jack HD	408
126437	Connector UJC	408
126438	Hydraulic-Unit HD	408
022013	Centring Bolt HD M12, galv.	409
022008	Main Beam HDT 880	409
022009	Main Beam HDT 440	409
022010	Main Beam HDT 280	409
022016	Brace Connector HDR	410
028080	Connector Kicker/Push-Pull Prop, galv.	410
201410	Scaff. Tube Steel Ø 48.3 x 4.0, l = 6.4 m	410
022025	Centering Bar 40 x 20 x 400	410
022011	Double Anchor Tie Yoke HDD	411
022021	Trolley HD	411
106183	Main Beam Clamp HD 70 mm, galv.	411
022026	Steel Beam Clamp IPB 300 - 1000	411
201411	Double Coupler Pressed Steel	411
017010	Swivel Coupling DK 48/48, galv.	412


PERI UP Flex Heavy Duty Prop


Item no.	Weight kg	Standards UVR	L
102859	3,080	**Standard UVR 50**	500
101306	5,380	**Standard UVR 100**	1000
102860	7,690	**Standard UVR 150**	1500
100009	9,990	**Standard UVR 200**	2000
100012	14,700	**Standard UVR 300**	3000
100013	19,200	**Standard UVR 400**	4000






114613	1,420	**Ledger UH 25 Plus**





111053	0,059	**Locking Pin Ø 48/57** As tension-proof connection of standards with a diameter of 48 up to 57 mm.






PERI UP Flex Heavy Duty Prop


Item no.	Weight kg	
100719	0,060	**Bolt ISO 4014 M10 x 70-8.8 MU, galv.** As tension-proof connection of standards for suspended scaffolds or lattice girders.






126435	25,800	**Head Spindle TR 110-80/55** Head Spindle for Heavy Duty Prop PERI UP. With integrated chord couplings. Can be tilted up to 3° along one axis.

Note
Loads > 50 kN to be released with the Hydraulic Unit HD.







Accessories

022027	3,600	**Wing Nut Spanner HD**

022027	3,600	**Wing Nut Spanner HD** For easy release of the Head Spindle HDK 45, the Head Spindle TR 110-80/55 and the MULTIPROP slab prop.







PERI UP Flex Heavy Duty Prop

Item no.	Weight kg	
126436	21,400	**Lowering Jack HD** For the release of high loads up to 200 kN. Displacement- and load-controlled lowering as well as prestressing of the support.

Note
Loads > 50 kN to be released with the Hydraulic Unit HD.







Accessories


126438	18,000	**Hydraulic-Unit HD**
126437	12,800	**Connector UJC**

126437	12,800	**Connector UJC** For connecting the standards UVR in increments of 25 x 25 cm. Can be pivoted up to 2° on all sides.





126438	18,000	**Hydraulic-Unit HD** Bearing capacity up to 200 kN (to be read directly on the manometer). Cylinder stroke up to 62 mm.




PERI UP Flex Heavy Duty Prop

Item no.	Weight kg	
022013	0,137	**Centring Bolt HD M12, galv.** For the HD 200 system.


Complete with
1 pc. 710330 Nut ISO 4032 M12-8, galv.






022008	1130,000	**Main Beam HDT 880** System steel girder for use with HD 200 main beam areas and special constructions. Profile HEB 300.


Complete with
1 pc. 105435 Bolt Ø 50 x 330
1 pc. 722457 Dowel Pin Ø 10 x 70, galv.
1 pc. 710618 Cotter Pin 8, galv.






022009	582,000	**Main Beam HDT 440** System steel girder for use with HD 200 main beam areas and special constructions. Profile HEB 300.


Complete with
1 pc. 105435 Bolt Ø 50 x 330
1 pc. 722457 Dowel Pin Ø 10 x 70, galv.
1 pc. 710618 Cotter Pin 8, galv.






022010	379,000	**Main Beam HDT 280** System steel girder for use with HD 200 main beam areas and special constructions. Profile HEB 300.


Complete with
1 pc. 105435 Bolt Ø 50 x 330
1 pc. 722457 Dowel Pin Ø 10 x 70, galv.
1 pc. 710618 Cotter Pin 8, galv.







PERI UP Flex Heavy Duty Prop


Item no.	Weight kg		
022016	1,300	**Brace Connector HDR** For connecting push-pull props and kicker braces to components Ø 48 mm.	**Complete with** 1 pc. 027170 Pin Ø 16 x 42, galv. 1 pc. 018060 Cotter Pin 4/1, galv.







028080	2,970	**Connector Kicker/Push-Pull Prop, galv.** For connecting push-pull props and kicker braces to Main Beam HDT.	**Complete with** 1 pc. 027170 Pin Ø 16 x 42, galv. 1 pc. 018060 Cotter Pin 4/1, galv.







			L
		Scaffold Tube Steel Ø 48.3 x 4.0	
201410	21,600	**Scaff. Tube Steel Ø 48.3 x 4.0, l = 6.4 m**	6400






022025	1,970	**Centering Bar 40 x 20 x 400** For centering crossbeams on the Main Beam HDT.







PERI UP Flex Heavy Duty Prop


Item no.	Weight kg	
022011	13,200	**Double Anchor Tie Yoke HDD** For anchoring with Tie Rod DW 15 and DW 20.







022021	31,900	**Trolley HD** For moving longitudinal girders on the Main Beam HDT.	**Technical Data** Bearing capacity 2.5 t.







106183	2,200	**Main Beam Clamp HD 70 mm, galv.** For connecting crossed girders.	**Note** Take official approval into consideration!







022026	1,780	**Steel Beam Clamp IPB 300 - 1000** For providing protection against tipping.






201411	1,120	**Double Coupler Pressed Steel** For Scaffold Tubes Ø 48 mm.






PERI UP Flex Heavy Duty Prop

Item no.	Weight kg	
017010	1,400	**Swivel Coupling DK 48/48, galv.** For Scaffold Tubes Ø 48 mm.





Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX

Scaffolding

417 PERI UP Flex Reinforcement Scaffold R75/R100 UDI/UDG
431 PERI UP Easy
445 PERI UP ULS Flex

Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX

PERI UP Flex Reinforcement Scaffold R75/R100 UDI/UDG

100411 Adj. Base Plate UJB 38-50/30 418
100863 Spindle Locking UJS 418
100014 Base Standard UVB 24 418
133499 Base Standard UVB 25 418
135187 Base Standard UVB 50 418
100009 Standard UVR 200 419
100012 Standard UVR 300 419
100000 Top Standard UVH 100 419
132196 Top Standard UVH-2 125 419
132123 Top Standard UVH-2 50 420
132194 Top Standard UVH-2 100 420
132198 Top Standard UVH-2 150 420
132200 Top Standard UVH-2 200 420
100002 Top Standard UVH-2 250 420
114595 Ledger UH 50 Plus 420
114629 Ledger UH 75 Plus 420
114632 Ledger UH 100 Plus 420
114641 Ledger UH 150 Plus 420
114645 Ledger UH 200 Plus 420
114648 Ledger UH 250 Plus 420
114651 Ledger UH 300 Plus 420
131998 Horizontal Ledger UH-2 50 420
132213 Horizontal Ledger UH-2 75 420
132004 Horizontal Ledger UH-2 100 420
132010 Horizontal Ledger UH-2 150 420
132016 Horizontal Ledger UH-2 200 420
132025 Horizontal Ledger UH-2 250 420
132022 Horizontal Ledger UH-2 300 420
114681 Ledger UHV 150 Plus 421
137020 Horizontal Ledger UHV-2 150 421
101731 Ledger to Ledger Coupler UHA 421
136582 Ledger to Ledger Coupler UHA-2 421
110792 Ledger to Ledger Coupler UHA Half w. Spigot 421
100870 Base Beam UVA 250 422
404779 Ledger UH 50 422
400017 Ledger UH 75 422
401159 Ledger UH 100 422
400021 Ledger UH 150 422
400023 Ledger UH 200 422
400025 Ledger UH 250 422
400027 Ledger UH 300 422
409107 Ledger UHV 150 422
100057 Ledger Brace UBL 150/200 423
100061 Ledger Brace UBL 200/200 423
100065 Ledger Brace UBL 250/200 423
100069 Ledger Brace UBL 300/200 423
132771 Ledger Brace UBL-2 100/ 50 423
132773 Ledger Brace UBL-2 100/100 423
132775 Ledger Brace UBL-2 100/150 423
132777 Ledger Brace UBL-2 100/200 423
132779 Ledger Brace UBL-2 150/ 50 423
132781 Ledger Brace UBL-2 150/100 423
132783 Ledger Brace UBL-2 150/150 423
132785 Ledger Brace UBL-2 150/200 423
132787 Ledger Brace UBL-2 175/200 423
132789 Ledger Brace UBL-2 200/ 50 423
132791 Ledger Brace UBL-2 200/100 423
132793 Ledger Brace UBL-2 200/150 423
132795 Ledger Brace UBL-2 200/200 423
132797 Ledger Brace UBL-2 225/ 50 423
132808 Ledger Brace UBL-2 225/100 423
132810 Ledger Brace UBL-2 225/200 423
132812 Ledger Brace UBL-2 250/100 423
132814 Ledger Brace UBL-2 250/150 423
132816 Ledger Brace UBL-2 250/200 423
132827 Ledger Brace UBL-2 300/ 50 423
132829 Ledger Brace UBL-2 300/100 423
132831 Ledger Brace UBL-2 300/150 423
132833 Ledger Brace UBL-2 300/200 423
100416 Coupler Brace UBC 150/200 424
406092 Industrial Deck UDI 25 x 100 424
407002 Industrial Deck UDI 25 x 150 424
408380 Industrial Deck UDI 25 x 200 424
408540 Industrial Deck UDI 25 x 250 424
408689 Industrial Deck UDI 25 x 300 424
124118 Steel Deck UDG 25 x 100 425
124112 Steel Deck UDG 25 x 150 425
124109 Steel Deck UDG 25 x 200 425
123771 Steel Deck UDG 25 x 250 425
124915 Steel Deck UDG 25 x 300 425
132479 Steel Deck UDG-2 25X 50 425
132483 Steel Deck UDG-2 25X 67 425
132488 Steel Deck UDG-2 25X 75 425
132492 Steel Deck UDG-2 25X100 425
132502 Steel Deck UDG-2 25X125 425
132505 Steel Deck UDG-2 25X150 425
132508 Steel Deck UDG-2 25X200 425
132511 Steel Deck UDG-2 25X250 425
132515 Steel Deck UDG-2 25X300 425
109755 Hatch UAF 75 x 100 425
109879 Ladder UAF 200, Alu 426
126318 Ladder Flex UEL with hook 426
110160 Toeboard Steel UPY 150 426
110176 Toeboard Steel UPY 200 426
110208 Toeboard Steel UPY 250 426
110211 Toeboard Steel UPY 300 426
115655 End Guardrail in Advance UPA Rosett 426
201412 Swivel Coupler Pressed Steel 427
201411 Double Coupler Pressed Steel 427
017020 Standard Coupler NK 48/48, galv. 427
201415 SRU Scaffold Tube Coupler 427
201410 Scaff. Tube Steel Ø 48.3 x 4.0, l = 6.4 m 427
111053 Locking Pin Ø 48/57 428
100719 Bolt ISO 4014 M10 x 70-8.8 MU, galv. 428
112676 Console UCM 50 with Spigot 428
112678 Console UCM 75 with Spigot 428
136923 Console Bracket ECM 50 428
136918 Console Bracket ECM 75 429
130365 Console Bracket ECM 100 429

Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX


PERI UP Flex Reinforcement Scaffold R75/R100 UDI/UDG

PERI

Item no.	Weight kg	
100411	3,420	**Adj. Base Plate UJB 38-50/30**

Note
With captive red Quick Jack Nut.






100863	1,020	**Spindle Locking UJS**

Secures the Adjustable Base Plates Ø 38 mm in the leg while moving.






100014	2,470	**Base Standard UVB 24**


For assembly directly on the base spindle.







133499	2.270	**Base Standard UVB 25**





135187	3.590	**Base Standard UVB 50**






PERI UP Flex Reinforcement Scaffold R75/R100 UDI/UDG

PERI

Item no.	Weight kg	
		Standards UVR
100009	9,990	**Standard UVR 200**
100012	14,700	**Standard UVR 300**






100000	4,610	**Top Standard UVH 100**


Without spigot for supporting head spindles.






132196	6.060	**Top Standard UVH-2 125**

Without pin for supporting head spindles. Reduces necessary spindle extensions with 25 cm rosette spacing.






PERI UP Flex Reinforcement Scaffold R75/R100 UDI/UDG

PERI

Item no.	Weight kg	Top Standards UVH-2	L
132123	2.090	**Top Standard UVH-2 50**	500
132194	4.210	**Top Standard UVH-2 100**	1,000
132198	6.310	**Top Standard UVH-2 150**	1,500
132200	8.420	**Top Standard UVH-2 200**	2,000
100002	10.500	**Top Standard UVH-2 250**	2,500


Without pin for supporting head spindles.






Item no.	Weight kg	Ledgers UH Plus	L	X	Sticker
114595	2,070	**Ledger UH 50 Plus**	454	500	
114629	2,730	**Ledger UH 75 Plus**	704	750	White
114632	4,460	**Ledger UH 100 Plus**	954	1000	White
114641	4,710	**Ledger UH 150 Plus**	1454	1500	
114645	6,040	**Ledger UH 200 Plus**	1954	2000	
114648	7,360	**Ledger UH 250 Plus**	2454	2500	
114651	8,680	**Ledger UH 300 Plus**	2954	3000	


Note
Longitudinally-stamped and with coloured label for easier identification.






Item no.	Weight kg	Horizontal Ledger UH-2	L	X
131998	2.03	**Horizontal Ledger UH-2 50**	454	500
132213	2.69	**Horizontal Ledger UH-2 75**	704	750
132004	3.79	**Horizontal Ledger UH-2 100**	954	1,000
132010	4.68	**Horizontal Ledger UH-2 150**	1,454	1,500
132016	6.00	**Horizontal Ledger UH-2 200**	1,954	2,000
132025	7.32	**Horizontal Ledger UH-2 250**	2,454	2,500
132022	8.65	**Horizontal Ledger UH-2 300**	2,954	3,000

Note
With length marking for easier identification.







PERI UP Flex Reinforcement Scaffold R75/R100 UDI/UDG


PERI


Item no.	Weight kg		
114681	11,000	**Ledger UHV 150 Plus**	
		For high loads, e.g. material storage.	






Item no.	Weight kg	Horizontal Ledger UHV-2	L	X
137020	9.410	**Horizontal Ledger UHV-2 150**	1,454	1,500
		For high loads, e.g. in the case of material storage.		






Item no.	Weight kg		
101731	0,841	**Ledger to Ledger Coupler UHA**	
		For connecting ledger to ledger at right-angles.	







Item no.	Weight kg		
136,582	0.829	**Ledger-to-Ledger Coupler UHA-2**	
		For connecting horizontal ledgers at right-angles.	





Item no.	Weight kg		
110792	1,880	**Ledger to Ledger Coupler UHA Half w. Spigot**	







PERI UP Flex Reinforcement Scaffold R75/R100 UDI/UDG

PERI

Item no.	Weight kg		
100870	40,700	**Base Beam UVA 250**	


For free-standing and mobile scaffold units. For symmetric and antimetric assembly of UP T 72/T 104 and Rosett 72, 75, 100, 104 and symmetric assembly of Rosett b = 75, 100, 150, 200 and 250 cm.






		Ledgers UH	L	X	Sticker
404779	2,040	**Ledger UH 50**	454	500	
400017	2,710	**Ledger UH 75**	704	750	White
401159	3,370	**Ledger UH 100**	954	1000	White
400021	4,690	**Ledger UH 150**	1454	1500	
400023	6,020	**Ledger UH 200**	1954	2000	White
400025	7,340	**Ledger UH 250**	2454	2500	Red
400027	8,670	**Ledger UH 300**	2954	3000	Black


Note
Longitudinally-stamped and with coloured label for easier identification.
Ledgers UH can be replaced by ledgers UH Plus.






409107	10,900	**Ledger UHV 150**	For high loads, e.g. material storage.

Note
Ledgers UHV can be replaced by ledgers UHV Plus.






PERI UP Flex Reinforcement Scaffold R75/R100 UDI/UDG


PERI

Article no.	Weight kg				
		Ledger Braces UBL	**L**	**X**	**Y**	**Sticker**
100057	6,380	**Ledger Brace UBL 150/200**	2358	1500	2000	
100061	7,160	**Ledger Brace UBL 200/200**	2658	2000	2000	White
100065	8,050	**Ledger Brace UBL 250/200**	3010	2500	2000	Red
100069	9,050	**Ledger Brace UBL 300/200**	3400	3000	2000	Black


Attach using holes in the ledger.


Note
Longitudinally-stamped and with coloured label for easier identification.





		Ledger Braces UBL-2	L	X	Y
132771	2.12	**Ledger Brace UBL-2 100/ 50**	901	1,000	500
132773	2.81	**Ledger Brace UBL-2 100/100**	1,250	1,000	1,000
132775	3.66	**Ledger Brace UBL-2 100/150**	1,677	1,000	1,500
132777	4.58	**Ledger Brace UBL-2 100/200**	2,136	1,000	2,000
132779	3.01	**Ledger Brace UBL-2 150/ 50**	1,347	1,500	500
132781	3.51	**Ledger Brace UBL-2 150/100**	1,601	1,500	1,000
132783	4.21	**Ledger Brace UBL-2 150/150**	1,953	1,500	1,500
132785	5.02	**Ledger Brace UBL-2 150/200**	2,358	1,500	2,000
132787	5.31	**Ledger Brace UBL-2 175/200**	2,500	1,750	2,000
132789	3.95	**Ledger Brace UBL-2 200/ 50**	1,820	2,000	500
132791	4.34	**Ledger Brace UBL-2 200/100**	2,016	2,000	1,000
132793	4.92	**Ledger Brace UBL-2 200/150**	2,305	2,000	1,500
132795	5.62	**Ledger Brace UBL-2 200/200**	2,658	2,000	2,000
132797	4.43	**Ledger Brace UBL-2 225/ 50**	2,062	2,250	500
132808	4.78	**Ledger Brace UBL-2 225/100**	2,236	2,250	1,000
132810	5.96	**Ledger Brace UBL-2 225/200**	2,829	2,250	2,000
132812	5.23	**Ledger Brace UBL-2 250/100**	2,462	2,500	1,000
132814	5.71	**Ledger Brace UBL-2 250/150**	2,705	2,500	1,500
132816	6.32	**Ledger Brace UBL-2 250/200**	3,010	2,500	2,000
132827	5.90	**Ledger Brace UBL-2 300/ 50**	2,795	3,000	500
132829	6.16	**Ledger Brace UBL-2 300/100**	2,926	3,000	1,000
132831	6.57	**Ledger Brace UBL-2 300/150**	3,133	3,000	1,500
132833	7.10	**Ledger Brace UBL-2 300/200**	3,400	3,000	2,000







Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX

PERI UP Flex Reinforcement Scaffold R75/R100 UDI/UDG

Item no.	Weight kg	
100416	9,730	**Coupler Brace UBC 150/200** For special applications. For connecting to Scaffold Tube Ø 48 mm.







Item no.	Weight kg	Industrial Decks UDI
406092	6,950	**Industrial Deck UDI 25 x 100**
407002	9,790	**Industrial Deck UDI 25 x 150**
408380	12,700	**Industrial Deck UDI 25 x 200**
408540	15,500	**Industrial Deck UDI 25 x 250**
408689	18,400	**Industrial Deck UDI 25 x 300**

Mounted on Ledger UH.

X	perm. p [kN/m²]	max. p [kN/m²]
1000	6.0	40.0
1500	6.0	19.6
2000	6.0	10.9
2500	4.5	6.9
3000	3.0	4.7

Note
perm. p according to DIN EN 12811-1.
max. p = < maximum possible load without deflection limitation.





PERI UP Flex Reinforcement Scaffold R75/R100 UDI/UDG


Item no.	Weight kg	Steel Decks UDG
124118	6,550	**Steel Deck UDG 25 x 100**
124112	9,330	**Steel Deck UDG 25 x 150**
124109	12,200	**Steel Deck UDG 25 x 200**
123771	14,900	**Steel Deck UDG 25 x 250**
124915	17,700	**Steel Deck UDG 25 x 300**

Mounted on Ledger UH.

X	perm. p [kN/m²]	max. p [kN/m²]
1000	6.0	40.0
1500	6.0	19.6
2000	6.0	10.9
2500	4.5	6.9
3000	3.0	4.7

Note
perm. p according to DIN EN 12811-1.
max. p = maximum possible load without deflection limitation.






Item no.	Weight kg	Steel Decks UDG-2 25
132479	3.340	**Steel Deck UDG-2 25X 50**
132483	4.100	**Steel Deck UDG-2 25X 67**
132488	4.470	**Steel Deck UDG-2 25X 75**
132492	5.590	**Steel Deck UDG-2 25X100**
132502	6.730	**Steel Deck UDG-2 25X125**
132505	7.870	**Steel Deck UDG-2 25X150**
132508	10.500	**Steel Deck UDG-2 25X200**
132511	12.900	**Steel Deck UDG-2 25X250**
132515	15.800	**Steel Deck UDG-2 25X300**


X	perm. p [kN/m²]	H
500	6.0	45
670	6.0	45
750	6.0	45
1,000	6.0	45
1,250	6.0	45
1,500	6.0	45
2,000	6.0	60
2,500	4.5	60
3,000	3.0	70


Note
Values correspond with EN 12811-1





109755	15,700	**Hatch UAF 75 x 100**






Accessories


126318	3,750	**Ladder UAF 200, Alu**

PERI UP Flex Reinforcement Scaffold R75/R100 UDI/UDG


PERI


Item no.	Weight kg	
109879	3,820	**Ladder UAF 200, Alu** For mounting to Hatch UAF.






126318	3,750	**Ladder Flex UEL with hook**





		Toeboards Steel UPY	**L**	**X**
110160	3,000	**Toeboard Steel UPY 150**	1486	1500
110176	4,030	**Toeboard Steel UPY 200**	1986	2000
110208	5,060	**Toeboard Steel UPY 250**	2486	2500
110211	6,100	**Toeboard Steel UPY 300**	2986	3000


Note
Surface: galvanized and yellow painted.






115655	11,100	**End Guardrail in Advance UPA Rosett**

Note
With extendible Guardrail, fits in R72, R75, R100 and R104.







PERI UP Flex Reinforcement Scaffold R75/R100 UDI/UDG


PERI


Item no.	Weight kg	
201412	1,400	**Swivel Coupler Pressed Steel** For Scaffold Tubes Ø 48 mm.







201411	1,540	**Double Coupler Pressed Steel** For Scaffold Tubes Ø 48 mm.






017020	1,120	**Standard Coupler NK 48/48, galv.** For Scaffold Tubes Ø 48 mm.







201415	0,060	**SRU Scaffold Tube Coupler**





			L
201410	21,600	**Scaffold Tubes Steel Ø 48.3 x 4.0** **Scaff. Tube Steel Ø 48.3 x 4.0, l = 6.4 m**	6400






Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX

PERI UP Flex Reinforcement Scaffold R75/R100 UDI/UDG

PERI


Item no.	Weight kg	
111053	0,059	**Locking Pin Ø 48/57** As tension-proof connection of standards with a diameter of 48 up to 57 mm.







100719	0,060	**Bolt ISO 4014 M10 x 70-8.8 MU, galv.** As tension-proof connection of standards for suspended scaffolds or lattice girders.







		Consoles UCM with Spigot
112676	5,270	**Console UCM 50 with Spigot**
112678	6,510	**Console UCM 75 with Spigot**
		With connection for Console Bracket Brace UCM.





136923	5.910	**Console Bracket ECM 50**






PERI UP Flex Reinforcement Scaffold R75/R100 UDI/UDG


PERI


Item no.	Weight kg	
136918	7.710	**Console Bracket ECM 75**





130365	11.200	**Console Bracket ECM 100**






PERI UP Easy

100411	Base Spindle UJB 38-50/30	432
100242	Base Spindle UJB 38-80/55	432
130619	Easy Base Standard EVS 124	433
130621	Easy Standard EVM 200	433
130481	Tube EVR 150	434
130512	Guardrail Post EVP	434
130162	Face Brace EBF 150/200	435
130171	Face Brace EBF 200/200	435
130180	Face Brace EBF 250/200	435
130189	Face Brace EBF 300/200	435
130191	Guardrail EPG 67	435
130193	Guardrail EPG 100	435
130195	Guardrail EPG 150	435
130197	Guardrail EPG 200	435
130199	Guardrail EPG 250	435
130201	Guardrail EPG 300	435
130450	Steel Deck EDS 33 x 67	435
130448	Steel Deck EDS 33 x 100	435
130445	Steel Deck EDS 33 x 150	435
130441	Steel Deck EDS 33 x 200	435
130438	Steel Deck EDS 33 x 250	435
129272	Steel Deck EDS 33 x 300	435
130321	Combi Deck EDW 150	436
130317	Combi Deck EDW 200	436
130313	Combi Deck EDW 250	436
130309	Combi Deck EDW 300	436
130426	Entry Platform EAW 200	436
133286	Access Deck EAW-2 67 x 250-L	436
130577	End Guardrail End Guardrail UPA 75	437
130583	End Guardrail End Guardrail UPA 100	437
134104	End Guardrail End Guardrail UPA-2 100	437
130233	End Guardrail EPF 33	438
130228	Guardrail EPF 67	438
130592	End Guardrail EPF 75	438
130225	End Guardrail EPF 100	438
130434	Guardrail Coupling EPR	439
130562	Guardrail Holder EPW	439
130681	UH Spigot-2	439
130390	Support UC 33	439
130378	Console Bracket ECM 33	440
136923	Console Bracket ECM 50	440
130372	Console Bracket ECM 67	440
136918	Console Bracket ECM 75	441
130365	Console Bracket ECM 100	441
130532	Protection Panel Post EPS	442
130385	Protection Roof Connector EPC	442
131329	Post Pallet ESP 100	442
131329	Post Pallet ESP 100	443

Article no.	Weight kg	
100411	3.390	**Base Spindle UJB 38-50/30**

Note
With captive red quick jack nut.






Accessories

100863	1.020	**Spindle Locking UJS**

100242	4.570	**Base Spindle UJB 38-80/55**

Note
With captive yellow quick jack nut.






Accessories

100863	1.020	**Spindle Locking UJS**

Ø38


Article no.	Weight kg	
130619	5.260	**Easy Base Standard EVS 124**






Article no.	Weight kg	
130621	7.450	**Easy Standard EVM 200**






Article no.	Weight kg	
130481	5.130	**Tube EVR 150** Complements Easy Standard EVF.






Article no.	Weight kg	
130512	3.720	**Guardrail Post EVP** For completing the scaffold in conjunction with Console Brackets ECM or Protection Panel Posts EPS.






Article no.	Weight kg	Face Braces EBF	L	X	Y
130162	5.030	**Face Brace EBF 150/200**	2216	1500	2000
130171	5.750	**Face Brace EBF 200/200**	2577	2000	2000
130180	6.570	**Face Brace EBF 250/200**	2979	2500	2000
130189	7.460	**Face Brace EBF 300/200**	3406	3000	2000


Note
With length marking for easier identification.






Article no.	Weight kg	Guardrail EPG	L	X
130191	1.150	**Guardrail EPG 67**	735	670
130193	1.680	**Guardrail EPG 100**	1065	1000
130195	2.480	**Guardrail EPG 150**	1565	1500
130197	3.280	**Guardrail EPG 200**	2065	2000
130199	4.090	**Guardrail EPG 250**	2565	2500
130201	4.890	**Guardrail EPG 300**	3065	3000

Note
With length marking for easier identification.






Article no.	Weight kg	Steel Decks EDS 33	X	perm. p [kN/m²]
130450	5.420	**Steel Deck EDS 33 x 67**	670	6.0
130448	7.360	**Steel Deck EDS 33 x 100**	1000	6.0
130445	10.300	**Steel Deck EDS 33 x 150**	1500	6.0
130441	13.300	**Steel Deck EDS 33 x 200**	2000	6.0
130438	16.200	**Steel Deck EDS 33 x 250**	2500	4.5
129272	19.200	**Steel Deck EDS 33 x 300**	3000	3.0

Installation on crossbar of the frame components or on Horizontal Ledger UH.

Note
Values correspond with EN 12811-1.







PERI UP Easy

PERI


Article no.	Weight kg		X	perm. p [kN/m²]
		Combi Decks EDW		
130321	13.200	**Combi Deck EDW 150**	1500	2.0
130317	16.300	**Combi Deck EDW 200**	2000	2.0
130313	19.700	**Combi Deck EDW 250**	2500	2.0
130309	22.800	**Combi Deck EDW 300**	3000	2.0


Deck surface made of coated plywood board.






130426	18.400	**Entry Platform EAW 200**	**Technical data**
		Deck surface made of coated plywood board.	Load Class 3, 2.0 kN/m².






133286	24.100	**Access Decks EAW-2, 67** **Access Deck EAW-2 67 x 250-L**	**Technical data** Load Class 3, 2.0 kN/m²

Deck surface made of coated plywood board.





PERI UP Easy


PERI


Article no.	Weight kg		L	X
		End Guardrail End Guardrail UPA		
130577	6.500	**End Guardrail End Guardrail UPA 75**	881	750
130583	7.600	**End Guardrail End Guardrail UPA 100**	1131	1000

Assembly in advance.

Note


Wood toe board/steel toe board not integrated.






		End Guardrail End Guardrail UPA-2 E	**L**	**X**
134104	8.100	**End Guardrail End Guardrail UPA-2 100**	1131	1000


Assembly in advance.






Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX


Article no.	Weight kg	
130233	4.480	**End Guardrail EPF 33** Assembly not in advance.







			L
130228	3.630	**End Guardrail EPF End**	
130592	3.880	**Guardrail EPF 67**	683
130225	4.660	**End Guardrail EPF 75**	763
		End Guardrail EPF 100	1013


Assembly not in advance.






Item no.	Weight kg	
130434	1.100	**Guardrail Coupling EPR** For installing the Guardrail Posts EPG on the scaffold standards at any height.







130562	0.623	**Guardrail Holder EPW** For installing the Guardrail Posts EPG to rosettes.





130681	1.360	**UH Spigot-2**







			L	X
130390	1.360	**Supports UC** **Support UC 33**	330	301


Note
Small console brackets with limit stop for fixing the decks in place.







Article no.	Weight kg	
130378	4.550	**Console Bracket ECM 33**







136923	5.910	**Console Bracket ECM 50**






130372	7.430	**Console Bracket ECM 67**







Article no.	Weight kg	
136918	7.710	**Console Bracket ECM 75**






130365	11.200	**Console Bracket ECM 100**





Article no.	Weight kg	
130532	6.640	**Protection Panel Post EPS** For assembling a protection panel.







Accessories

130512	3.720	**Guardrail Post EVP**

130385	2.970	**Protection Roof Connector EPC** For assembling a protection roof.	**Note** Alternative accessories: 100719 Bolt ISO 4014 M10 x 70-8.8







Accessories

123480	0.080	**Tube clip 10 x 60, galv.**

Article no.	Weight kg		
131329	71.900	**Post Pallets ESP** **Post Pallet ESP 100** For stacking and transporting max. 20 Easy Standards EVF.	**Note** Delivery unit: 6 pieces.






PERI UP ULS Flex

124,805 End Element ULS 50 Flex 446
124795 Additional Element ULS 100 Flex 446
124790 Additional Element ULS 125 Flex 446
124781 Additional Element ULS 150 Flex 446
124,806 Connector ULS Flex 446


Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX


Article no.	Weight kg		
124,805	6.480	**End Element ULS 50 Flex**	**Note** End piece for attachment to Additional Element ULS Flex.






		Additional Elements ULS Flex	L	X
124795	10.500	**Additional Element ULS 100 Flex**	941	1000
124790	12.700	**Additional Element ULS 125 Flex**	1191	1250
124781	15.400	**Additional Element ULS 150 Flex**	1441	1500





124,806	5.990	**Connector ULS Flex**	**Complete with** 8 pcs 124771 collar pin Ø 12 x 44, galv. 8 pcs 018060 cotter pin 4/1, galv.





PERI UP ULS Flex

Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX

Stair Towers

451 PERI UP Flex Staircase 75
465 PERI UP Flex Staircase 100, 125

Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX

PERI UP Flex Staircase 75


100411	Base Plate UJB 38-50/30	452
100863	Spindle Locking UJS	452
100014	Base Standard UVB 24	452
133499	Base Standard UVB 25	452
117194	Base Standard UVB 49	452
135187	Base Standard UVB 50	452
102860	Standard UVR 150	453
100009	Standard UVR 200	453
100012	Standard UVR 300	453
100000	Top Standard UVH 100	453
132196	Top Standard UVH-2 125	453
132123	Top Standard UVH-2 50	454
132194	Top Standard UVH-2 100	454
132198	Top Standard UVH-2 150	454
132200	Top Standard UVH-2 200	454
100002	Top Standard UVH-2 250	454
114629	Ledger UH 75 Plus	454
114641	Ledger UH 150 Plus	454
114645	Ledger UH 200 Plus	454
114648	Ledger UH 250 Plus	454
114651	Ledger UH 300 Plus	454
132213	Horizontal Ledger UH-2 75	454
132010	Horizontal Ledger UH-2 150	454
132016	Horizontal Ledger UH-2 200	454
132025	Horizontal Ledger UH-2 250	454
132022	Horizontal Ledger UH-2 300	454
109764	UH Spigot	455
101731	Ledger to Ledger Coupler UHA	455
136582	Ledger to Ledger Coupler UHA-2	455
100065	Ledger Brace UBL 250/200	455
100069	Ledger Brace UBL 300/200	455
132771	Ledger Brace UBL-2 100/ 50	456
132773	Ledger Brace UBL-2 100/100	456
132775	Ledger Brace UBL-2 100/150	456
132777	Ledger Brace UBL-2 100/200	456
132779	Ledger Brace UBL-2 150/ 50	456
132781	Ledger Brace UBL-2 150/100	456
132783	Ledger Brace UBL-2 150/150	456
132785	Ledger Brace UBL-2 150/200	456
132787	Ledger Brace UBL-2 175/200	456
132789	Ledger Brace UBL-2 200/ 50	456
132791	Ledger Brace UBL-2 200/100	456
132793	Ledger Brace UBL-2 200/150	456
132795	Ledger Brace UBL-2 200/200	456
132797	Ledger Brace UBL-2 225/ 50	456
132808	Ledger Brace UBL-2 225/100	456
132810	Ledger Brace UBL-2 225/200	456
132812	Ledger Brace UBL-2 250/100	456
132814	Ledger Brace UBL-2 250/150	456
132816	Ledger Brace UBL-2 250/200	456
132827	Ledger Brace UBL-2 300/ 50	456
132829	Ledger Brace UBL-2 300/100	456
132831	Ledger Brace UBL-2 300/150	456
132833	Ledger Brace UBL-2 300/200	456
133418	Node Brace UBK-2 75/200	457
133421	Node Brace UBK-2 100/200	457
133424	Node Brace UBK-2 125/100	457
133427	Node Brace UBK-2 125/200	457
133430	Node Brace UBK-2 150/100	457
133433	Node Brace UBK-2 150/150	457
133436	Node Brace UBK-2 150/200	457
133439	Node Brace UBK-2 200/100	457
133442	Node Brace UBK-2 200/150	457
133445	Node Brace UBK-2 200/200	457
133448	Node Brace UBK-2 250/100	457
133451	Node Brace UBK-2 250/150	457
133454	Node Brace UBK-2 250/200	457
133457	Node Brace UBK-2 300/100	457
133460	Node Brace UBK-2 300/150	457
133463	Node Brace UBK-2 300/200	457
100742	Stair Guardrail UAG	457
100830	Stair Guardrail UAH	457
111117	Staircase UAS 75 x 250/200, Alu	458
111124	Staircase UAS 75 x 300/200, Alu	458
113228	Staircase UAS 75 x 75/50, Alu	458
111087	Staircase UAS 75 x 150/50 T, Alu	458
111095	Staircase UAS 75 x 150/50 S, Alu	459
114536	Staircase UAS 75 x 150/100 S, Alu	459
111103	Staircase UAS 75 x 150/100, Alu	459
115189	Waler on Staircase UAS 75	459
123771	Steel Deck UDG 25 x 250	460
124915	Steel Deck UDG 25 x 300	460
132479	Steel Deck UDG-2 25X 50	460
132483	Steel Deck UDG-2 25X 67	460
132488	Steel Deck UDG-2 25X 75	460
132492	Steel Deck UDG-2 25X100	460
132502	Steel Deck UDG-2 25X125	460
132505	Steel Deck UDG-2 25X150	460
132508	Steel Deck UDG-2 25X200	460
132511	Steel Deck UDG-2 25X250	460
132515	Steel Deck UDG-2 25X300	460
112678	Console UCM 75 with Spigot	460
112717	Console Bracket Brace UCM	461
201412	Swivel Coupler Pressed Steel	461
201411	Double Coupler Pressed Steel	461
111053	Locking Pin Ø 48/57	461
100719	Bolt ISO 4014 M10 x 70-8.8 MU, galv.	461
100088	Wall Tie UWT 45	462
102954	Wall Tie UWT 220	462
100693	Ring Bolt UFE 12/90	462
100694	Ring Bolt UFE 12/120	462
100695	Ring Bolt UFE 12/190	462
100696	Wall Insert UFI 14/70	462
100697	Wall Insert UFI 14/100	462
100698	Wall Insert UFI 14/135	462

PERI UP Flex Staircase 75

PERI


Item no.	Weight kg		
100411	3,420	**Adj. Base Plate UJB 38-50/30**	**Note** With captive red Quick Jack Nut.







100863	1,020	**Spindle Locking UJS** Secures the Adjustable Base Plates Ø 38 mm in the leg while moving.






100014	2,470	**Base Standard UVB 24** For assembly directly on the base spindle.






133499	2.270	**Base Standard UVB 25**







117194	3,980	**Base Standard UVB 49** For assembly directly on the base spindle. Reduces necessary spindle extension lengths through distance between rosettes of 25 cm.





135187	3.590	**Base Standard UVB 50**






PERI UP Flex Staircase 75

PERI


Item no.	Weight kg	Standards UVR	L
102860	7,690	**Standard UVR 150**	1500
100009	9,990	**Standard UVR 200**	2000
100012	14,700	**Standard UVR 300**	3000







100000	4,610	**Top Standard UVH 100** Without spigot for supporting head spindles.





132196	6.060	**Top Standard UVH-2 125** Without pin for supporting head spindles. Reduces necessary spindle extensions with 25 cm rosette spacing.





Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX


PERI UP Flex Staircase 75

PERI

Item no.	Weight kg		L
		Top Standards UVH-2	
132123	2.090	**Top Standard UVH-2 50**	500
132194	4.210	**Top Standard UVH-2 100**	1,000
132198	6.310	**Top Standard UVH-2 150**	1,500
132200	8.420	**Top Standard UVH-2 200**	2,000
100002	10.500	**Top Standard UVH-2 250**	2,500


Without pin for supporting head spindles.






			L	X	Sticker
		Ledgers UH Plus			
114629	2,730	**Ledger UH 75 Plus**	704	750	White
114641	4,710	**Ledger UH 150 Plus**	1454	1500	
114645	6,040	**Ledger UH 200 Plus**	1954	2000	
114648	7,360	**Ledger UH 250 Plus**	2454	2500	
114651	8,680	**Ledger UH 300 Plus**	2954	3000	


Note
Longitudinally-stamped and with coloured label for easier identification.






			L	X
		Horizontal Ledger UH-2		
132213	2.69	**Horizontal Ledger UH-2 75**	704	750
132010	4.68	**Horizontal Ledger UH-2 150**	1,454	1,500
132016	6.00	**Horizontal Ledger UH-2 200**	1,954	2,000
132025	7.32	**Horizontal Ledger UH-2 250**	2,454	2,500
132022	8.65	**Horizontal Ledger UH-2 300**	2,954	3,000

Note
With length marking for easier identification.







PERI UP Flex Staircase 75

PERI

Item no.	Weight kg	
109764	1,220	**UH Spigot**






101731	0,841	**Ledger to Ledger Coupler UHA**

For connecting ledger to ledger at right-angles.






136,582	0.829	**Ledger-to-Ledger Coupler UHA-2**

For connecting horizontal ledgers at right-angles.







			L	X	Y	Sticker
		Ledger Braces UBL				
100065	8,050	**Ledger Brace UBL 250/200**	3010	2500	2000	Red
100069	9,050	**Ledger Brace UBL 300/200**	3400	3000	2000	Black

Attach using holes in the ledger.

Note
Longitudinally-stamped and with coloured label for easier identification.







PERI UP Flex Staircase 75


PERI


Article no.	Weight kg	Ledger Braces UBL-2	L	X	Y
132771	2.12	**Ledger Brace UBL-2 100/ 50**	901	1,000	500
132773	2.81	**Ledger Brace UBL-2 100/100**	1,250	1,000	1,000
132775	3.66	**Ledger Brace UBL-2 100/150**	1,677	1,000	1,500
132777	4.58	**Ledger Brace UBL-2 100/200**	2,136	1,000	2,000
132779	3.01	**Ledger Brace UBL-2 150/ 50**	1,347	1,500	500
132781	3.51	**Ledger Brace UBL-2 150/100**	1,601	1,500	1,000
132783	4.21	**Ledger Brace UBL-2 150/150**	1,953	1,500	1,500
132785	5.02	**Ledger Brace UBL-2 150/200**	2,358	1,500	2,000
132787	5.31	**Ledger Brace UBL-2 175/200**	2,500	1,750	2,000
132789	3.95	**Ledger Brace UBL-2 200/ 50**	1,820	2,000	500
132791	4.34	**Ledger Brace UBL-2 200/100**	2,016	2,000	1,000
132793	4.92	**Ledger Brace UBL-2 200/150**	2,305	2,000	1,500
132795	5.62	**Ledger Brace UBL-2 200/200**	2,658	2,000	2,000
132797	4.43	**Ledger Brace UBL-2 225/ 50**	2,062	2,250	500
132808	4.78	**Ledger Brace UBL-2 225/100**	2,236	2,250	1,000
132810	5.96	**Ledger Brace UBL-2 225/200**	2,829	2,250	2,000
132812	5.23	**Ledger Brace UBL-2 250/100**	2,462	2,500	1,000
132814	5.71	**Ledger Brace UBL-2 250/150**	2,705	2,500	1,500
132816	6.32	**Ledger Brace UBL-2 250/200**	3,010	2,500	2,000
132827	5.90	**Ledger Brace UBL-2 300/ 50**	2,795	3,000	500
132829	6.16	**Ledger Brace UBL-2 300/100**	2,926	3,000	1,000
132831	6.57	**Ledger Brace UBL-2 300/150**	3,133	3,000	1,500
132833	7.10	**Ledger Brace UBL-2 300/200**	3,400	3,000	2,000





100981 5,710 **Node Brace UBK 150/100**







PERI UP Flex Staircase 75


PERI


Item no.	Weight kg	Node Brace UBK-2	L	X	Y
133418	4.96	**Node Brace UBK-2 75/200**	2,190	750	2,000
133421	5.11	**Node Brace UBK-2 100/200**	2,285	1,000	2,000
133424	3.88	**Node Brace UBK-2 125/100**	1,625	1,250	1,000
133427	5.30	**Node Brace UBK-2 125/200**	2,401	1,250	2,000
133430	4.22	**Node Brace UBK-2 150/100**	1,821	1,500	1,000
133433	4.82	**Node Brace UBK-2 150/150**	2,152	1,500	1,500
133436	5.53	**Node Brace UBK-2 150/200**	2,539	1,500	2,000
133439	4.97	**Node Brace UBK-2 200/100**	2,246	2,000	1,000
133442	5.47	**Node Brace UBK-2 200/150**	2,521	2,000	1,500
133445	6.08	**Node Brace UBK-2 200/200**	2,860	2,000	2,000
133448	5.77	**Node Brace UBK-2 250/100**	2,696	2,500	1,000
133451	6.19	**Node Brace UBK-2 250/150**	2,930	2,500	1,500
133454	6.72	**Node Brace UBK-2 250/200**	3,226	2,500	2,000
133457	6.60	**Node Brace UBK-2 300/100**	3,131	3,000	1,000
133460	6.96	**Node Brace UBK-2 300/150**	3,356	3,000	1,500
133463	7.42	**Node Brace UBK-2 300/200**	3,625	3,000	2,000







100742 10,000 **Stair Guardrail UAG**
Suitable for Staircases UAS 64 x 250/200, UAS 64 x 300/200, UAS 75 x 250/200 and UAS 75 x 300/200 as internal and external guardrails.





100830 4,970 **Stair Guardrail UAH**
For fixing to the stringers of the Staircase Units UAS 64 x 250/200, UAS 64 x 300/200, UAS 75 x 250/200, UAS 75 x 300/200.







Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX

PERI UP Flex Staircase 75

PERI


Item no.	Weight kg		
		Staircases UAS 75, Alu	**Technical Data**
111117	28,000	**Staircase UAS 75 x 250/200, Alu**	Permissible load 2.0 kN/m².
111124	32,900	**Staircase UAS 75 x 300/200, Alu**	
		Assembly on Ledgers UH.	







113228	10,100	**Staircase UAS 75 x 75/50, Alu**	**Technical Data**
		Assembly on Ledgers UH.	Permissible load 2.0 kN/m².





111087	17,500	**Staircase UAS 75 x 150/50 T, Alu**	**Technical Data**
		Assembly on Ledgers UH.	Permissible load 2.0 kN/m².







PERI UP Flex Staircase 75


PERI


Item no.	Weight kg		
111095	17,500	**Staircase UAS 75 x 150/50 S, Alu**	**Technical Data**
		Assembly on Ledgers UH.	Permissible load 2.0 kN/m².







114536	17,900	**Staircase UAS 75 x 150/100 S, Alu**	**Technical Data**
		Assembly on Ledgers UH.	Permissible load 2.0 kN/m².







111103	17,900	**Staircase UAS 75 x 150/100, Alu**	**Technical Data**
		Assembly on Ledgers UH.	Permissible load 2.0 kN/m².





115189	3,080	**Waler on Staircase UAS 75**	
		Mounted on the treads of the staircase. Allows installation of Industrial Decks Steel UDI or UDG.	






Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX


PERI UP Flex Staircase 75

Item no.	Weight kg		X	perm. p [kN/m²]	max. p [kN/m²]
		Steel Decks UDG			
123771	14,900	**Steel Deck UDG 25 x 250**	2500	4.5	6.9
124915	17,700	**Steel Deck UDG 25 x 300**	3000	3.0	4.7

Mounted on Ledger UH.

Note
perm. p according to DIN EN 12811-1.
max. p = maximum possible load without deflection limitation.







Item no.	Weight kg		X	perm. p [kN/m²]	H
		Steel Decks UDG-2 25			
132479	3.340	**Steel Deck UDG-2 25X 50**	500	6.0	45
132483	4.100	**Steel Deck UDG-2 25X 67**	670	6.0	45
132488	4.470	**Steel Deck UDG-2 25X 75**	750	6.0	45
132492	5.590	**Steel Deck UDG-2 25X100**	1,000	6.0	45
132502	6.730	**Steel Deck UDG-2 25X125**	1,250	6.0	45
132505	7.870	**Steel Deck UDG-2 25X150**	1,500	6.0	45
132508	10.500	**Steel Deck UDG-2 25X200**	2,000	6.0	60
132511	12.900	**Steel Deck UDG-2 25X250**	2,500	4.5	60
132515	15.800	**Steel Deck UDG-2 25X300**	3,000	3.0	70


Note
Values correspond with EN 12811-1





112678 6,510 **Console UCM 75 with Spigot**






PERI UP Flex Staircase 75


Item no.	Weight kg	
112717	7,000	**Console Bracket Brace UCM**


For increasing the load-carrying capacity of Consoles UCM 50 and UCM 75 with yellow coupling.







201412 1,400 **Swivel Coupler Pressed Steel**
For Scaffold Tubes Ø 48 mm.






201411 1,120 **Double Coupler Pressed Steel**
For Scaffold Tubes Ø 48 mm.






111053 0,059 **Locking Pin Ø 48/57**
As tension-proof connection of standards with a diameter of 48 up to 57 mm.





100719 0,060 **Bolt ISO 4014 M10 x 70-8.8 MU, galv.**
As tension-proof connection of standards for suspended scaffolds or lattice girders.







Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX

PERI UP Flex Staircase 75

Item no.	Weight kg		L
		Wall Ties UWT	
100088	1,920	**Wall Tie UWT 45**	488
102954	9,050	**Wall Tie UWT 220**	2238





		Ring Bolts UFE	**Note**
100693	0,169	**Ring Bolt UFE 12/90**	With marking for screw-in depth.
100694	0,190	**Ring Bolt UFE 12/120**	
100695	0,250	**Ring Bolt UFE 12/190**	
		For assembling the Wall Tie UWT. Wall Insert UFI 14 required.	

		Wall Inserts UFI
100696	0,007	**Wall Insert UFI 14/70**
100697	0,009	**Wall Insert UFI 14/100**
100698	0,010	**Wall Insert UFI 14/135**

PERI UP Flex Staircase 75

Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX

101306	Standard UVR 100	466
100009	Standard UVR 200	466
100012	Standard UVR 300	466
114629	Ledger UH 75 Plus	466
114632	Ledger UH 100 Plus	466
114638	Ledger UH 125 Plus	466
114645	Ledger UH 200 Plus	466
114648	Ledger UH 250 Plus	466
132213	Horizontal Ledger UH-2 75	467
132004	Horizontal Ledger UH-2 100	467
132007	Horizontal Ledger UH-2 125	467
132016	Horizontal Ledger UH-2 200	467
132025	Horizontal Ledger UH-2 250	467
114687	Ledger UHV 200 Plus	467
114691	Ledger UHV 250 Plus	467
137025	Horizontal Ledger UHV-2 200	467
137030	Horizontal Ledger UHV-2 250	467
101731	Ledger to Ledger Coupler UHA	468
136582	Ledger to Ledger Coupler UHA-2	468
100059	Ledger Brace UBL 200/100	468
100063	Ledger Brace UBL 250/100	468
100061	Ledger Brace UBL 200/200	468
100065	Ledger Brace UBL 250/200	468
132771	Ledger Brace UBL-2 100/ 50	469
132833	Ledger Brace UBL-2 300/200	469
114818	H-Brace UBH Flex 100/100	469
114904	H-Brace UBH Flex 125/125	469
114819	H-Brace UBH Flex 250/100	469
114996	H-Brace UBH Flex 250/125	469
115354	Node Brace UBK 125/100	470
100574	Node Brace UBK 250/200	470
133418	Node Brace UBK-2 75/200	470
133421	Node Brace UBK-2 100/200	470
133424	Node Brace UBK-2 125/100	470
133427	Node Brace UBK-2 125/200	470
133430	Node Brace UBK-2 150/100	470
133433	Node Brace UBK-2 150/150	470
133436	Node Brace UBK-2 150/200	470
133439	Node Brace UBK-2 200/100	470
133442	Node Brace UBK-2 200/150	470
133445	Node Brace UBK-2 200/200	470
133448	Node Brace UBK-2 250/100	470
133451	Node Brace UBK-2 250/150	470
133454	Node Brace UBK-2 250/200	470
133457	Node Brace UBK-2 300/100	470
133460	Node Brace UBK-2 300/150	470
133463	Node Brace UBK-2 300/200	470
114731	Stair Stringer UA 125/100	470
109219	Stair Stringer UA 250/200	470
109198	Stair Step UAR 100	471
109208	End Step UAE 100	471
114180	End Step UAE 125	471
114349	Edge Profile UH 100	471
124266	Distance Piece UA 76	471
124118	Steel Deck UDG 25 x 100	472
124115	Steel Deck UDG 25 x 125	472
124109	Steel Deck UDG 25 x 200	472
123771	Steel Deck UDG 25 x 250	472
132479	Steel Deck UDG-2 25X 50	472
132483	Steel Deck UDG-2 25X 67	472
132488	Steel Deck UDG-2 25X 75	472
132492	Steel Deck UDG-2 25X100	472
132502	Steel Deck UDG-2 25X125	472
132505	Steel Deck UDG-2 25X150	472
132508	Steel Deck UDG-2 25X200	472
132511	Steel Deck UDG-2 25X250	472
132515	Steel Deck UDG-2 25X300	472
201412	Swivel Coupler Pressed Steel	472
201411	Double Coupler Pressed Steel	472
201410	Scaff. Tube Steel Ø 48.3 x 4.0, l = 6.4 m	473
111053	Locking Pin Ø 48/57	473
100719	Bolt ISO 4014 M10 x 70-8.8 MU, galv.	473
100088	Wall Tie UWT 45	473
100093	Wall Tie UWT 140	473
100693	Ring Bolt UFE 12/90	473
100694	Ring Bolt UFE 12/120	473
100695	Ring Bolt UFE 12/190	473
100696	Wall Insert UFI 14/70	473
100697	Wall Insert UFI 14/100	473
100698	Wall Insert UFI 14/135	473


PERI UP Flex Staircase 100, 125

PERI

Item no.	Weight kg	Standards UVR	L
101306	5,380	**Standard UVR 100**	1000
100009	9,990	**Standard UVR 200**	2000
100012	14,700	**Standard UVR 300**	3000


Without pins for supporting head spindles.






		Ledgers UH Plus	L	X	Sticker
114629	2,730	**Ledger UH 75 Plus**	704	750	White
114632	4,460	**Ledger UH 100 Plus**	954	1000	White
114638	5,430	**Ledger UH 125 Plus**	1204	1250	
114645	6,040	**Ledger UH 200 Plus**	1954	2000	
114648	7,360	**Ledger UH 250 Plus**	2454	2500	

Note
Longitudinally-stamped and with coloured label for easier identification.







PERI UP Flex Staircase 100, 125

PERI


Article no.	Weight kg	Horizontal Ledger UH-2	L	X
132213	2.69	**Horizontal Ledger UH-2 75**	704	750
132004	3.79	**Horizontal Ledger UH-2 100**	954	1,000
132007	4.58	**Horizontal Ledger UH-2 125**	1,204	1,250
132016	6.00	**Horizontal Ledger UH-2 200**	1,954	2,000
132025	7.32	**Horizontal Ledger UH-2 250**	2,454	2,500


Note
With length marking for easier identification.






		Ledgers UHV Plus	L	X
114687	14,900	**Ledger UHV 200 Plus**	1954	2000
114691	18,100	**Ledger UHV 250 Plus**	2454	2500






		Horizontal Ledger UHV-2	L	X
137025	12.700	**Horizontal Ledger UHV-2 200**	1,954	2,000
137030	15.200	**Horizontal Ledger UHV-2 250**	2,454	2,500

For high loads, e.g. in the case of material storage.






PERI UP Flex Staircase 100, 125


Item no.	Weight kg	
101731	0,841	**Ledger to Ledger Coupler UHA** For connecting ledger to ledger at right-angles.





136,582	0.829	**Ledger-to-Ledger Coupler UHA-2** For connecting horizontal ledgers at right-angles.







		Ledger Braces UBL	L	X	Y	Sticker
100059	5,500	**Ledger Brace UBL 200/100**	2016	2000	1000	
100063	6,640	**Ledger Brace UBL 250/100**	2462	2500	1000	
100061	7,160	**Ledger Brace UBL 200/200**	2658	2000	2000	White
100065	8,050	**Ledger Brace UBL 250/200**	3010	2500	2000	Red

Attach using holes in the ledger.


Note
Longitudinally-stamped and with coloured label for easier identification.






PERI UP Flex Staircase 100, 125


Article no.	Weight kg	Ledger Braces UBL-2	L	X	Y
132771	2.12	**Ledger Brace UBL-2 100/ 50**	901	1,000	500
132773	2.81	**Ledger Brace UBL-2 100/100**	1,250	1,000	1,000
132775	3.66	**Ledger Brace UBL-2 100/150**	1,677	1,000	1,500
132777	4.58	**Ledger Brace UBL-2 100/200**	2,136	1,000	2,000
132779	3.01	**Ledger Brace UBL-2 150/ 50**	1,347	1,500	500
132781	3.51	**Ledger Brace UBL-2 150/100**	1,601	1,500	1,000
132783	4.21	**Ledger Brace UBL-2 150/150**	1,953	1,500	1,500
132785	5.02	**Ledger Brace UBL-2 150/200**	2,358	1,500	2,000
132787	5.31	**Ledger Brace UBL-2 175/200**	2,500	1,750	2,000
132789	3.95	**Ledger Brace UBL-2 200/ 50**	1,820	2,000	500
132791	4.34	**Ledger Brace UBL-2 200/100**	2,016	2,000	1,000
132793	4.92	**Ledger Brace UBL-2 200/150**	2,305	2,000	1,500
132795	5.62	**Ledger Brace UBL-2 200/200**	2,658	2,000	2,000
132797	4.43	**Ledger Brace UBL-2 225/ 50**	2,062	2,250	500
132808	4.78	**Ledger Brace UBL-2 225/100**	2,236	2,250	1,000
132810	5.96	**Ledger Brace UBL-2 225/200**	2,829	2,250	2,000
132812	5.23	**Ledger Brace UBL-2 250/100**	2,462	2,500	1,000
132814	5.71	**Ledger Brace UBL-2 250/150**	2,705	2,500	1,500
132816	6.32	**Ledger Brace UBL-2 250/200**	3,010	2,500	2,000
132827	5.90	**Ledger Brace UBL-2 300/ 50**	2,795	3,000	500
132829	6.16	**Ledger Brace UBL-2 300/100**	2,926	3,000	1,000
132831	6.57	**Ledger Brace UBL-2 300/150**	3,133	3,000	1,500
132833	7.10	**Ledger Brace UBL-2 300/200**	3,400	3,000	2,000






		H-Braces UBH Flex	L	X	Y
114818	4,580	**H-Brace UBH Flex 100/100**	1335	1000	1000
114904	5,620	**H-Brace UBH Flex 125/125**	1689	1250	1250
114819	8,350	**H-Brace UBH Flex 250/100**	2620	2500	1000
114996	8,640	**H-Brace UBH Flex 250/125**	2720	2500	1250


For horizontal bracing of towers. Also useable underneath deckings UDI and UDG.







PERI UP Flex Staircase 100, 125


Item no.	Weight kg		L	X	Y	Sticker
		Node Brace UBK				
115354	5,220	**Node Brace UBK 125/100**	1625	1250	1000	
100574	9,310	**Node Brace UBK 250/200**	3226	2500	2000	Red






			L	X	Y
		Node Brace UBK-2			
133418	4.96	**Node Brace UBK-2 75/200**	2,190	750	2,000
133421	5.11	**Node Brace UBK-2 100/200**	2,285	1,000	2,000
133424	3.88	**Node Brace UBK-2 125/100**	1,625	1,250	1,000
133427	5.30	**Node Brace UBK-2 125/200**	2,401	1,250	2,000
133430	4.22	**Node Brace UBK-2 150/100**	1,821	1,500	1,000
133433	4.82	**Node Brace UBK-2 150/150**	2,152	1,500	1,500
133436	5.53	**Node Brace UBK-2 150/200**	2,539	1,500	2,000
133439	4.97	**Node Brace UBK-2 200/100**	2,246	2,000	1,000
133442	5.47	**Node Brace UBK-2 200/150**	2,521	2,000	1,500
133445	6.08	**Node Brace UBK-2 200/200**	2,860	2,000	2,000
133448	5.77	**Node Brace UBK-2 250/100**	2,696	2,500	1,000
133451	6.19	**Node Brace UBK-2 250/150**	2,930	2,500	1,500
133454	6.72	**Node Brace UBK-2 250/200**	3,226	2,500	2,000
133457	6.60	**Node Brace UBK-2 300/100**	3,131	3,000	1,000
133460	6.96	**Node Brace UBK-2 300/150**	3,356	3,000	1,500
133463	7.42	**Node Brace UBK-2 300/200**	3,625	3,000	2,000






Item no.	Weight kg		
		Stair Stringers UA	**Technical Data**
114731	9,780	**Stair Stringer UA 125/100**	Permissible load 3.0 KN/m².
109219	15,800	**Stair Stringer UA 250/200**	






PERI UP Flex Staircase 100, 125


Item no.	Weight kg		
109198	7,390	**Stair Steps UAR** **Stair Step UAR 100** Tread for Stair Stringer UA. Non-slip due to perforated surface.	**Technical Data** Permissible load 3.0 kN/m².






109208	5,610	**End Steps UAE** **End Step UAE 100**	**Technical Data** Permissible load 3.0 kN/m².
114180	6,590	**End Step UAE 125** Last step for the Stair Stringer UA. Secures all steps.	






114349	0,770	**Edge Profile UH** **Edge Profile UH 100** Assembly on UH Ledger for anti-slip protection on the first step at start of stairs with Stair Stringer UA.	





124266	1,230	**Distance Piece UA 76**	**Note** Allows connection of Node Braces UBK as guardrail with 76 mm distance to all crossing parts.






PERI UP Flex Staircase 100, 125

Item no.	Weight kg	Steel Decks UDG	X	perm. p [kN/m²]	max. p [kN/m²]
124118	6,550	**Steel Deck UDG 25 x 100**	1000	6.0	40.0
124115	7,940	**Steel Deck UDG 25 x 125**	1250	6.0	28.4
124109	12,200	**Steel Deck UDG 25 x 200**	2000	6.0	10.9
123771	14,900	**Steel Deck UDG 25 x 250**	2500	4.5	6.9

Mounted on Ledger UH.

Note
perm. p according to DIN EN 12811-1.
max. p = maximum possible load without deflection limitation.







Item no.	Weight kg	Steel Decks UDG-2 25	X	perm. p [kN/m²]	H
132479	3.340	**Steel Deck UDG-2 25X 50**	500	6.0	45
132483	4.100	**Steel Deck UDG-2 25X 67**	670	6.0	45
132488	4.470	**Steel Deck UDG-2 25X 75**	750	6.0	45
132492	5.590	**Steel Deck UDG-2 25X100**	1,000	6.0	45
132502	6.730	**Steel Deck UDG-2 25X125**	1,250	6.0	45
132505	7.870	**Steel Deck UDG-2 25X150**	1,500	6.0	45
132508	10.500	**Steel Deck UDG-2 25X200**	2,000	6.0	60
132511	12.900	**Steel Deck UDG-2 25X250**	2,500	4.5	60
132515	15.800	**Steel Deck UDG-2 25X300**	3,000	3.0	70


Note
Values correspond with EN 12811-1







Item no.	Weight kg	
201412	1,400	**Swivel Coupler Pressed Steel** For Scaffold Tubes Ø 48 mm.






Item no.	Weight kg	
201411	1,120	**Double Coupler Pressed Steel** For Scaffold Tubes Ø 48 mm.






PERI UP Flex Staircase 100, 125


Item no.	Weight kg	Scaffold Tubes Steel Ø 48.3 x 4.0	L
201410	21,600	**Scaff. Tube Steel Ø 48.3 x 4.0, l = 6.4 m**	6400






Item no.	Weight kg	
111053	0,059	**Locking Pin Ø 48/57** As tension-proof connection of standards with a diameter of 48 up to 57 mm.







Item no.	Weight kg	
100719	0,060	**Bolt ISO 4014 M10 x 70-8.8 MU, galv.** As tension-proof connection of standards for suspended scaffolds or lattice girders.





Item no.	Weight kg	Wall Ties UWT	L
100088	1,920	**Wall Tie UWT 45**	488
100093	5,870	**Wall Tie UWT 140**	1438





Item no.	Weight kg	Ring Bolts UFE	Note
100693	0,169	**Ring Bolt UFE 12/90**	With marking for screw-in depth.
100694	0,190	**Ring Bolt UFE 12/120**	
100695	0,250	**Ring Bolt UFE 12/190** For assembling the Wall Tie UWT. Wall Insert UFI 14 required.	

Item no.	Weight kg	Wall Inserts UFI
100696	0,007	**Wall Insert UFI 14/70**
100697	0,009	**Wall Insert UFI 14/100**
100698	0,010	**Wall Insert UFI 14/135**

Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX

Weather Protecion

477 PERI UP Flex LGS 75 Weather Protection Roof Components
491 PERI UP Flex LGS 150 Weather Protection Roof Components

Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX

PERI UP Flex LGS 75 Weather Protection Roof Components


135766	LGS Standard Element URB 300/75	478
135793	LGS Eave Element URB 300/75	478
135773	LGS Intermediate Element URB 150/75	478
135782	LGS Ridge Element URR 75	479
128334	Ridge Bar HD UR 150°	479
104854	Support Roller UEW unstopped	479
104771	LGS Support URS 15°	480
135801	LGS Bearer URS 75	480
104777	Carriage URW	480
104790	Aluminium Rail URT 150	481
104791	Aluminium Rail URT 200	481
104796	Aluminium Rail URT 250	481
104797	Aluminium Rail URT 300	481
104853	Rail Support URF	481
104852	Rail End Piece URD	481
132553	Ledger URL 67/14	482
131869	Ledger URL 75/14	482
115018	Ledger URL 100/14	482
105386	Ledger URL 150/14	482
118022	Stopper URA-2	482
114613	Horizontal Ledger UH 25 Plus	482
114595	Horizontal Ledger UH 50 Plus	482
114629	Horizontal Ledger UH 75 Plus	482
114632	Horizontal Ledger UH 100 Plus	482
114638	Horizontal Ledger UH 125 Plus	482
114641	Horizontal Ledger UH 150 Plus	482
117032	Horizontal Ledger UH 175 Plus	482
114645	Horizontal Ledger UH 200 Plus	482
116356	Horizontal Ledger UH 225 Plus	482
114648	Horizontal Ledger UH 250 Plus	482
114651	Horizontal Ledger UH 300 Plus	482
131995	Horizontal Ledger UH-2 25	483
133900	Horizontal Ledger UH-2 33	483
131998	Horizontal Ledger UH-2 50	483
133903	Horizontal Ledger UH-2 67	483
132213	Horizontal Ledger UH-2 75	483
132004	Horizontal Ledger UH-2 100	483
132007	Horizontal Ledger UH-2 125	483
132010	Horizontal Ledger UH-2 150	483
132013	Horizontal Ledger UH-2 175	483
132016	Horizontal Ledger UH-2 200	483
132019	Horizontal Ledger UH-2 225	483
132025	Horizontal Ledger UH-2 250	483
132022	Horizontal Ledger UH-2 300	483
114681	Horizontal Ledger UHV 150 Plus	483
114687	Horizontal Ledger UHV 200 Plus	483
114691	Horizontal Ledger UHV 250 Plus	483
114695	Horizontal Ledger UHV 300 Plus	483
137020	Horizontal Ledger UHV-2 150	483
137025	Horizontal Ledger UHV-2 200	483
137030	Horizontal Ledger UHV-2 250	483
137035	Horizontal Ledger UHV-2 300	483
130684	Ledger-To-Ledger Coupler UHA-2 half with pin	484
111053	Locking Pin Ø 48/57	484
128823	Suspension Tie Connector URU	484
128817	Anchor Tie Yoke URU	484
129435	Tie Rod Extension URU	484
201002	Tie Rod DW 15, l = 6.00 m	485
114818	Horizontal Brace UBH Flex 100/100	485
114821	Horizontal Brace UBH Flex 150/100	485
114912	Horizontal Brace UBH Flex 150/150	485
114820	Horizontal Brace UBH Flex 200/100	485
124097	Horizontal Brace UBH Flex 200/150	485
114819	Horizontal Brace UBH Flex 250/100	485
124101	Horizontal Brace UBH Flex 250/150	485
114892	Horizontal Brace UBH Flex 300/100	485
124105	Horizontal Brace UBH Flex 300/150	485
126009	LGS Keder Connector URV	486
125166	LGS Keder Connector URK	486
126051	LGS Ridge Rail URK 150	486
127501	LGS Keder Track URK 150	486
127500	LGS Keder Track URK 300	486
126071	LGS Keder Track URK 600	486
126491	LGS Eave Rail URK	486
126487	LGS Crank URG	486
126486	LGS Reel Connector URG	487
126484	LGS Tarpaulin Reel URG 250	487
126485	LGS Tarpaulin Reel URG 300	487
126488	LGS Handle URG	487
100719	Bolt ISO 4014 M10 x 70-8.8	487
710242	Bolt ISO 4014 M10 x 100-8.8, galv.	488
201021	DW 15 Hex. Nut	488
780356	Nut ISO 7040 M10-8, galv.	488
070890	Nut ISO 7040 M16-8, galv.	488
105032	Nut ISO 7040 M24-8, galv.	488
106031	Bolt Ø 16 x 70, coated	488
018060	Cotter pin 4/1, galv.	488
106191	Bolt Ø 24 x 105, coated	488
127468	Pin Ø 24 x 70, galv.	489
022230	Cotter pin 5/1, galv.	489
118349	Tension Belt PTB 12	489
065074	Turnbuckle 3.0 kN, M12	489
065073	Anchor chain 3.0 kN, l = 2.5 m	489


Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX

PERI UP Flex LGS 75 Weather Protection Roof Components

PERI

Item. no.	Weight kg		
135766	31.700	**LGS Standard Element URB 300/75** Standard element for the LGS Lattice Girder System.	**Note** Alternative accessories: 070890 nut ISO 7040 M 16-8, galv. 721729 bolt ISO 4014 M16 x 90-8.8, galv.







Accessories

106031	0.142	**Bolt Ø 16 x 70, coated**
018060	0.014	**Cotter pin 4/1, galv.**

135793	35.100	**LGS Eave Element URB 300/75** Eave element for the LGS Lattice Girder System.	**Note** Alternative accessories: 070890 nut ISO 7040 M 16-8, galv. 721729 bolt ISO 4014 M16 x 90-8.8, galv.







Accessories

106031	0.142	**Bolt Ø 16 x 70, coated**
018060	0.014	**Cotter pin 4/1, galv.**

135773	17.100	**LGS Intermediate Element URB 150/75** Filler element for the LGS Lattice Girder System.	**Note** Alternative accessories: 070890 nut ISO 7040 M 16-8, galv. 721729 bolt ISO 4014 M16 x 90-8.8, galv.






Accessories


106031	0.142	**Bolt Ø 16 x 70, coated**
018060	0.014	**Cotter pin 4/1, galv.**

PERI UP Flex LGS 75 Weather Protection Roof Components

PERI

Item. no.	Weight kg		
135782	19.300	**LGS Ridge Element URR 75** Two LGS Ridge Elements together with the Ridge Bar UR form the ridge.	**Note** Alternative accessories: 105032 nut ISO 7040 M24-8, galv. 026220 bolt ISO 4014 M24 x 80-10.9, galv.







Accessories

127468	0.325	**Pin Ø 24 x 70, galv.**
022230	0.033	**Cotter pin 5/1, galv.**

128334	21.700	**Ridge Bar HD UR 150°** Connects two LGS Ridge Elements to a ridge angle of 150°.	**Note** Alternative accessories: 070890 nut ISO 7040 M16-8, galv. 721729 bolt ISO 4014 M16 x 90-8.8, galv.







Accessories

106031	0.142	**Bolt Ø 16 x 70, coated**
018060	0.014	**Cotter pin 4/1, galv.**

104854	5.220	**Support Roller UEW unstopped** Attachment to standard, eave and intermediate element when raising a girder in order to install the ridge bar.	**Note** Alternative accessories: 070890 nut ISO 7040 M16-8, galv. 721729 bolt ISO 4014 M16 x 90-8.8, galv. **Technical data** Permissible load up to 12 kN.





Accessories


106031	0.142	**Bolt Ø 16 x 70, coated**
018060	0.014	**Cotter pin 4/1, galv.**


PERI UP Flex LGS 75 Weather Protection Roof Components

PERI

Item. no.	Weight kg	
104771	33.400	**LGS Support URS 15°** For roofs with 15° angle of inclination.

Note
Alternative accessories:
070890 nut ISO 7040 M16-8, galv.
721729 bolt ISO 4014 M16 x 90-8.8, galv.






Accessories

106031	0.142	**Bolt Ø 16 x 70, coated**
018060	0.014	**Cotter pin 4/1, galv.**

135801	19.100	**LGS Bearer URS 75** Connects the LGS Support to the Ledger URL.

Complete with
1 pc. 106191 bolt Ø 24 x 105, coated
3 pc. 106194 bolt Ø 16 x 105, coated
1 pc. 022230 cotter pin 5/1, galv.
3 pc. 018060 cotter pin 4/1, galv.






104777	42.800	**Carriage URW** Connects the support to the rail URT. Allows movement in the longitudinal direction and horizontal sliding in the direction of the girder.

Complete with
1 pc. 106191 bolt Ø 24 x 105, coated
1 pc. 022230 cotter pin 5/1, galv.






PERI UP Flex LGS 75 Weather Protection Roof Components

PERI

Item. no.	Weight kg		L
		Aluminium Rails URT	
104790	20.600	**Aluminium Rail URT 150**	1,500
104791	27.300	**Aluminium Rail URT 200**	2,000
104796	33.900	**Aluminium Rail URT 250**	2,500
104797	40.500	**Aluminium Rail URT 300**	3,000


For moving LGS units. Mounted to the Rail Support URF.






104853	8.190	**Rail Support URF** Connects the Rail URT to the Ledger URL.

Note
Alternative accessories:
070890 nut ISO 7040 M16-8, galv.
105402 bolt ISO 4014 M16 x 120-8.8, galv.







Accessories

715357	0.238	**Pin Ø 16 x 150, galv.**
022230	0.033	**Cotter pin 5/1, galv.**

104852	1.870	**Rail End Piece URD** To secure the Aluminium Rail URT. Assembly at the last Rail Support URF.






Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX


PERI UP Flex LGS 75 Weather Protection Roof Components

PERI

Item. no.	Weight kg		L	X
		Ledger URL		
132553	12.600	**Ledger URL 67/14**	750	670
131869	13.900	**Ledger URL 75/14**	830	750
115018	17.700	**Ledger URL 100/14**	1,080	1,000
105386	25.600	**Ledger URL 150/14**	1,580	1,500

Connects the LGS Unit to the PERI UP substructure.







Accessories

780356	0.011	**Nut ISO 7040 M10-8, galv.**
710242	0.063	**Bolt ISO 4014 M10 x 100-8.8, galv.**

118022	5.130	**Stopper URA-2**


Limit stop for the Carriage URW on the Aluminium Rail URT.






			L	X
		Horizontal Ledger UH Plus		
114613	1.410	**Horizontal Ledger UH 25 Plus**	204	250
114595	2.030	**Horizontal Ledger UH 50 Plus**	454	500
114629	2.690	**Horizontal Ledger UH 75 Plus**	704	750
114632	3.740	**Horizontal Ledger UH 100 Plus**	954	1,000
114638	4.510	**Horizontal Ledger UH 125 Plus**	1,204	1,250
114641	4.680	**Horizontal Ledger UH 150 Plus**	1,454	1,500
117032	5.340	**Horizontal Ledger UH 175 Plus**	1,704	1,750
114645	6.000	**Horizontal Ledger UH 200 Plus**	1,954	2,000
116356	6.660	**Horizontal Ledger UH 225 Plus**	2,204	2,250
114648	7.320	**Horizontal Ledger UH 250 Plus**	2,454	2,500
114651	8.650	**Horizontal Ledger UH 300 Plus**	2,954	3,000

Note
With length marking for easier identification.







PERI UP Flex LGS 75 Weather Protection Roof Components

PERI

Article no.	Weight kg		L	X
		Horizontal Ledger UH-2		
131995	1.40	**Horizontal Ledger UH-2 25**	204	250
133900	1.50	**Horizontal Ledger UH-2 33**	284	330
131998	2.03	**Horizontal Ledger UH-2 50**	454	500
133903	2.48	**Horizontal Ledger UH-2 67**	624	670
132213	2.69	**Horizontal Ledger UH-2 75**	704	750
132004	3.79	**Horizontal Ledger UH-2 100**	954	1,000
132007	4.58	**Horizontal Ledger UH-2 125**	1,204	1,250
132010	4.68	**Horizontal Ledger UH-2 150**	1,454	1,500
132013	5.34	**Horizontal Ledger UH-2 175**	1,704	1,750
132016	6.00	**Horizontal Ledger UH-2 200**	1,954	2,000
132019	6.66	**Horizontal Ledger UH-2 225**	2,204	2,250
132025	7.32	**Horizontal Ledger UH-2 250**	2,454	2,500
132022	8.65	**Horizontal Ledger UH-2 300**	2,954	3,000


Note
With length marking for easier identification.






			L	X
		Horizontal Ledger UHV Plus		
114681	10.900	**Horizontal Ledger UHV 150 Plus**	1,454	1,500
114687	14.700	**Horizontal Ledger UHV 200 Plus**	1,954	2,000
114691	17.900	**Horizontal Ledger UHV 250 Plus**	2,454	2,500
114695	21.600	**Horizontal Ledger UHV 300 Plus**	2,954	3,000


For high loads, e.g. in the case of material storage.






			L	X
		Horizontal Ledger UHV-2		
137020	9.410	**Horizontal Ledger UHV-2 150**	1,454	1,500
137025	12.700	**Horizontal Ledger UHV-2 200**	1,954	2,000
137030	15.200	**Horizontal Ledger UHV-2 250**	2,454	2,500
137035	18.500	**Horizontal Ledger UHV-2 300**	2,954	3,000

For high loads, e.g. in the case of material storage.







PERI UP Flex LGS 75 Weather Protection Roof Components

PERI


Item. no.	Weight kg	
130684	2.030	**Ledger-To-Ledger Coupler UHA-2 half with pin**







111053	0.059	**Locking Pin Ø 48/57** As tension-proof connection of standards with a diameter of 48 up to 57 mm.







128823	8.750	**Suspension Tie Connector URU** Connection to Eave Element or Standard Element URB 300/150.







128817	3.850	**Anchor Tie Yoke URU** For closing and tensioning the tension system.





129435	0.444	**Tie Rod Extension URU** For coupling and securing Tie Rod DW 15.	**Technical data** Permissible tension force 90 kN.






PERI UP Flex LGS 75 Weather Protection Roof Components

PERI


Item. no.	Weight kg		
		Tie Rods DW 15	**Note**
201002	8,640	**Tie Rod DW 15, l = 6.00 m**	Non-weldable! Take official approval into consideration! **Technical Data** Permissible tension force 90 kN.






Item. no.	Weight kg	Horizontal Braces UBH Flex	L	X	Y
114818	4.580	**Horizontal Brace UBH Flex 100/100**	1,335	1,000	1,000
114821	5.720	**Horizontal Brace UBH Flex 150/100**	1,725	1,500	1,000
114912	6.650	**Horizontal Brace UBH Flex 150/150**	2,042	1,500	1,500
114820	7.000	**Horizontal Brace UBH Flex 200/100**	2,161	2,000	1,000
124097	7.770	**Horizontal Brace UBH Flex 200/150**	2,422	2,000	1,500
114819	8.350	**Horizontal Brace UBH Flex 250/100**	2,620	2,500	1,000
124101	8.990	**Horizontal Brace UBH Flex 250/150**	2,838	2,500	1,500
114892	9.730	**Horizontal Brace UBH Flex 300/100**	3,092	3,000	1,000
124105	10.300	**Horizontal Brace UBH Flex 300/150**	3,279	3,000	1,500

For horizontal bracing of towers.
Also for use beneath Decks UDI or UDG.







Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX

PERI UP Flex LGS 75 Weather Protection Roof Components


PERI


Item. no.	Weight kg	
126009	1.630	**LGS Keder Connector URV** For fixing Keder Tracks URK to scaffold components with tube Ø 48.3 mm.






125166	0.674	**LGS Keder Connector URK** For fixing Keder Tracks URK to LGS elements.






126051	3.640	**LGS Ridge Rail URK 150** As a keder tarpaulin transition over the LGS Ridge Element URR.






		LGS Keder Tracks URK
127501	3.530	**LGS Keder Track URK 150**
127500	7.050	**LGS Keder Track URK 300**
126071	14.100	**LGS Keder Track URK 600**
		Track for drawing keder tarpaulins into scaffold constructions.







126491	3.370	**LGS Eave Rail URK** As a keder tarpaulin transition over the LGS Eave Element URB.





126487	1.150	**LGS Crank URG** For winding the keder tarpaulins onto the Tarpaulin Reel URG.







PERI UP Flex LGS 75 Weather Protection Roof Components


PERI


Item. no.	Weight kg	
126486	3.550	**LGS Reel Connector URG** For attaching the Tarpaulin Reel URG onto the Eave Element URB in order to assemble the keder tarpaulins. **Complete with** 1 pc. 126924 bolt ISO 4014 M12 x 130-8.8, galv. 1 pc. 710330 nut ISO 4032 M12-8, galv. 1 pc. 106031 bolt Ø 16 x 70, coated 1 pc. 018060 cotter pin 4/1, galv.







		LGS Tarpaulin Reel URG
126484	10.500	**LGS Tarpaulin Reel URG 250**
126485	11.900	**LGS Tarpaulin Reel URG 300**
		For transport and assembly / disassembly of keder tarpaulins.






126488	1.240	**LGS Handle URG** Extension for the Tarpaulin Reel URG. **Complete with** 1 pc. 106031 bolt Ø 16 x 70, coated 1 pc. 018060 cotter pin 4/1, galv.





100719	0.060	**Bolt ISO 4014 M10 x 70-8.8** As tension-proof connection of standards at suspended scaffolds and lattice girders.







Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX

PERI UP Flex LGS 75 Weather Protection Roof Components

PERI

Item. no.	Weight kg	
710242	0.063	**Bolt ISO 4014 M10 x 100-8.8, galv.**





201021	0.222	**DW 15 Hex. Nut** For anchoring with Tie Rod DW 15 and B 15.

Technical data
Permissible load 90 kN.





		Nut ISO 7040-8, galv.
780356	0.011	**Nut ISO 7040 M10-8, galv.**
070890	0.030	**Nut ISO 7040 M16-8, galv.**
105032	0.070	**Nut ISO 7040 M24-8, galv.**

Self-locking.


Note
Wrench size SW 16.





106031	0.142	**Bolt Ø 16 x 70, coated**







018060	0.014	**Cotter pin 4/1, galv.**





106191	0.438	**Bolt Ø 24 x 105, coated**







PERI UP Flex LGS 75 Weather Protection Roof Components

PERI


Item. no.	Weight kg	
127468	0.325	**Pin Ø 24 x 70, galv.**






022230	0.033	**Cotter pin 5/1, galv.**






118349	3.530	**Tension Belt PTB 12** Two-piece.


Note
Observe the notes on the belt label!
Technical data
Total length 12 m, max. span 8 m.
Permissible tension force 2.5 t.






065074	0.450	**Turnbuckle 3.0 kN, M12**


Technical data
Permissible tension force 3.0 kN.






065073	1.370	**Anchor chain 3.0 kN, l = 2.5 m**

Technical data
Permissible tension force 3.0 kN.







PERI UP Flex LGS 150 Weather Protection Roof Components

PERI

104768	LGS Basic Element URB 150/300	492
126483	LGS Eave Element URB 300/150	492
104792	LGS Additional Element URB 150/150	493
105334	LGS End Element URB 150	493
116122	LGS Middle Element URB 150/150	493
115978	LGS Connector URC	494
104769	LGS Ridge Element URR 150	494
104778	LGS Ridge Bar UR 120°	494
104891	LGS Ridge Bar UR 150°	494
128334	Ridge Bar HD UR 150°	495
104854	Support Roller UEW unstopped	495
105399	LGS Support URS 0°	495
104771	LGS Support URS 15°	496
104770	LGS Support URS 45°	496
105398	LGS Bearer URS	497
104777	Wheel URW	497
104790	Alu Rail URT 150	497
104791	Alu Rail URT 200	497
104796	Alu Rail URT 250	497
104797	Alu Rail URT 300	497
104853	Rail Support URF	498
104852	Rail End Element URD	498
105394	LGS Ledger URL 72/14	498
115018	LGS Ledger URL 100/14	498
105390	LGS Ledger URL 104/14	498
105386	LGS Ledger URL 150/14	498
118022	Stopper URA-2	498
114613	Ledger UH 25 Plus	499
114595	Ledger UH 50 Plus	499
114629	Ledger UH 75 Plus	499
114632	Ledger UH 100 Plus	499
114638	Ledger UH 125 Plus	499
114641	Ledger UH 150 Plus	499
117032	Ledger UH 175 Plus	499
114645	Ledger UH 200 Plus	499
116356	Ledger UH 225 Plus	499
114648	Ledger UH 250 Plus	499
114651	Ledger UH 300 Plus	499
105366	LGS Collar URP	499
105372	Spigot w. Spacer URE 4/42	500
404780	Ledger UH 25	500
404779	Ledger UH 50	500
400017	Ledger UH 75	500
401159	Ledger UH 100	500
410347	Ledger UH 125	500
400021	Ledger UH 150	500
400023	Ledger UH 200	500
400025	Ledger UH 250	500
400027	Ledger UH 300	500
128823	Suspension Tie Connector URU	500
128817	Tie Yoke URU	501
129435	Tie Rod Extension URU	501
201002	Tie Rod DW 15, l = 6.00 m	501
107867	Ledger Brace UBL 150/50	502
100055	Ledger Brace UBL 150/100	502
104391	Ledger Brace UBL 200/50	502
100059	Ledger Brace UBL 200/100	502
100063	Ledger Brace UBL 250/100	502
104762	Ledger Brace UBL 300/50	502
100067	Ledger Brace UBL 300/100	502
114821	H-Brace UBH Flex 150/100	503
114912	H-Brace UBH Flex 150/150	503
114820	H-Brace UBH Flex 200/100	503
124097	H-Brace UBH Flex 200/150	503
114819	H-Brace UBH Flex 250/100	503
124101	H-Brace UBH Flex 250/150	503
114892	H-Brace UBH Flex 300/100	503
124105	H-Brace UBH Flex 300/150	503
111863	Industrial Deck UDI 37.5 x 150	504
111865	Industrial Deck UDI 37.5 x 250	504
111969	Industrial Deck UDI 37.5 x 300	504
100265	Guardrail UPG 150	504
100267	Guardrail UPG 250	504
100268	Guardrail UPG 300	504
126489	LGS Ridge Console URH	504
126466	LGS Ridge Guardrail URH	505
126490	LGS Console URH	505
126009	LGS Keder Connector URV	505
125166	LGS Keder Connector URK	506
12605	LGS Ridge Rail URK 150	506
127501	LGS Keder Rail URK 150	506
127500	LGS Keder Rail URK 300	506
126071	LGS Keder Rail URK 600	506
126491	LGS Eave Rail URK	506
126487	LGS Crank URG	506
126486	LGS Reel Connector URG	507
126484	LGS Tarpaulin Reel URG 250	507
126485	LGS Tarpaulin Reel URG 300	507
126488	LGS Handle URG	507
100719	Bolt ISO 4014 M10 x 70-8.8 MU	507
710242	Bolt ISO 4014 M10 x 100-8.8, galv.	508
201021	DW 15 Hex. Nut	508
780356	Nut ISO 7042 M10-8, galv.	508
070890	Nut ISO 7042 M16-8, galv.	508
105032	Nut ISO 7042 M24-8, galv.	508
106031	Bolt Ø 16 x 70, galv.	508
018060	Cotter Pin 4/1, galv.	508
106191	Bolt Ø 24 x 105, galv.	508
127468	Bolt Ø 24 x 55, galv.	509
022230	Cotter Pin 5/1, galv.	509
118349	Tension Belt PTB 12	509

Item no.	Weight kg		
104768	55.400	**LGS Basic Element URB 150/300** Basic element for the PERI LGS Lattice Girder System.	**Note** Alternative accessories: 070890 Nut ISO 7042 M16-8, galv. 721729 Bolt ISO 4014 M16 x 90-8.8, galv.







Accessories

106031	0.142	**Bolt Ø 16 x 70, galv.**
018060	0.030	**Cotter Pin 4/1, galv.**

126483	65.900	**LGS Eave Element URB 300/150** Eave element for the PERI Lattice Girder System.	**Note** Alternative accessories: 070890 Nut ISO 7042 M16-8, galv. 721729 Bolt ISO 4014 M16 x 90-8.8, galv.







Accessories

106031	0.142	**Bolt Ø 16 x 70, galv.**
018060	0.030	**Cotter Pin 4/1, galv.**

Item no.	Weight kg		
104792	29.600	**LGS Additional Element URB 150/150** Filler element for the LGS Lattice Girder System.	**Note** Alternative accessories: 070890 Nut ISO 7042 M16-8, galv. 721729 Bolt ISO 4014 M16 x 90-8.8, galv.






Accessories

106031	0.142	**Bolt Ø 16 x 70, galv.**
018060	0.030	**Cotter Pin 4/1, galv.**

105334	7.380	**LGS End Element URB 150** For assembly on the last LGS Basic or Additional Element.	**Note** Alternative accessories: 070890 Nut ISO 7042 M16-8, galv. 721729 Bolt ISO 4014 M16 x 90-8.8, galv.







Accessories

106031	0.142	**Bolt Ø 16 x 70, galv.**
018060	0.030	**Cotter Pin 4/1, galv.**

116122	22.800	**LGS Middle Element URB 150/150** Goes between two Basic Elements, which adjoin with their standards (with rosettes), e.g. with double pitched roofs.







Accessories


115978	1.760	**LGS Connector URC**


Item no.	Weight kg		
115978	1.760	**LGS Connector URC**	**Complete with** 4 pc. 106031 Bolt Ø 16 x 70, galv. 4 pc. 018060 Cotter Pin 4/1, galv.





104769	25.700	**LGS Ridge Element URR 150** Two LGS Ridge Elements form the ridge together with Ridge Bar UR.	**Note** Alternative accessories: 105032 Nut ISO 7042 M24-8, galv. 026220 Bolt ISO 4014 M24 x 80-10.9, galv.







Accessories

127468	0.325	**Bolt Ø 24 x 55, galv.**
022230	0.033	**Cotter Pin 5/1, galv.**

		LGS Ridge Bars UR	**Note**
104778	10.400	**LGS Ridge Bar UR 120°**	Alternative accessories: 070890 Nut ISO 7042 M16-8, galv. 721729 Bolt ISO 4014 M16 x 90-8.8, galv.
104891	14.700	**LGS Ridge Bar UR 150°** Connects two Ridge Elements URR 150 to an ridge angle of 120° or 150°.	







Accessories

106031	0.142	**Bolt Ø 16 x 70, galv.**
018060	0.030	**Cotter Pin 4/1, galv.**

Item no.	Weight kg		
128334	21.800	**Ridge Bar HD UR 150°** Connects two LGS Ridge Elements to a ridge angle of 150°.	**Note** Alternative accessories: 070890 Nut ISO 7042 M16-8, glav. 721729 Bolt ISO 4014 M16 x 90-8.8, glav.







Accessories

106031	0.142	**Bolt Ø 16 x 70, galv.**
018060	0.030	**Cotter Pin 4/1, galv.**

104854	5.220	**Support Roller UEW unstopped** Mounted on standard or intermediate element for hoisting binder for installation of the main connection.	**Note** Alternative accessories: 070890 Nut ISO 7042 M16-8, galv. 721729 Bolt ISO 4014 M16 x 90-8.8, galv. **Technical Data** Permissible load to 12 kN.







Accessories

106031	0.142	**Bolt Ø 16 x 70, galv.**
018060	0.030	**Cotter Pin 4/1, galv.**

105399	37.700	**LGS Support URS 0°** For platforms or bridges.	**Note** Alternative accessories: 070890 Nut ISO 7042 M16-8, galv. 721729 Bolt ISO 4014 M16 x 90-8.8, galv.







Accessories

106031	0.142	**Bolt Ø 16 x 70, galv.**
018060	0.030	**Cotter Pin 4/1, galv.**

PERI UP Flex LGS 150 Weather Protection Roof Components

Item no.	Weight kg		
104771	35.400	**LGS Support URS 15°** For roofs with a pitch of 15°.	**Note** Alternative accessories: 070890 Nut ISO 7042 M16-8, galv. 721729 Bolt ISO 4014 M16 x 90-8.8, galv.







Accessories

106031	0.142	**Bolt Ø 16 x 70, galv.**
018060	0.030	**Cotter Pin 4/1, galv.**

104770	58.100	**LGS Support URS 45°** For roofs with a pitch of 45°.	**Note** Alternative accessories: 070890 Nut ISO 7042 M16-8, galv. 721729 Bolt ISO 4014 M16 x 90-8.8, galv.






Accessories

106031	0.142	**Bolt Ø 16 x 70, galv.**
018060	0.030	**Cotter Pin 4/1, galv.**

PERI UP Flex LGS 150 Weather Protection Roof Components


Item no.	Weight kg		
105398	23.600	**LGS Bearer URS** Connects the LGS Support with the LGS Ledger URL.	**Complete with** 1 pc. 106191 Bolt Ø 24 x 105, galv. 3 pc. 106194 Bolt Ø 16 x 105, galv. 1 pc. 022230 Cotter Pin 5/1, galv. 3 pc. 018060 Cotter Pin 4/1, galv.






104777	42.800	**Wheel URW** Connects the Support with the Rail URT. Allows moving in a longitudinal direction and an horizontally moveable support at the truss level.	**Complete with** 1 pc. 106191 Bolt Ø 24 x 105, galv. 1 pc. 022230 Cotter Pin 5/1, galv.






		Alu Rails URT	L
104790	20.600	**Alu Rail URT 150**	1500
104791	27.300	**Alu Rail URT 200**	2000
104796	33.900	**Alu Rail URT 250**	2500
104797	40.500	**Alu Rail URT 300**	3000

For moving LGS units. Mounted on the Rail Support URF.







PERI UP Flex LGS 150 Weather Protection Roof Components

PERI

Item no.	Weight kg		
104853	8.190	**Rail Support URF** Connects the Alu Rail URT to the LGS Ledger URL.	**Note** Alternative accessories: 070890 Nut ISO 7042 M16-8, galv. 105402 Bolt ISO 4014 M16 x 120-8.8, glav.







Accessories

715357	0.238	**Pin Ø 16 x 150, galv.**
018060	0.030	**Cotter Pin 4/1, galv.**


104852	1.870	**Rail End Element URD** For securing the Alu Rail URT. Assembly on the last Rail Support URF.






		LGS Ledgers URL	**L**	**X**
105394	13.500	**LGS Ledger URL 72/14**	800	720
115018	17.800	**LGS Ledger URL 100/14**	1080	1000
105390	18.500	**LGS Ledger URL 104/14**	1120	1040
105386	25.700	**LGS Ledger URL 150/14**	1580	1500

Connects the LGS unit with the PERI UP substructure.







Accessories

780356	0.011	**Nut ISO 7042 M10-8, galv.**
710242	0.063	**Bolt ISO 4014 M10 x 100-8.8, galv.**

118022	5.130	**Stopper URA-2** End stop for the Wheel URW on the Alu Rail URT.







PERI UP Flex LGS 150 Weather Protection Roof Components

PERI


Item no.	Weight kg	**Ledgers UH Plus**	**L**	**X**	**Sticker**
114613	1.420	**Ledger UH 25 Plus**	204	250	
114595	2.070	**Ledger UH 50 Plus**	454	500	
114629	2.730	**Ledger UH 75 Plus**	704	750	White
114632	4.460	**Ledger UH 100 Plus**	954	1000	White
114638	5.430	**Ledger UH 125 Plus**	1204	1250	
114641	4.710	**Ledger UH 150 Plus**	1454	1500	
117032	5.380	**Ledger UH 175 Plus**	1704	1750	
114645	6.040	**Ledger UH 200 Plus**	1954	2000	
116356	6.700	**Ledger UH 225 Plus**	2204	2250	
114648	7.360	**Ledger UH 250 Plus**	2454	2500	
114651	8.680	**Ledger UH 300 Plus**	2954	3000	


Note
Longitudinelly-stamped and with coloured label for easier identification.





105366	3.680	**LGS Collar URP** Base for further scaffold assembly on LGS elements.






Accessories


105372	1.340	**Spigot w. Spacer URE 4/42**

Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX

PERI UP Flex LGS 150 Weather Protection Roof Components

Item no.	Weight kg	
105372	1.340	**Spigot w. Spacer URE 4/42** For attaching to Collar URP and Connector ULS Flex; spacer allows assembly in grid system.







Accessories

780356	0.011	**Nut ISO 7042 M10-8, galv.**
100719	0.060	**Bolt ISO 4014 M10 x 70-8.8 MU**


		Ledgers UH	L	X	Sticker
404780	1.390	**Ledger UH 25**	204	250	
404779	2.040	**Ledger UH 50**	454	500	
400017	2.710	**Ledger UH 75**	704	750	White
401159	3.370	**Ledger UH 100**	954	1000	White
410347	4.020	**Ledger UH 125**	1204	1250	
400021	4.690	**Ledger UH 150**	1454	1500	
400023	6.020	**Ledger UH 200**	1954	2000	White
400025	7.340	**Ledger UH 250**	2454	2500	Red
400027	8.670	**Ledger UH 300**	2954	3000	Black


Note
Longitudinally-stamped and with coloured label for easier identification.
Ledgers UH can be replaced by Ledgers UH Plus.







128823	8.750	**Suspension Tie Connector URU** Connection to Eave or Standard Element URB 300/150.







Item no.	Weight kg	
128817	3.850	**Tie Yoke URU** For closing and tensioning of the suspension.






129435	0.444	**Tie Rod Extension URU** For coupling and securing Tie Rod DW 15.	**Technical Data** Permissible tension force 90 kN.





		Tie Rods DW 15	Note
201002	8,640	**Tie Rod DW 15, l = 6.00 m**	Non-weldable! Take official approval into consideration! **Technical Data** Permissible tension force 90 kN.





Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX

PERI UP Flex LGS 150 Weather Protection Roof Components


PERI


Item no.	Weight kg	Ledger Braces UBL	L	X	Y
107867	3.790	**Ledger Brace UBL 150/50**	1347	1500	500
100055	4.440	**Ledger Brace UBL 150/100**	1601	1500	1000
104391	5.000	**Ledger Brace UBL 200/50**	1820	2000	500
100059	5.500	**Ledger Brace UBL 200/100**	2016	2000	1000
100063	6.640	**Ledger Brace UBL 250/100**	2462	2500	1000
104762	7.490	**Ledger Brace UBL 300/50**	2795	3000	500
100067	7.830	**Ledger Brace UBL 300/100**	2926	3000	1000

Mounted in the holes of the Ledgers.

Note

Longitudinally-stamped for easier identification.
UBL 150/250 identical to UBL 300/50,
UBL 100/100 identical to Diagonal Strut ST 100 (Item no. 019940).







PERI UP Flex LGS 150 Weather Protection Roof Components

PERI


Article no.	Weight kg	Ledger Braces UBL-2	L	X	Y
132771	2.12	**Ledger Brace UBL-2 100/ 50**	901	1,000	500
132773	2.81	**Ledger Brace UBL-2 100/100**	1,250	1,000	1,000
132775	3.66	**Ledger Brace UBL-2 100/150**	1,677	1,000	1,500
132777	4.58	**Ledger Brace UBL-2 100/200**	2,136	1,000	2,000
132779	3.01	**Ledger Brace UBL-2 150/ 50**	1,347	1,500	500
132781	3.51	**Ledger Brace UBL-2 150/100**	1,601	1,500	1,000
132783	4.21	**Ledger Brace UBL-2 150/150**	1,953	1,500	1,500
132785	5.02	**Ledger Brace UBL-2 150/200**	2,358	1,500	2,000
132787	5.31	**Ledger Brace UBL-2 175/200**	2,500	1,750	2,000
132789	3.95	**Ledger Brace UBL-2 200/ 50**	1,820	2,000	500
132791	4.34	**Ledger Brace UBL-2 200/100**	2,016	2,000	1,000
132793	4.92	**Ledger Brace UBL-2 200/150**	2,305	2,000	1,500
132795	5.62	**Ledger Brace UBL-2 200/200**	2,658	2,000	2,000
132797	4.43	**Ledger Brace UBL-2 225/ 50**	2,062	2,250	500
132808	4.78	**Ledger Brace UBL-2 225/100**	2,236	2,250	1,000
132810	5.96	**Ledger Brace UBL-2 225/200**	2,829	2,250	2,000
132812	5.23	**Ledger Brace UBL-2 250/100**	2,462	2,500	1,000
132814	5.71	**Ledger Brace UBL-2 250/150**	2,705	2,500	1,500
132816	6.32	**Ledger Brace UBL-2 250/200**	3,010	2,500	2,000
132827	5.90	**Ledger Brace UBL-2 300/ 50**	2,795	3,000	500
132829	6.16	**Ledger Brace UBL-2 300/100**	2,926	3,000	1,000
132831	6.57	**Ledger Brace UBL-2 300/150**	3,133	3,000	1,500
132833	7.10	**Ledger Brace UBL-2 300/200**	3,400	3,000	2,000






		H-Braces UBH Flex	L	X	Y
114818	4.580	**H-Brace UBH Flex 100/100**	1335	1000	1000
114821	5.720	**H-Brace UBH Flex 150/100**	1725	1500	1000
114912	6.650	**H-Brace UBH Flex 150/150**	2042	1500	1500
114820	7.000	**H-Brace UBH Flex 200/100**	2161	2000	1000
124097	7.770	**H-Brace UBH Flex 200/150**	2422	2000	1500
114819	8.350	**H-Brace UBH Flex 250/100**	2620	2500	1000
124101	8.990	**H-Brace UBH Flex 250/150**	2838	2500	1500
114892	9.730	**H-Brace UBH Flex 300/100**	3092	3000	1000
124105	10.300	**H-Brace UBH Flex 300/150**	3279	3000	1500

For horizontal bracing of towers. Also useable underneath deckings UDI and UDG.







PERI UP Flex LGS 150 Weather Protection Roof Components

PERI

Item no.	Weight kg		X	perm. p [kN/m²]	max. p [kN/m²]
		Industrial Decks UDI 37.5			
111863	11.800	**Industrial Deck UDI 37.5 x 150**	1500	6.0	13.3
111865	18.500	**Industrial Deck UDI 37.5 x 250**	2500	4.5	7.5
111969	21.900	**Industrial Deck UDI 37.5 x 300**	3000	3.0	5.2


Mounted on Ledgers UH.






Item no.	Weight kg		L	X	Sticker
		Guardrails UPG			
100265	2.410	**Guardrail UPG 150**	1546	1500	
100267	4.020	**Guardrail UPG 250**	2546	2500	Red
100268	4.820	**Guardrail UPG 300**	3046	3000	Black


Note
Longitudinally-stamped and with coloured label for easier identification.






126489 18.600 **LGS Ridge Console URH**
For connection to Ridge Element and Ridge Bar to access the roof.

Complete with
1 pc. 126962 Collar Type Pin Ø 12 x 74, galv.
5 pc. 106031 Bolt Ø 16 x 70, galv.
6 pc. 018060 Cotter Pin 4/1, galv.







PERI UP Flex LGS 150 Weather Protection Roof Components


PERI


126466 10.100 **LGS Ridge Guardrail URH**







126490 14.200 **LGS Console URH**
For connection to Basic and Additional Element to access the roof.







126009 1.310 **LGS Keder Connector URV**
For mounting Keder Rails URK at scaffold components with Tube Ø 48.3 mm.






Item no.	Weight kg	
125166	0.674	**LGS Keder Connector URK** For mounting Keder Rails URK at LGS Elements.






126051	3.640	**LGS Ridge Rail URK 150** As transition of Keder sheetings over LGS Ridge Element URR.






		LGS Keder Rails URK
127501	3.530	**LGS Keder Rail URK 150**
127500	7.050	**LGS Keder Rail URK 300**
126071	14.100	**LGS Keder Rail URK 600**
		Rail for rolling up keder sheetings in scaffold constructions.







126491	3.370	**LGS Eave Rail URK** As transition of keder sheetings over the LGS Eave Element.







126487	1.150	**LGS Crank URG** For winding the keder sheetings onto the LGS Tarpaulin Reels URG.







Item no.	Weight kg	
126486	3.560	**LGS Reel Connector URG** For attaching LGS Tarpauling Reel URG on Eave Element URB to assemble the keder sheetings. **Complete with** 1 pc. 126924 Bolt ISO 4014 M12 x 130-8.8, galv. 1 pc. 710330 Nut ISO 4032 M12-8, galv. 1 pc. 106031 Bolt Ø 16 x 70, galv. 1 pc. 018060 Cotter Pin 4/1, galv.







		LGS Tarpaulin Reels URG
126484	10.500	**LGS Tarpaulin Reel URG 250**
126485	11.900	**LGS Tarpaulin Reel URG 300**
		For transportation and installation / removing of keder sheetings.






126488	1.250	**LGS Handle URG** Extension for LGS Tarpaulin Reel URG. **Complete with** 1 pc. 106031 Bolt Ø 16 x 70, galv. 1 pc. 018060 Cotter Pin 4/1, galv.







100719	0.060	**Bolt ISO 4014 M10 x 70-8.8 MU** As tension-proof connection of standards for suspended scaffolds or lattice girders.





Item no.	Weight kg	
710242	0.063	**Bolt ISO 4014 M10 x 100-8.8, galv.**





201021	0.222	**DW 15 Hex. Nut** For anchoring with Tie Rod DW 15 and B 15.

Technical Data
Permissible load 90 kN.





		Nuts ISO 7042-8, verz.
780356	0.011	**Nut ISO 7042 M10-8, galv.**
070890	0.030	**Nut ISO 7042 M16-8, galv.**
105032	0.070	**Nut ISO 7042 M24-8, galv.**
		Self-locking.


Note
Wrench size SW 16, 24, 36.





106031	0.142	**Bolt Ø 16 x 70, galv.**







018060	0.030	**Cotter Pin 4/1, galv.**







106191	0.438	**Bolt Ø 24 x 105, galv.**






Item no.	Weight kg	
127468	0.325	**Bolt Ø 24 x 55, galv.**






022230	0.033	**Cotter Pin 5/1, galv.**






118349	3.530	**Tension Belt PTB 12** Two parts.

Note
Consider information on the belt Label!
Technical Data
Total length 12 m, max. span 8 m.
Permissible tension force 2.5 t.





System Indep. Products, Safety Systems

513 GT 24 Formwork Girder
517 PROKIT EP 110
523 PROKIT EP 200
527 Combisafe Edge Protection
533 Construction Site Equipment
539 Accessories for Logistics
547 Plywood
553 Machines and Tools
558 Bolts, Nails, Pins
573 Accessories

Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX

GT 24 Formwork Girder

PERI


075100	Girder GT 24, l = 0.90 m	514
075120	Girder GT 24, l = 1.20 m	514
075150	Girder GT 24, l = 1.50 m	514
075180	Girder GT 24, l = 1.80 m	514
075210	Girder GT 24, l = 2.10 m	514
075240	Girder GT 24, l = 2.40 m	514
075270	Girder GT 24, l = 2.70 m	514
075300	Girder GT 24, l = 3.00 m	514
075330	Girder GT 24, l = 3.30 m	514
075360	Girder GT 24, l = 3.60 m	514
075390	Girder GT 24, l = 3.90 m	514
075420	Girder GT 24, l = 4.20 m	514
075450	Girder GT 24, l = 4.50 m	514
075480	Girder GT 24, l = 4.80 m	514
075510	Girder GT 24, l = 5.10 m	514
075540	Girder GT 24, l = 5.40 m	514
075570	Girder GT 24, l = 5.70 m	514
075600	Girder GT 24, l = 6.00 m	514


Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX


GT 24 Formwork Girder

PERI

Item no.	Weight kg	Girders GT 24	L
075100	5,300	**Girder GT 24, l = 0.90 m**	918
075120	7,100	**Girder GT 24, l = 1.20 m**	1214
075150	8,900	**Girder GT 24, l = 1.50 m**	1510
075180	10,600	**Girder GT 24, l = 1.80 m**	1806
075210	12,400	**Girder GT 24, l = 2.10 m**	2102
075240	14,200	**Girder GT 24, l = 2.40 m**	2398
075270	15,900	**Girder GT 24, l = 2.70 m**	2694
075300	17,700	**Girder GT 24, l = 3.00 m**	2990
075330	19,500	**Girder GT 24, l = 3.30 m**	3286
075360	21,200	**Girder GT 24, l = 3.60 m**	3582
075390	23,000	**Girder GT 24, l = 3.90 m**	3878
075420	24,800	**Girder GT 24, l = 4.20 m**	4174
075450	26,600	**Girder GT 24, l = 4.50 m**	4470
075480	28,300	**Girder GT 24, l = 4.80 m**	4766
075510	30,100	**Girder GT 24, l = 5.10 m**	5062
075540	31,900	**Girder GT 24, l = 5.40 m**	5358
075570	33,600	**Girder GT 24, l = 5.70 m**	5654
075600	35,400	**Girder GT 24, l = 6.00 m**	5950







PERI


Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX

PROKIT EP 110

117326	Side-Mesh-Barrier PMB 260	518
117327	Side-Mesh-Barrier PMB 130	518
117325	Post PP	518
117323	Slab Foot PDF	518
117324	Side Foot PSF	519
118660	Uni-Clamp PUC	519
126330	Sheet Piling Clamp PSC	519
118296	Post Increase PPE	520
118670	Front Guardrail Holder ADJ PFH	520
117020	Anchor Bolt PERI 14 x 150	520
123970	Screw-On Sleeve PERI M16/164	520
123973	Bolt ISO 4014 M16 x 130-8.8, galv.	521
123960	Pallet EP 110	521


Item no.	Weight kg		
117326	19,700	**Side-Mesh-Barrier PMB 260**	**Technical Data** Maximum distance with side-mesh-barrier: PMB 260 max. 2.40 m, PMB 130 max. 1.20 m.
117327	10,500	**Side-Mesh-Barrier PMB 130**	






117325	4,270	**Post PP** For the fixation of the Side-Mesh-Barriers.	**Technical Data** Maximum distance of posts with Side-Mesh-Barrier: PMB 260 max. 2.40 m, PMB 130 max. 1.20 m.





117323	1,530	**Slab Foot PDF** For assembly of a guardrail on or at edge slabs.	**Technical Data** Maximum distance of posts with Side-Mesh-Barrier: PMB 260 max. 2.40 m, PMB 130 max. 1.20 m.







Accessories

117020	0,213	**Anchor Bolt PERI 14 x 150**
117325	4,270	**Post PP**

Item no.	Weight kg		
117324	2,210	**Side Foot PSF** For assembly of a guardrail on or at walls and stairs.	**Technical Data** Maximum distance of posts with Side-Mesh-Barrier: PMB 260 max. 2.40 m, PMB 130 max. 1.20 m.







Accessories

117020	0,213	**Anchor Bolt PERI 14 x 150**
117325	4,270	**Post PP**

118660	6,610	**Uni-Clamp PUC** For the assembly of a guardrail on the front side of slabs or on railings.	**Technical Data** Maximum distance of posts with Side-Mesh-Barrier: PMB 260 max. 2.40 m, PMB 130 max. 1.20 m.







Accessories

117325	4,270	**Post PP**

126330	4,460	**Sheet Piling Clamp PSC** For assembly of a guardrail on sheet pillings.	






Accessories


117325	4,270	**Post PP**

PROKIT EP 110

PERI

Item no.	Weight kg	
118296	2,910	**Post Increase PPE** For increasing the guardrail to 1.75 m.






118670	5,040	**Front Guardrail Holder ADJ PFH** For mounting safety barriers to slab edges and stairs.

Note
Position of side protection adjustable.







Accessories

117020	0,213	**Anchor Bolt PERI 14 x 150**
117325	4,270	**Post PP**

117020	0,213	**Anchor Bolt PERI 14 x 150** Re-usable. Approval available.

Note
Separate design information on request.






123970	0,047	**Screw-On Sleeve PERI M16/164** For temporary mounting of components on reinforced concrete slabs.

Note
Inserted into the fresh concrete immediately after concreting.






Accessories


123973	0,240	**Bolt ISO 4014 M16 x 130-8.8, galv.**

PROKIT EP 110

PERI


Item no.	Weight kg	
123973	0,240	**Bolt ISO 4014 M16 x 130-8.8, galv.** For assembly of Slab Foots PDF in combination with Screw-On Sleeve PERI M16/164.






123960	70,500	**Pallet EP 110** For stacking and transportation of 25 Side-Mesh-Barriers PMB.

Complete with
1 pc. 117560 Lashing 25 x 2550
Note
Follow Instructions for Use!
Technical Data
Permissible load-bearing capacity 600 kg.







Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX

118350 Fold Mesh Room Height PFR 524
118408 Cable Tie PCT 524

Item no.	Weight kg	
118350	7,690	**Fold Mesh Room Height PFR** Need horizontal support.





118408	0,006	**Cable Tie PCT** For fixation of the barriers to the tension belts.

Technical Data
Black, uv-resistant.
Permissible load: 0.8 kN.





Combisafe Edge Protection


201830 Multi Clamp MK2 528
201834 Mesh Barrier Retaining Clip 528
201845 Skydeck handrail Post Adapter 528
201846 Timber Beam Foot 60mm 528
201847 Safety Post 1150 529
201849 Steel Mesh Barrier 2.6 x 1.15m 529
201850 Safety Post 1800 530
201857 Multi Foot 530


Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX

Combisafe Edge Protection

PERI

Item no.	Weight kg	
201830	8,300	**Multi Clamp MK2**






201834	0,001	**Mesh Barrier Retaining Clip**





201845	1,460	**Skydeck handrail Post Adapter**





201846	2,800	**Timber Beam Foot 60mm**






Combisafe Edge Protection


PERI


Item no.	Weight kg	
201847	1,800	**Safety Post 1150**





201849	19,500	**Steel Mesh Barrier 2.6 x 1.15m**






Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX


Combisafe Edge Protection


PERI

Item no.	Weight kg	
201850	2,800	**Safety Post 1800**



201857	1,500	**Multi Foot**





PERI


Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX


Construction Site Equipment

126299 Plastic Slab Stopend Angle 534
065062 Formwork Bracket-2 534
065039 Stopend Sleeve DW 15 534
065060 Plug for Stopend Sleeve DW 15 534
030740 Tie Rod B 15, Spec. Length 534
030050 Cutting Cost Tie Rod DW 15, B 15 534
030150 Tie Rod B 15, l = 0.30 m 534
201024 DW 15 Wingnut Counterplate 535
065040 Stopend Trestle 535
065042 Peg 535
116292 Guardrail Post HSGP-2 535
065066 End Guardrail Frame 55 536
201147 Release Agent PERI Clean, 25 l 536
201148 Release Agent PERI Clean, 205 l 536
118778 PERI Plasto Clean 20 l 537
118779 PERI Plasto Clean 208 l 537
201008 Release Agent Pressure Sprayer 537


Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX


Item no.	Weight kg		
126299	0,466	**Plastic Slab Stopend Angle**	**Note** See data sheet!





065062	9,810	**Formwork Bracket-2** For forming of small cantilevers up to 45 cm and vertical stopends up to 30 cm.	**Technical Data** Permissible load: see PERI Design Tables.






Accessories

116292	4,730	**Guardrail Post HSGP-2**

065039	0,075	**Stopend Sleeve DW 15** Anchoring for PERI stopend systems. With nailed plugs.	**Technical Data** Permissible load: see PERI Design Tables.





Accessories

065060	0,001	**Plug for Stopend Sleeve DW 15**

065060	0,001	**Plug for Stopend Sleeve DW 15** For closing the Stopend Sleeve DW 15.


		Tie Rods B 15	**Note**
030740	1,550	**Tie Rod B 15, Spec. Length**	Weldable! Take official approval into consideration!
030050	0,000	**Cutting Cost Tie Rod DW 15, B 15**	**Technical Data**
030150	0,420	**Tie Rod B 15, l = 0.30 m**	Permissible tension force 82 kN.







Item no.	Weight kg		
201024	0,799	**DW 15 Wingnut Counterplate** For anchoring with Tie Rod DW 15 and B 15.	**Technical Data** Permissible load 90 kN.





065040	6,820	**Stopend Trestle** For forming base slabs up to 60 cm thick.






Accessories


065042	1,030	**Peg**

065042	1,030	**Peg** For fixing the stopend trestle in the ground.





116292	4,730	**Guardrail Post HSGP-2** As guardrail for different systems.





Item no.	Weight kg	
065066	15,100	**End Guardrail Frame 55** Clampable end guardrail for all PERI scaffold platforms and climbing systems.






		PERI Clean
201147	0,920	**Release Agent PERI Clean, 25 l**
201148	0,920	**Release Agent PERI Clean, 205 l**

Chemical, physically-acting concrete release agent on the basis of mineral oil. Can be used on all standard types of formwork and construction equipment. Water Hazard Class 1 (WGK 1).


Note
See PERI Bio Clean safety data sheet.



Item no.	Weight kg	
		PERI Plasto Clean
118778	0,920	**PERI Plasto Clean 20 l**
118779	0,920	**PERI Plasto Clean 208 l**

Chemical, physically-acting concrete release agent on the basis of mineral oil. Can be used on all standard types of formwork, especially for plywood with plastic surface Water Hazard Class 1 (WGK 1).

Note
See PERI Bio Clean safety data sheet.



201008	4,700	**Release Agent Pressure Sprayer**

For spraying formwork surfaces evenly with PERI Clean or PERI Plasto Clean.



PERI

Accessories for Logistics

103434 Pallet RP-2 80 x 120, galv. 540
103429 Pallet RP-2 80 x 150, galv. 540
065067 Lid for Wire Crate Pallet 80 x 120, painted 540
106939 Pallet RP 110 x 125, painted 540
111396 Pallet RP 80 x 110, galv. 540
065015 Euro Flat Bed Pallet 80 x 120 541
061500 Pallet SD 150 x 75, galv. 541
126580 Pallet Handrail Unit SD 150 541
126630 Pallet Handrail Unit SD 75 542
061530 Pallet SD 150 x 225, galv. 542
123960 Pallet EP 110 543
115058 Stacking Device MAXIMO 543
066094 Stacking Device DOMINO DSR, galv. 543
118103 Stacking Device L MXA 544
118105 Stacking Device R MXA 544
118110 Stacking Device L MXI 544
118112 Stacking Device R MXI 544
118100 Stacking Device MX Flat for Shaft Corner MXSE 545
124554 Stacking Device TRIO Corner 545
128313 Stacking Device TRIO LI 545
128494 Stacking Device TRIO RE 545

PERI
Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX


Accessories for Logistics


PERI

Item no.	Weight kg	
		Pallets RP-2, galv.
103434	38,500	**Pallet RP-2 80 x 120, galv.**
103429	45,300	**Pallet RP-2 80 x 150, galv.**

For stacking and transportation of formwork and scaffolding components.

Note
Follow Instructions for Use!
Technical Data
Permissible load-bearing capacity 1.5 t.






065067	9,310	**Lid for Wire Crate Pallet 80 x 120, painted**

For closing Crate Pallets 80 x 120 or Hardware Boxes 80 x 120.







106939	20,100	**Pallet RP 110 x 125, painted**

For stacking and transportation of formwork and scaffold components.

Note
Follow Instructions for Use.
Technical Data
Permissible load-bearing capacity 750 kg.







111396	28,100	**Pallet RP 80 x 110, galv.**

For stacking GF 100 guardrails.

Complete with
4 pc. 111392 Extension GF 10
Note
Follow Instructions for Use!
Technical Data
Permissible load-bearing capacity 750 kg.







Accessories for Logistics

PERI

Item no.	Weight kg	
065015	28,000	**Euro Flat Bed Pallet 80 x 120**







061500	76,700	**Pallet SD 150 x 75, galv.**

For stacking and transportation of 14 SKYDECK Panels 150 x 75.

Note
Follow Instructions for Use!
Technical Data
Permissible load-bearing capacity 1.0 t.







126580	134,000	**Pallet Handrail Unit SD 150**

For stacking and transportation of 10 SKYDECK Handrail Units SD 150.

Note
Follow Instructions for Use!
Technical Data
Permissible load-bearing capacity 200 kg.







Accessories for Logistics


PERI


Item no.	Weight kg		
126630	123,000	**Pallet Handrail Unit SD 75** For stacking and transportation of 10 SKYDECK Handrail Units SD 75.	**Note** Follow Instructions for Use! **Technical Data** Permissible load-bearing capacity 150 kg.





061530	82,400	**Pallet SD 150 x 225, galv.** For stacking and transportation of 48 SKYDECK Panels 150 x 75.	**Complete with** 5 pc. 100707 Lashing 25 x 5750 mm **Note** Follow Instructions for Use! **Technical Data** Permissible load-bearing capacity 750 kg.







Accessories for Logistics


PERI


Item no.	Weight kg		
123960	70,500	**Pallet EP 110** For stacking and transportation of 25 Side-Mesh-Barriers PMB.	**Complete with** 1 pc. 117560 Lashing 25 x 2550 **Note** Follow Instructions for Use! **Technical Data** Permissible load-bearing capacity 600 kg.






115058	7,450	**Stacking Device MAXIMO** For stacking and transportation of 2 – 5 MAXIMO or TRIO Panels of all sizes. Suitable for crane and fork-lift transport.	**Note** Follow Instructions for Use! **Technical Data** Permissible load-bearing capacity 650 kg per post, 2.6 t per stack.





066094	8,040	**Stacking Device DOMINO DSR, galv.** For stacking and transportation of 2-8 DOMINO panels of all sizes. Suitable for crane and fork-lift transport. 4 pieces per stack.	**Note** Follow Instructions for Use! **Technical Data** Permissible load-bearing capacity 250 kg per piece, 1 t per stack.







Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX

Accessories for Logistics


PERI


Item no.	Weight kg	
118103	0,700	**Stacking Device L MXA**







118105	0,699	**Stacking Device R MXA**







118110	0,614	**Stacking Device L MXI**





118112	0,613	**Stacking Device R MXI**







Accessories for Logistics

PERI


Item no.	Weight kg	
118100	0,652	**Stacking Device MX Flat for Shaft Corner MXSE**







124554	0,386	**Stacking Device TRIO Corner**







128313	0,395	**Stacking Device TRIO LI**





128494	0,395	**Stacking Device TRIO RE**





Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX

Plywood


052460 Fin-Ply 30 mm 1250 x 3610 mm 548
052260 Fin-Ply 21 mm 1250 x 2500 mm 548
052060 Fin-Ply 21 mm 1500 x 2500 mm 548
052270 Fin-Ply 21 mm 1500 x 3000 mm 548
052065 Fin-Ply 21 mm 1500 x 3600 mm 548
052072 Fin-Ply 21 mm 2000 x 4000 mm 548
052240 Fin-Ply 18 mm 1500 x 3000 mm 548
052159 Fin-Ply 15 mm 1500 x 3000 mm 548
052150 Fin-Ply 12 mm 1500 x 3000 mm 548
052095 Fin-Ply 9 mm 1500 x 3000 mm 548
052823 Fin-Ply Maxi 20 mm 7500 x 2700 mm 548
052829 Fin-Ply Maxi 20 mm 5400 x 2000 mm 548
052261 Rus-Ply 21 mm 1250 x 2500 mm 548
052271 Rus-Ply 21 mm 1500 x 3000 mm 548
052824 PERI Birch 21 mm 625 x 2500 mm 549
052820 PERI Birch 21 mm 1250 x 2500 mm 549
052806 PERI Birch 21 mm 1500 x 3000 mm 549
052080 PERI Spruce 400 / 21 mm 2500 x 1250 mm 549
052020 Plywood 8 mm 2500 x 1250 mm 549
052010 Plywood 4 mm 2500 x 1250 mm 549
050824 Plywood 2.4 mm 2500 x 1250 mm 549
052622 Chinese Coated Ply 21 mm 1250 x 2500 mm 550
052624 Chinese Coated Ply 21 mm 500 x 2500 mm 550
052837 PERI Pine 21 mm 2500 x 1250 mm 550
050806 PINE Premium 21 mm 2500 x 1250 550
050190 3-Ply Panel 21 mm 2000 x 1000 mm (yellow) 551
050040 3-Ply Panel 21 mm 2500 x 1000 mm (yellow) 551
050200 3-Ply Panel 21 mm 3000 x 1000 mm (yellow) 551
050030 3-Ply Panel 21 mm 5000 x 1000 mm (yellow) 551
052590 3-Ply Panel 21 mm 2500 x 1500 mm (yellow) 551
052380 3-Ply Panel 21 mm 5000 x 2000 mm (yellow) 551
050070 3-Ply Panel 21 mm 1500 x 500 mm (red/yell) 551
050080 3-Ply Panel 21 mm 2000 x 500 mm (red/yell) 551
050000 3-Ply Panel 21 mm 2500 x 500 mm (red/yell) 551
052828 FinNa-Ply 21 mm 2500 x 1250 mm 551
052800 Conifer Plywood 20 mm 2500 x 1250 mm 551

Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX


Plywood

PERI


Item no.	Weight kg		
		Fin-Ply 30, 21, 18, 15, 12, 9 mm	**Note**
052460	20,999	**Fin-Ply 30 mm 1250 x 3610 mm**	Cross-bonded birch veneers. Coated with 220 g/m² reinforced phenolic resin on both sides. Edges sealed all round. BFU 100 bonding according to DIN 68705, T.3 and DIN EN 314-2.
052260	14,900	**Fin-Ply 21 mm 1250 x 2500 mm**	
052060	14,900	**Fin-Ply 21 mm 1500 x 2500 mm**	
052270	14,900	**Fin-Ply 21 mm 1500 x 3000 mm**	
052065	14,910	**Fin-Ply 21 mm 1500 x 3600 mm**	
052072	14,900	**Fin-Ply 21 mm 2000 x 4000 mm**	
052240	12,700	**Fin-Ply 18 mm 1500 x 3000 mm**	
052159	10,500	**Fin-Ply 15 mm 1500 x 3000 mm**	
052150	8,800	**Fin-Ply 12 mm 1500 x 3000 mm**	
052095	6,650	**Fin-Ply 9 mm 1500 x 3000 mm**	
		High-grade coated plywood to meet the highest requirements.	



		Fin-Ply Maxi 20 mm	**Note**
052823	15,832	**Fin-Ply Maxi 20 mm 7500 x 2700 mm**	15 cross-bonded birch veneers. Coated with 540 g/m² (7.50 x 2.70 m) or 540/220 g/m² (5.40 x 2.00 m) reinforced phenolic resin 540 g/m² on both sides. Edges sealed all round. BFU 100 bonding according to DIN 68705, T.3 and DIN EN 314-2.
052829	15,278	**Fin-Ply Maxi 20 mm 5400 x 2000 mm**	
		High-grade fair-faced concrete plywood for high-quality surfaces free of joints.	



		Rus-Ply 21 mm	**Note**
052261	14,900	**Rus-Ply 21 mm 1250 x 2500 mm**	Cross-bonded birch veneers. Coated with 220 g/m² reinforced phenolic resin on both sides. Edges sealed all round. BFU 100 bonding according to DIN 68705, T.3 and DIN EN 314-2.
052271	14,900	**Rus-Ply 21 mm 1500 x 3000 mm**	
		Coated plywood for smooth concrete surfaces.	




Plywood

PERI


Item no.	Weight kg		
		PERI Birch 21 mm	**Note**
052824	14,800	**PERI Birch 21 mm 625 x 2500 mm**	Combination mirror plywood from Finland. 11 alternate veneers of birch and spruce with birch face veneers. Phenolic resin coating 120 g/m² on both sides. Edges sealed all round. BFU 100 bonding according to DIN 68705, T.3 and DIN EN 314-2.
052820	14,800	**PERI Birch 21 mm 1250 x 2500 mm**	
052806	14,700	**PERI Birch 21 mm 1500 x 3000 mm**	
		Coated plywood for smooth concrete surfaces.	



052080	10,400	**PERI Spruce 400 / 21 mm 2500 x 1250 mm**	**Note** Combination mirror plywood from Finland. 11 alternate veneers of birch and spruce with birch face veneers. Phenolic resin coating 120 g/m² on both sides. Edges sealed all round. BFU 100 bonding according to DIN 68705, T.3 and DIN EN 314-2.



		Plywood 8, 4, 2.4 mm	**Note**
052020	5,216	**Plywood 8 mm 2500 x 1250 mm**	Hardwood, 3 or 5 veneers. Phenolic resin coating 120 g/m² on both sides. Edges sealed all round.
052010	2,608	**Plywood 4 mm 2500 x 1250 mm**	
050824	1,584	**Plywood 2.4 mm 2500 x 1250 mm**	
		Coated plywood for smooth concrete surfaces.	




Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX


Plywood

PERI


Item no.	Weight kg		
		Chinese Coated Ply 21 mm	**Note**
052622	11,200	**Chinese Coated Ply 21 mm 1250 x 2500 mm**	13-15 poplar veneers coated on both sides with 120 g/m² phenolic resin. Edges sealed all round.
052624	11,200	**Chinese Coated Ply 21 mm 500 x 2500 mm**	
		Inexpensive coated plywood for slab areas.	



052837	10,950	**PERI Pine 21 mm 2500 x 1250 mm**	**Note** 9 cross - bonded veneers of Nordic coniferous wood. Phenolic resin coating. 400 g/m² on both sides. Edges sealed all round. BFU 100 bonding according to DIN 68705T.3 and DIN EN 314-2.



050806	10,920	**PINE Premium 21 mm 2500 x 1250**	**Note** 7 cross - bonded veneers of Nordic coniferous wood. Coated with 335 g/m² reinforced phenolic resin on both sides. Edges sealed all round.




Plywood

PERI

Item no.	Weight kg		
		3-Ply Panel 21 mm	**Note**
050190	9,500	**3-Ply Panel 21 mm 2000 x 1000 mm (yellow)**	3 x 7 mm cross-bonded spruce layers, can also be supplied with a middle layer of staves. Edges sealed all round.
050040	9,500	**3-Ply Panel 21 mm 2500 x 1000 mm (yellow)**	
050200	9,500	**3-Ply Panel 21 mm 3000 x 1000 mm (yellow)**	
050030	9,500	**3-Ply Panel 21 mm 5000 x 1000 mm (yellow)**	
052590	9,500	**3-Ply Panel 21 mm 2500 x 1500 mm (yellow)**	
052380	9,500	**3-Ply Panel 21 mm 5000 x 2000 mm (yellow)**	
		Large-area plywood formlining with yellow melamine resin coating.	



		3-Ply Panel 21 mm	**Note**
050070	9,500	**3-Ply Panel 21 mm 1500 x 500 mm (red/yell)**	E-profile steel edge for front side protection available on request.
050080	9,080	**3-Ply Panel 21 mm 2000 x 500 mm (red/yell)**	
050000	9,456	**3-Ply Panel 21 mm 2500 x 500 mm (red/yell)**	
		Easy-to-handle plywood formlining with red or yellow melamine resin coating.	




		Raw Plywood 20, 21 mm	**Note**
052828	9,350	**FinNa-Ply 21 mm 2500 x 1250 mm**	5 to 7 veneers of coniferous wood, sanded on both sides and sealed on one side.
052800	10,400	**Conifer Plywood 20 mm 2500 x 1250 mm**	
		High-grade shuttering plywood.	




Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX


031070 Tie Rod Wrench 15, galv. 554
031050 Tie Rod Wrench 20, galv. 554
108129 Tie Rod Spanner DW 15 554
031655 DK Cone Remover UNI 554
114290 Tie Rod Spanner MX-2 555
126696 Magnet Cone Spanner MX 15 / MX 18 555
031644 DK Tong for Concrete Cone 58 555
031656 SK Tong for Concrete Cone 67 555
031657 SK Tong for Concrete Cone 100 555
101995 Concrete Cone Gauge 555
110634 Cone Spanner TRH 556
027210 Spanner SW 80, for SB 556
027213 Spanner SW 70, for SB 556
027211 Spanner SW 46, for SB 556
027180 Ratchet Lever SW 19 556
027200 Insert Socket SW 19 556
070740 Erection Bar GT/VT, galv. 557
027212 Allen Key SW 14, long 557
021790 Ratchet Spanner SW 24 "Combi" 557
031480 Socket Wrench SW 36, chrome-plated 557
125337 Extraction Tool MX Sealing 557


Item no.	Weight kg	
031070	1,260	**Tie Rod Wrench 15, galv.** For easy handling of Tie Rod DW 15.







031050	1,780	**Tie Rod Wrench 20, galv.** For easy handling of Tie Rod DW 20.







108129	3,480	**Tie Rod Spanner DW 15** For Wingnut Counterplate DW 15, Wingnut Pivot Plate DW 15 and Wingnut DW 15.






031655	0,940	**DK Cone Remover UNI** For removing DK Sealing Cones.







Item no.	Weight kg	
114290	2,100	**Tie Rod Spanner MX-2** For easy release of the Tie MX.







126696	1,220	**Magnet Cone Spanner MX 15 / MX 18** For dismantling of Magnet Cone MX 15 and MX 18.







		DK, SK Tongs for Concrete Cones
031644	0,588	**DK Tong for Concrete Cone 58**
031656	0,600	**SK Tong for Concrete Cone 67**
031657	0,660	**SK Tong for Concrete Cone 100**
		For holding DK, SK or KK Concrete Cones with corresponding diameter during installation.







101995	1,020	**Concrete Cone Gauge** Installation of concrete cones flush with the surface.






Item no.	Weight kg	
110634	0,383	**Cone Spanner TRH** For removing Sealing Cone TRH 55.







		Spanners SW for SB	L
027210	3,300	**Spanner SW 80, for SB**	645
027213	2,300	**Spanner SW 70, for SB**	570
027211	0,760	**Spanner SW 46, for SB**	380


For different applications.





027180	1,760	**Ratchet Lever SW 19** For operation of the adjusting unit and of the carriage with drive shaft SW 19.







Accessories

027200	0,100	**Insert Socket SW 19**

027200	0,100	**Insert Socket SW 19**


Item no.	Weight kg	
070740	2,980	**Erection Bar GT/VT, galv.** For shuttering of MULTIFLEX with GT 24 or VT 20 Girders.






027212	0,445	**Allen Key SW 14, long** Fits to PERI Anchor Positioning Studs and Allen Key Bolts M16.







021790	1,000	**Ratchet Spanner SW 24 "Combi"** For adjusting RUNDFLEX Panels and Cantilevered Parapet Platform GKB.	**Note** Length approx. 500 mm.





031480	2,460	**Socket Wrench SW 36, chrome-plated** For various purposes.





125337	1,390	**Extraction Tool MX Sealing** For remove of the Sealing MX 15 and MX 18.






710284 Bolt ISO 4014 M8 x 60-8.8, galv. 560
710285 Bolt ISO 4014 M8 x 100-8.8, galv. 560
722859 Bolt ISO 4014 M8 x 140-8.8, galv. 560
104929 Bolt ISO 4014 M8 x 150-8.8, galv. 560
103518 Bolt ISO 4014 M8 x 190-8.8, galv. 560
710593 Bolt ISO 4014 M10 x 80-8.8, galv. 560
710242 Bolt ISO 4014 M10 x 100-8.8, galv. 560
721817 Bolt ISO 4014 M10 x 50-8.8, galv. 560
710221 Bolt ISO 4014 M12 x 60-8.8, galv. 560
720610 Bolt ISO 4014 M12 x 70-8.8, galv. 560
710220 Bolt ISO 4014 M12 x 80-8.8, galv. 560
750330 Bolt ISO 4014 M12 x 100-8.8, galv. 560
710299 Bolt ISO 4014 M16 x 60-8.8, galv. 560
714093 Bolt ISO 4014 M16 x 70-8.8, galv. 560
710222 Bolt ISO 4014 M16 x 80-8.8, galv. 560
721729 Bolt ISO 4014 M16 x 90-8.8, galv. 560
710219 Bolt ISO 4014 M16 x 100-8.8, galv. 560
710233 Bolt ISO 4014 M16 x 110-8.8, galv. 560
105402 Bolt ISO 4014 M16 x 120-8.8, galv. 560
710232 Bolt ISO 4014 M16 x 130-8.8, galv. 560
722169 Bolt ISO 4014 M16 x 140-8.8, galv. 560
780155 Bolt ISO 4014 M16 x 160-8.8, galv. 560
024900 Bolt ISO 4014 M20 x 80-8.8, galv. 560
710226 Bolt ISO 4014 M20 x 90-8.8, galv. 560
024910 Bolt ISO 4014 M20 x 100-8.8, galv. 560
104477 Bolt ISO 4014 M20 x 120-8.8, galv. 560
711078 Bolt ISO 4014 M20 x 130-8.8, galv. 560
781054 Bolt ISO 4014 M20 x 160-8.8, galv. 560
706462 Bolt ISO 4014 M20 x 200-8.8, galv. 560
109612 Bolt ISO 4014 M24 x 130-8.8, galv. 560
113686 Bolt ISO 4014 M24 x 200-8.8, galv. 560
026430 Bolt ISO 4014 M24 x 70-10.9, glav. 560
026220 Bolt ISO 4014 M24 x 80-10.9, galv. 560
029560 Bolt ISO 4014 M24 x 120-10.9, galv. 560
106797 Bolt ISO 4014 M24 x 220-10.9, galv. 560
029540 Bolt ISO 4014 M30 x 130-10.9, galv. 560
029550 Bolt ISO 4014 M36 x 130-10.9, galv. 560
780353 Bolt ISO 4016 M8 x 25-4.6 MU, galv. 561
035440 Bolt ISO 4016 M12 x 40-4.6 MU, galv. 561
070100 Bolt ISO 4016 M12 x 120-4.6 MU, galv. 561
018330 Bolt ISO 4016 M12 x 140-4.6 MU, galv. 561
027340 Bolt ISO 4016 M12 x 180-4.6 MU, galv. 561
018320 Bolt ISO 4016 M16 x 140-4.6 MU, galv. 561
018350 Bolt ISO 4016 M16 x 160-4.6 MU, galv. 561
103740 Bolt ISO 4016 M16 x 280-4.6 MU, galv. 561
710266 Bolt ISO 4017 M12 x 25-8.8, galv. 561
102120 Bolt ISO 4017 M12 x 30-8.8, galv. 561
710224 Bolt ISO 4017 M12 x 40-8.8, galv. 561
110598 Bolt ISO 4017 M12 x 140-8.8, galv. 561
110599 Bolt ISO 4017 M12 x 240-8.8, galv. 561
710231 Bolt ISO 4017 M16 x 30-8.8, galv. 561
710225 Bolt ISO 4017 M16 x 45-8.8, galv. 561
710252 Bolt ISO 4017 M16 x 50-8.8, galv. 561
706458 Bolt ISO 4017 M20 x 40-8.8, galv. 561
780357 Bolt ISO 4017 M20 x 50-8.8, galv. 561
114727 Bolt ISO 4017 M20 x 100-8.8, galv. 561
029420 Bolt ISO 4017 M30 x 70-8.8, galv. 561
029430 Bolt ISO 4017 M36 x 70-8.8, galv. 561
104278 Cyl. Bolt ISO 4762 M12 x 60-8.8, galv. 561
104528 Cyl. Bolt ISO 4762 M12 x 90-8.8, galv. 561
113007 Cyl. Bolt ISO 4762 M30 x 70-8.8, galv. 561
026290 Bolt ISO 4017 M24 x 50-10.9, galv. 562
061230 Bolt EN 14399-4 M12 x 140-10.9 562
711060 Eye Bolt M20, left, galv. 562
110281 Eye Bolt M20, right, galv 562
024090 Nut ISO 4032 M8-8, galv. 562
710234 Nut ISO 4032 M10-8, galv. 562
710330 Nut ISO 4032 M12-8, galv. 562
710229 Nut ISO 4032 M16-8, galv. 562
710334 Nut ISO 4032 M20-8, galv. 562
022250 Nut ISO 4032 M24-8, galv. 562
710238 Nut ISO 4032 M16-10, galv. 562
706488 Nut ISO 4032 M24-10, galv. 562
710336 Nut ISO 4032 M30-10, galv. 562
722086 Nut ISO 7042 M6-8, galv. 563
711071 Nut ISO 7042 M8-8, galv. 563
780356 Nut ISO 7042 M10-8, galv. 563
710381 Nut ISO 7042 M12-8, galv. 563
070890 Nut ISO 7042 M16-8, galv. 563
781053 Nut ISO 7042 M20-8, galv. 563
105032 Nut ISO 7042 M24-8, galv. 563
750350 Washer ISO 7093-1 200 HV, A 12, galv. 563
710886 Washer ISO 7093-1 200 HV, A 16, galv. 563
780354 Washer ISO 7089 200 HV, A 8, galv. 563
780702 Washer ISO 7089 200 HV, A 12, galv. 563
725574 Washer ISO 7089 200 HV, A 14, galv. 563
711074 Washer ISO 7089 200 HV, A 16, galv. 563
706454 Washer ISO 7089 200 HV, A 20, galv. 563
710874 Washer ISO 7089 200 HV, A 24, galv. 563
113347 Washer ISO 7094 100 HV A 8, galv. 563
113348 Washer ISO 7094 100 HV A 12, galv. 563
113349 Washer ISO 7094 A16-100HV, galv. 563


113350 Washer ISO 7094 100 HV A 20, galv. 563
710880 Washer DIN 434 18, galv. 564
710139 Washer R11 DIN 440, galv. 564
112815 Clamping Plate M16 Nova Grip 564
115145 Clamping Plate M16 Nova Grip 564
029440 Lag Screw DIN 571 6 x 20, galv. 564
051640 Lag Screw DIN 571 6 x 80, galv. 564
024270 Lag Screw DIN 571 8 x 60, galv. 564
024260 Lag Screw DIN 571 8 x 80, galv. 564
024490 Lag Screw DIN 571 8 x 100, galv. 564
024500 Lag Screw DIN 571 8 x 130, galv. 564
024510 Lag Screw DIN 571 8 x 140, galv. 564
024520 Lag Screw DIN 571 8 x 160, galv. 564
024540 TSS-Torx 6 x 40, galv. 565
024470 TSS-Torx 6 x 60, galv. 565
024690 TSS-Torx 6 x 80, galv. 565
103444 TSS-Torx 8 x 38, galv. 565
104892 TSS-Torx 8 x 44, galv. 565
104647 TSS-Torx 8 x 58, galv. 565
103443 TSS-Torx 8 x 78, galv. 565
110272 TSS-Torx 6 x 60, ZKS, galv. 565
710262 Screw ISO 15482 5.5x45 TX 30, galv. 565
024550 Spax Screw TX 30 8 x 20, yellow galv. 566
024950 Spax Screw TX 30 6 x 100, yellow galv. 566
024960 Spax Screw TX 30 6 x 120, yellow galv. 566
024970 Spax Screw TX 30 6 x 140, yellow galv. 566
024980 Spax Screw TX 30 6 x 160, yellow galv. 566
024990 Spax Screw TX 30 6 x 180, yellow galv. 566
024530 Screwnail 40 mm, galv. 566
024310 Screwnail 70 mm, galv. 566
024350 Screwnail 90 mm, galv. 566
018280 Double Head Nail, l = 65 mm 566
021770 Selftapping Screw 6.3 x 32, galv. 566
722083 Rivet DIN 7337 A 4.8 x 23, Alu 566
780304 Rivet DIN 7337 A 5 x 12, Alu 566
722318 Rivet DIN 7337 A 6 x 10, Steel 566
780305 Rivet DIN 7337 B 5 x 20, GAV 566
780302 Rivet DIN 7337 B 5 x 25, Alu 566
730050 Rivet DIN 7337 B 5 x 30, Alu 566
051650 F.H. Bolt DIN 603 M6 x 180 MU, galv. 567
710295 F.H. Bolt DIN 603 M8 x 45 MU, galv. 567
710326 F.H. Bolt DIN 603 M8 x 60 MU, galv. 567
710709 F.H. Bolt DIN 603 M8 x 65 MU, galv. 567
024140 F.H. Bolt DIN 603 M8 x 70 MU, galv. 567
723439 F.H. Bolt DIN 603 M8 x 80 MU, galv. 567
750076 F.H. Bolt DIN 603 M8 x 90 MU, galv. 567
710240 F.H. Bolt DIN 603 M8 x 100 MU, galv. 567
024360 F.H. Bolt DIN 603 M8 x 125 MU, galv. 567
725462 F.H. Bolt DIN 603 M8 x 140 MU, galv. 567
024380 F.H. Bolt DIN 603 M8 x 160 MU, galv. 567
024390 F.H. Bolt DIN 603 M8 x 200 MU, galv. 567
024410 F.H. Bolt DIN 603 M8 x 250 MU, galv. 567
027990 Bolt Ø 14 x 107, galv. 567
027170 Pin Ø 16 x 42, galv. 567
018050 Pin Ø 16 x 65/86, galv. 568
027690 Bolt SB-TRIO/DOMINO, galv. 568
105400 Pin Ø 20 x 140, galv. 568
107579 Pin Ø 25 x 154, galv. 568
026200 Bolt Ø 25 x 160, KG, galv. 569
105435 Bolt Ø 50 x 330 569
104031 Fitting Pin Ø 21 x 120 569
111567 Fitting Pin Ø 26 x 120 569
037160 Bolt Ø 20 x 205, galv. 570
113012 Pin Ø 20 x 260, galv. 570
715585 Pin Ø 25 x 240, SKS, galv. 570
113247 Pin Ø 25 x 260, mont. 570
022210 Pin for GRB, galv. 571
022230 Cotter Pin 5/1, galv. 571
018060 Cotter Pin 4/1, galv. 571
710618 Cotter Pin 8, galv. 571
710304 Cotter Pin 7, galv. 571
711063 Dowel Pin Ø 5 x 35 571
722457 Dowel Pin Ø 10 x 70, galv. 571

Item no.	Weight kg	Bolts ISO 4014-8.8, galv.	L
710284	0,031	**Bolt ISO 4014 M8 x 60-8.8, galv.**	60
710285	0,050	**Bolt ISO 4014 M8 x 100-8.8, galv.**	100
722859	0,066	**Bolt ISO 4014 M8 x 140-8.8, galv.**	140
104929	0,050	**Bolt ISO 4014 M8 x 150-8.8, galv.**	150
103518	0,060	**Bolt ISO 4014 M8 x 190-8.8, galv.**	190
710593	0,062	**Bolt ISO 4014 M10 x 80-8.8, galv.**	80
710242	0,063	**Bolt ISO 4014 M10 x 100-8.8, galv.**	100
721817	0,040	**Bolt ISO 4014 M10 x 50-8.8, galv.**	50
710221	0,067	**Bolt ISO 4014 M12 x 60-8.8, galv.**	60
720610	0,075	**Bolt ISO 4014 M12 x 70-8.8, galv.**	70
710220	0,087	**Bolt ISO 4014 M12 x 80-8.8, galv.**	80
750330	0,100	**Bolt ISO 4014 M12 x 100-8.8, galv.**	100
710299	0,123	**Bolt ISO 4014 M16 x 60-8.8, galv.**	60
714093	0,139	**Bolt ISO 4014 M16 x 70-8.8, galv.**	70
710222	0,160	**Bolt ISO 4014 M16 x 80-8.8, galv.**	80
721729	0,170	**Bolt ISO 4014 M16 x 90-8.8, galv.**	90
710219	0,184	**Bolt ISO 4014 M16 x 100-8.8, galv.**	100
710233	0,200	**Bolt ISO 4014 M16 x 110-8.8, galv.**	110
105402	0,200	**Bolt ISO 4014 M16 x 120-8.8, galv.**	120
710232	0,210	**Bolt ISO 4014 M16 x 130-8.8, galv.**	130
722169	0,246	**Bolt ISO 4014 M16 x 140-8.8, galv.**	140
780155	0,278	**Bolt ISO 4014 M16 x 160-8.8, galv.**	160
024900	0,255	**Bolt ISO 4014 M20 x 80-8.8, galv.**	80
710226	0,340	**Bolt ISO 4014 M20 x 90-8.8, galv.**	90
024910	0,303	**Bolt ISO 4014 M20 x 100-8.8, galv.**	100
104477	0,300	**Bolt ISO 4014 M20 x 120-8.8, galv.**	120
711078	0,360	**Bolt ISO 4014 M20 x 130-8.8, galv.**	130
781054	0,447	**Bolt ISO 4014 M20 x 160-8.8, galv.**	160
706462	0,545	**Bolt ISO 4014 M20 x 200-8.8, galv.**	200
109612	0,600	**Bolt ISO 4014 M24 x 130-8.8, galv.**	130
113686	0,839	**Bolt ISO 4014 M24 x 200-8.8, galv.**	200







		Bolts ISO 4014, galv.	L
026430	0,334	**Bolt ISO 4014 M24 x 70-10.9, glav.**	70
026220	0,360	**Bolt ISO 4014 M24 x 80-10.9, galv.**	80
029560	0,535	**Bolt ISO 4014 M24 x 120-10.9, galv.**	120
106797	0,870	**Bolt ISO 4014 M24 x 220-10.9, galv.**	220
029540	0,920	**Bolt ISO 4014 M30 x 130-10.9, galv.**	130
029550	1,400	**Bolt ISO 4014 M36 x 130-10.9, galv.**	130
		High-strength bolt for anchoring climbing systems.	







Item no.	Weight kg	Bolts ISO 4016-4.6, MU, galv.	L
780353	0,022	**Bolt ISO 4016 M8 x 25-4.6 MU, galv.**	25
035440	0,060	**Bolt ISO 4016 M12 x 40-4.6 MU, galv.**	40
070100	0,132	**Bolt ISO 4016 M12 x 120-4.6 MU, galv.**	120
018330	0,140	**Bolt ISO 4016 M12 x 140-4.6 MU, galv.**	140
027340	0,180	**Bolt ISO 4016 M12 x 180-4.6 MU, galv.**	180
018320	0,276	**Bolt ISO 4016 M16 x 140-4.6 MU, galv.**	140
018350	0,310	**Bolt ISO 4016 M16 x 160-4.6 MU, galv.**	160
103740	0,480	**Bolt ISO 4016 M16 x 280-4.6 MU, galv.**	280







		Bolts ISO 4017-8.8, galv.	L
710266	0,037	**Bolt ISO 4017 M12 x 25-8.8, galv.**	25
102120	0,030	**Bolt ISO 4017 M12 x 30-8.8, galv.**	30
710224	0,047	**Bolt ISO 4017 M12 x 40-8.8, galv.**	40
110598	0,142	**Bolt ISO 4017 M12 x 140-8.8, galv.**	140
110599	0,242	**Bolt ISO 4017 M12 x 240-8.8, galv.**	240
710231	0,077	**Bolt ISO 4017 M16 x 30-8.8, galv.**	30
710225	0,097	**Bolt ISO 4017 M16 x 45-8.8, galv.**	45
710252	0,100	**Bolt ISO 4017 M16 x 50-8.8, galv.**	50
706458	0,157	**Bolt ISO 4017 M20 x 40-8.8, galv.**	40
780357	0,178	**Bolt ISO 4017 M20 x 50-8.8, galv.**	50
114727	0,321	**Bolt ISO 4017 M20 x 100-8.8, galv.**	100
029420	0,590	**Bolt ISO 4017 M30 x 70-8.8, galv.**	70
029430	0,930	**Bolt ISO 4017 M36 x 70-8.8, galv.**	70
		With a continuous thread.	





		Cyl. Bolts ISO 4762-8.8, galv.	L
104278	0,067	**Cyl. Bolt ISO 4762 M12 x 60-8.8, galv.**	60
104528	0,089	**Cyl. Bolt ISO 4762 M12 x 90-8.8, galv.**	90
113007	0,700	**Cyl. Bolt ISO 4762 M30 x 70-8.8, galv.**	70






Bolts, Nails, Pins


PERI


Item no.	Weight kg	
026290	0,280	**Bolt ISO 4017 M24 x 50-10.9, galv.** High-strength bolt for scaffold anchoring.







061230	0,142	**Bolt EN 14399-4 M12 x 140-10.9**






		Eye Bolts M20, galv.
711060	0,418	**Eye Bolt M20, left, galv.**
110281	0,418	**Eye Bolt M20, right, galv.**
		Only for the intended use at PERI System Components.





		Nuts ISO 4032, galv.
024090	0,005	**Nut ISO 4032 M8-8, galv.**
710234	0,010	**Nut ISO 4032 M10-8, galv.**
710330	0,017	**Nut ISO 4032 M12-8, galv.**
710229	0,033	**Nut ISO 4032 M16-8, galv.**
710334	0,064	**Nut ISO 4032 M20-8, galv.**
022250	0,100	**Nut ISO 4032 M24-8, galv.**





		Nuts ISO 4032, galv.
710238	0,033	**Nut ISO 4032 M16-10, galv.**
706488	0,110	**Nut ISO 4032 M24-10, galv.**
710336	0,220	**Nut ISO 4032 M30-10, galv.**





Bolts, Nails, Pins

PERI

Item no.	Weight kg	
		Nuts ISO 7042, galv.
722086	0,001	**Nut ISO 7042 M6-8, galv.**
711071	0,004	**Nut ISO 7042 M8-8, galv.**
780356	0,011	**Nut ISO 7042 M10-8, galv.**
710381	0,017	**Nut ISO 7042 M12-8, galv.**
070890	0,030	**Nut ISO 7042 M16-8, galv.**
781053	0,065	**Nut ISO 7042 M20-8, galv.**
105032	0,070	**Nut ISO 7042 M24-8, galv.**



		Washers ISO 7093-1 200 HV, galv.
750350	0,027	**Washer ISO 7093-1 200 HV, A 12, galv.**
710886	0,041	**Washer ISO 7093-1 200 HV, A 16, galv.**
		Corresponds to old standard DIN 9021. With large supporting area.



		Washers ISO 7089 200 HV, galv.
780354	0,002	**Washer ISO 7089 200 HV, A 8, galv.**
780702	0,006	**Washer ISO 7089 200 HV, A 12, galv.**
725574	0,009	**Washer ISO 7089 200 HV, A 14, galv.**
711074	0,011	**Washer ISO 7089 200 HV, A 16, galv.**
706454	0,017	**Washer ISO 7089 200 HV, A 20, galv.**
710874	0,032	**Washer ISO 7089 200 HV, A 24, galv.**



		Washers ISO 7094 100 HV, galv.
113347	0,013	**Washer ISO 7094 100 HV A 8, galv.**
113348	0,043	**Washer ISO 7094 100 HV A 12, galv.**
113349	0,087	**Washer ISO 7094 A16-100HV, galv.**
113350	0,174	**Washer ISO 7094 100 HV A 20, galv.**





Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX

Bolts, Nails, Pins

PERI


Item no.	Weight kg	
710880	0,032	**Washer DIN 434 18, galv.**






710139	0,019	**Washer R11 DIN 440, galv.**







		Clamping Plates Nova Grip
112815	0,290	**Clamping Plate M16 Nova Grip**
115145	0,550	**Clamping Plate M16 Nova Grip**





		Lag Screws DIN 571, galv.	**L**
029440	0,005	**Lag Screw DIN 571 6 x 20, galv.**	20
051640	0,014	**Lag Screw DIN 571 6 x 80, galv.**	80
024270	0,023	**Lag Screw DIN 571 8 x 60, galv.**	60
024260	0,027	**Lag Screw DIN 571 8 x 80, galv.**	80
024490	0,032	**Lag Screw DIN 571 8 x 100, galv.**	100
024500	0,044	**Lag Screw DIN 571 8 x 130, galv.**	130
024510	0,047	**Lag Screw DIN 571 8 x 140, galv.**	140
024520	0,052	**Lag Screw DIN 571 8 x 160, galv.**	160







PERI

Item no.	Weight kg		
		TSS-Torx, galv.	**L**
024540	0,005	**TSS-Torx 6 x 40, galv.**	40
024470	0,008	**TSS-Torx 6 x 60, galv.**	60
024690	0,008	**TSS-Torx 6 x 80, galv.**	80


For Torx Bits TX 30. Self-drilling.






		TSS-Torx, galv.	**L**
103444	0,009	**TSS-Torx 8 x 38, galv.**	38
104892	0,011	**TSS-Torx 8 x 44, galv.**	44
104647	0,015	**TSS-Torx 8 x 58, galv.**	58
103443	0,020	**TSS-Torx 8 x 78, galv.**	78

For Torx Bits TX 30. Self-drilling.







110272	0,006	**TSS-Torx 6 x 60, ZKS, galv.**


For Torx Blade TX 30. Self-drilling.





710262	0,007	**Screw ISO 15482 5.5x45 TX 30, galv.**





Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX


Bolts, Nails, Pins

PERI

Item no.	Weight kg		
		Spax Screws TX 30, yellow galv.	**L**
024550	0,005	**Spax Screw TX 30 8 x 20, yellow galv.**	20
024950	0,012	**Spax Screw TX 30 6 x 100, yellow galv.**	100
024960	0,015	**Spax Screw TX 30 6 x 120, yellow galv.**	120
024970	0,017	**Spax Screw TX 30 6 x 140, yellow galv.**	140
024980	0,019	**Spax Screw TX 30 6 x 160, yellow galv.**	160
024990	0,021	**Spax Screw TX 30 6 x 180, yellow galv.**	180

For Torx Blade TX 30. Self-drilling.







		Screwnails, galv.	
024530	0,001	**Screwnail 40 mm, galv.**	
024310	0,005	**Screwnail 70 mm, galv.**	
024350	0,010	**Screwnail 90 mm, galv.**	




018280	1,000	**Double Head Nail, l = 65 mm**	**Note** Delivery unit: carton with 1000 pieces.





021770	0,007	**Selftapping Screw 6.3 x 32, galv.**





		Rivets DIN 7337	**L**
722083	0,001	**Rivet DIN 7337 A 4.8 x 23, Alu**	23
780304	0,001	**Rivet DIN 7337 A 5 x 12, Alu**	12
722318	0,003	**Rivet DIN 7337 A 6 x 10, Steel**	10
780305	0,005	**Rivet DIN 7337 B 5 x 20, GAV**	20
780302	0,006	**Rivet DIN 7337 B 5 x 25, Alu**	25
730050	0,004	**Rivet DIN 7337 B 5 x 30, Alu**	30






Bolts, Nails, Pins

PERI


Item no.	Weight kg			
		F.H. Bolts DIN 603, galv.	**L**	**B**
051650	0,060	**F.H. Bolt DIN 603 M6 x 180 MU, galv.**	180	24
710295	0,028	**F.H. Bolt DIN 603 M8 x 45 MU, galv.**	45	22
710326	0,030	**F.H. Bolt DIN 603 M8 x 60 MU, galv.**	22	60
710709	0,036	**F.H. Bolt DIN 603 M8 x 65 MU, galv.**	65	22
024140	0,033	**F.H. Bolt DIN 603 M8 x 70 MU, galv.**	70	58
723439	0,036	**F.H. Bolt DIN 603 M8 x 80 MU, galv.**	80	22
750076	0,040	**F.H. Bolt DIN 603 M8 x 90 MU, galv.**	90	22
710240	0,050	**F.H. Bolt DIN 603 M8 x 100 MU, galv.**	100	80
024360	0,058	**F.H. Bolt DIN 603 M8 x 125 MU, galv.**	125	113
725462	0,070	**F.H. Bolt DIN 603 M8 x 140 MU, galv.**	140	28
024380	0,074	**F.H. Bolt DIN 603 M8 x 160 MU, galv.**	160	148
024390	0,090	**F.H. Bolt DIN 603 M8 x 200 MU, galv.**	200	150
024410	0,109	**F.H. Bolt DIN 603 M8 x 250 MU, galv.**	250	150


With nut.





027990	0,150	**Bolt Ø 14 x 107, galv.** For different connections.	






Accessories

018060	0,030	**Cotter Pin 4/1, galv.**

027170	0,102	**Pin Ø 16 x 42, galv.** For different connections.





Accessories

018060	0,030	**Cotter Pin 4/1, galv.**


Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX


Bolts, Nails, Pins

PERI

Item no.	Weight kg	
018050	0,171	**Pin Ø 16 x 65/86, galv.**

For different connections.







Accessories

018060	0,030	**Cotter Pin 4/1, galv.**

027690	0,368	**Bolt SB-TRIO/DOMINO, galv.**

For panel formwork with 12 cm overall thickness.







Accessories

114107	1,190	**Sleeve SB-MAXIMO, galv.**
114417	1,400	**Sleeve SB-MAXIMO WDMX**

105400	0,330	**Pin Ø 20 x 140, galv.**

For different connections.







Accessories

018060	0,030	**Cotter Pin 4/1, galv.**

107579	0,707	**Pin Ø 25 x 154, galv.**

For different connections.







Accessories


022230	0,033	**Cotter Pin 5/1, galv.**


Bolts, Nails, Pins

PERI

Item no.	Weight kg	
026200	0,590	**Bolt Ø 25 x 160, KG, galv.**

For different connections for KG.







Accessories

022230	0,033	**Cotter Pin 5/1, galv.**


105435	0,000	**Bolt Ø 50 x 330**






104031	0,462	**Fitting Pin Ø 21 x 120**

For different connections.







Accessories

018060	0,030	**Cotter Pin 4/1, galv.**

111567	0,729	**Fitting Pin Ø 26 x 120**

For different connections.






Accessories

022230	0,033	**Cotter Pin 5/1, galv.**


Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX


Item no.	Weight kg	
037160	0,736	**Bolt Ø 20 x 205, galv.** For corner tying of the RAPID Column Frames. **Complete with** 1 pc. 018060 Cotter Pin 4/1, galv.





113012	0,778	**Pin Ø 20 x 260, galv.** For different connections.







Accessories

018060	0,030	**Cotter Pin 4/1, galv.**

715585	1,050	**Pin Ø 25 x 240, SKS, galv.** For different connections.







Accessories

022230	0,033	**Cotter Pin 5/1, galv.**

113247	1,130	**Pin Ø 25 x 260, mont.** For different connections.







Accessories

022230	0,033	**Cotter Pin 5/1, galv.**

Item no.	Weight kg	
022210	1,900	**Pin for GRB, galv.** For connecting the Articulated Waler GRV and Articulated Adjustable Waler GSRV 65 – 90.





Accessories


022230	0,033	**Cotter Pin 5/1, galv.**


		Cotter Pins, galv.
022230	0,033	**Cotter Pin 5/1, galv.**
018060	0,030	**Cotter Pin 4/1, galv.**






		Cotter Pins 8, 7, galv.
710618	0,098	**Cotter Pin 8, galv.**
710304	0,074	**Cotter Pin 7, galv.**





		Dowel Pin, galv.
711063	0,003	**Dowel Pin Ø 5 x 35**
722457	0,015	**Dowel Pin Ø 10 x 70, galv.**





PERI

Accessories

030290	Plug Ø 20 mm	574
030300	Plug Ø 20/24 mm	574
026250	Plug Ø 26 mm	574
031200	Chamfer Strip with Flange, l = 2.50 m	574
030260	Formwork Joint 21/20, l = 2.50 m	574
101706	Formwork Joint 21/40, l = 3.00 m	574
054240	Chamfer Strip, l = 2.70 m	575
018290	Framing Clip, galv.	575
018310	Beam Connector, galv.	575
024880	Hook Strap HB for VT, galv.	575
065073	Anchor Chain 3.0 kN, l = 2.5 m	576
065074	Turnbuckle 3.0 kN, M12	576
123478	Toe Board Angle 90°	576
201410	Scaff. Tube Steel Ø 48.3 x 4.0, l = 6.4 m	576
201411	Double Coupler Pressed Steel	577
017030	Double Coupler NK 60/48, galv.	577
102400	Swivel Coupling DK 38/48, galv.	577
201412	Swivel Coupler Pressed Steel	577
017000	Swivel Coupling DK 60/48, galv.	577
017040	Screw-On Coupler AK 48, galv.	577

PERI


Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX

Accessories

PERI


Item no.	Weight kg	
030290	0,002	**Plug Ø 20 mm** For closing Ø 20 mm tie holes which are not required. **Note** Delivery unit 500 pieces.






030300	0,002	**Plug Ø 20/24 mm** For sealing unused tie holes Ø 20, Ø 22, Ø 24 mm. **Note** Delivery unit 250 pieces.







026250	0,005	**Plug Ø 26 mm** For closing Cone PP Ø 31 for Anchor Sleeve M24. Made of polypropylene.






031200	0,470	**Chamfer Strip with Flange, l = 2.50 m** Plastic chamfer strip.





		Formwork Joints
030260	0,500	**Formwork Joint 21/20, l = 2.50 m**
101706	1,230	**Formwork Joint 21/40, l = 3.00 m**
		Plastic profile strip for easier striking of shafts.







Accessories


PERI


Item no.	Weight kg	
054240	1,900	**Chamfer Strip, l = 2.70 m** Chamfer strip made of plastic. For TRIO Column Formwork. Edge length 15 x 15 mm.






018290	0,098	**Framing Clip, galv.** For connecting crossed timbers or girders. For either right or left handling.







Accessories


018280	1,000	**Double Head Nail, l = 65 mm**
018310	1,810	**Beam Connector, galv.** For connecting crossed timbers or girders. **Note** With captive Quick Jack Nuts.





024880	0,519	**Hook Strap HB for VT, galv.** For fixing VT Girders on Steel Walers SRZ and SRU, Profile U100 und U120.







Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX

Accessories


PERI


Item no.	Weight kg		
065073	1,370	**Anchor Chain 3.0 kN, l = 2.5 m**	**Technical Data** Permissible tension force 3.0 kN.






065074	0,450	**Turnbuckle 3.0 kN, M12**	**Technical Data** Permissible tension force 3.0 kN.





123478	0,255	**Toe Board Angle 90°** For diverse timber connections.







Accessories

024550	0,005	**Spax Screw TX 30 8 x 20, yellow galv.**

			L
201410	21,600	**Scaffold Tubes Steel Ø 48.3 x 4.0** **Scaff. Tube Steel Ø 48.3 x 4.0, l = 6.4 m**	6400







Accessories


PERI


Item no.	Weight kg	
201411	1,120	**Double Coupler Pressed Steel** For Scaffold Tubes Ø 48 mm.







017030	1,400	**Double Coupler NK 60/48, galv.** For Scaffold Tubes Ø 48 mm and Ø 60 mm.







102400	1,100	**Swivel Coupling DK 38/48, galv.** For Scaffold Tubes Ø 48 mm and Ø 38 mm.







201412	1,400	**Swivel Coupler Pressed Steel** For Scaffold Tubes Ø 48 mm.







017000	1,540	**Swivel Coupling DK 60/48, galv.** For Scaffold Tubes Ø 48 mm and Ø 60 mm.





017040	0,850	**Screw-On Coupler AK 48, galv.** For Scaffold Tubes Ø 48 mm.





MAXIMO MX 15 Panel Formwork **6**
114426 Panel MX 330 x 240 8
114248 Panel MX 330 x 120 8
114258 Panel MX 330 x 90 8
114445 Panel MX 330 x 60 9
114452 Panel MX 330 x 45 9
114457 Panel MX 330 x 30 9
114464 Multi Panel MXM 330 x 60 10
115338 Inside Corner MXI 330 x 50/20 10
114470 Inside Corner MXI 330 x 60 10
117913 Shaft Corner MXSE 330 11
114478 Outside Corner MXA 330 x 45 11
114486 Outside Corner MXA 330 x 35 11
114583 Articulated Corner MXGI 330 12
114607 Articulated Corner MXGA 330 12
114842 Wall Thickness Compensations WDA MX 330 x 4 12
114826 Wall Thickness Compensations WDA MX 330 x 5 12
114846 Wall Thickness Compensations WDA MX 330 x 6 12
114394 Wall Thickness Compensations WDA MX 330 x 10 Alu 12
101829 Filler Profile TPP 330 Alu 13
116454 Panel MX 330 x 270 13
112006 Panel MX 270 x 240 13
112022 Panel MX 270 x 120 14
112045 Panel MX 270 x 90 14
112200 Panel MX 270 x 60 14
112078 Panel MX 270 x 45 15
112090 Panel MX 270 x 30 15
112849 Multi Panel MXM 270 x 60 15
115255 Inside Corner MXI 270 x 50/20 16
112419 Inside Corner MXI 270 x 60 16
117914 Shaft Corner MXSE 270 16
112806 Outside Corner MXA 270 x 45 17
112667 Outside Corner MXA 270 x 35 17
113203 Articulated Corner MXGI 270 17
111872 Articulated Corner MXGA 270 18
114165 Wall Thickness Comp. WDA MX 270 x 4 18
114186 Wall Thickness Comp. WDA MX 270 x 5 18
114174 Wall Thickness Comp. WDA MX 270 x 6 18
114128 Wall Thickness Comp. WDA MX 270 x 10 Alu 18
101813 Filler Profile TPP 270 Alu 18
023061 Stopend Panel TRIO MT 270 x 20 19
023062 Stopend Panel TRIO MT 270 x 24/25 19
023064 Stopend Panel TRIO MT 270 x 30 19
023065 Stopend Panel TRIO MT 270 x 35/36 19
023074 Stopend Panel TRIO MTF 270 x 20 19
023075 Stopend Panel TRIO MTF 270 x 24/25 19
023077 Stopend Panel TRIO MTF 270 x 30 19
023076 Stopend Panel TRIO MTF 270 x 35/36 19
023060 Stopend Panel TRIO AT 270 x 3 19
105953 Stopend Panel TRIO AT 270 x 5 19
112104 Panel MX 120 x 240 20
112143 Panel MX 120 x 120 20
112152 Panel MX 120 x 90 20
112221 Panel MX 120 x 60 20
112232 Panel MX 120 x 45 21
112239 Panel MX 120 x 30 21
112850 Multi Panel MXM 120 x 60 21
115299 Inside Corner MXI 120 x 50/20 21
112689 Inside Corner MXI 120 x 60 22
117915 Shaft Corner MXSE 120 22
112830 Outside Corner MXA 120 x 45 22
112761 Outside Corner MXA 120 x 35 22
113246 Articulated Corner MXGI 120 23
111850 Articulated Corner MXGA 120 23
114212 Wall Thickness Comp. MX 120 x 4 23
114191 Wall Thickness Comp. MX 120 x 5 23
114181 Wall Thickness Comp. MX 120 x 6 23
114142 Wall Thickness Comp. MX 120 x 10 Alu 23
101823 Filler Profile TPP 120 Alu 23
023067 Stopend Panel TRIO AT 120 x 3 24
105978 Stopend Panel TRIO AT 120 x 5 24
023068 Stopend Panel TRIO MT 120 x 20 24
023069 Stopend Panel TRIO MT 120 x 24/25 24
023071 Stopend Panel TRIO MT 120 x 30 24
023072 Stopend Panel TRIO MT 120 x 35/36 24
023081 Stopend Panel TRIO MTF 120 x 20 24
023080 Stopend Panel TRIO MTF 120 x 24/25 24
023078 Stopend Panel TRIO MTF 120 x 30 24
023079 Stopend Panel TRIO MTF 120 x 35/36 24
112115 Panel MX 90 x 240 24
112252 Panel MX 90 x 90 25
112259 Panel MX 90 x 60 25
112265 Panel MX 90 x 45 25
112271 Panel MX 90 x 30 25
115307 Inside Corner MXI 90 x 50/20 26
112715 Inside Corner MXI 90 x 60 26
126923 Outside Corner MXA 90 x 45 26
126917 Outside Corner MXA 90 x 35 26
112126 Panel MX 60 x 240 27
112280 Panel MX 60 x 60 27
112286 Panel MX 60 x 45 27
112292 Panel MX 60 x 30 27
115315 Inside Corner MXI 60 x 50/20 27
112726 Inside Corner MXI 60 x 60 28
112837 Outside Corner MXA 60 x 45 28
112778 Outside Corner MXA 60 x 35 28
112133 Panel MX 30 x 240 28
113847 MX 15 Tie 15 – 25 28
112387 MX 15 Tie 20 – 30 29
112464 MX 15 Tie 30 – 40 29
112386 MX 15 Wingnut 29
116841 MX 15 Tie Spanner 29
796061 Scaffold Builders Ratchet 30
124895 PVC Plug MXM 15 18.3 30
114300 PVC Plug MX 15 17.5 – 22 30
123901 Tie MX 18, 15 – 25 30
023500 Alignment Coupler BFD, galv. 30
124941 Waler MAR 85-3 30
123902 Tie MX 18, 20 – 30 30
123903 Tie MX 18, 30 – 40 31
123904 Tie MX 18, 40 – 5 31
123905 Tie MX 18, 50 – 60 31
123900 Wingnut MX 18 31
108719 Tie Rod Spanner TRH SW 22 32
796061 Scaffold Builders Ratchet 32
125099 Plug MXM 18, Ø 26 32
125300 Plug MX 18, Ø 24 – 28 32
023500 Alignment Coupler BFD, galv. 32
124941 Waler MAR 85-3 33
124942 Waler MAR 170-3 33
023551 Waler 85 33
023820 Hook Tie Head DW 15, galv. 33
023650 Hook Tie DW 15, l = 400 mm, galv. 33
023640 Bulkhead Tie TS, galv. 33
115640 Bulkhead Tie MX DW 20 34
023660 Brace Connector TRIO, galv. 34
115350 Tension and Compression Brace MX 15 – 40 34
123842 Tension and Compression Brace MX 15 – 100 34

112588 Stripping Bar TRIO 34
101633 Adjusting Bracket MX 35
026230 Anchor Sleeve M24 35
026240 Cone PP 31/26, c = 25 36
026250 Plug 26 mm 36
029560 Bolt ISO 4014 M24 x 120-10.9 36
026420 Anchor Positioning Stud M24 galv 36
023630 Top Tie Bracket-2 AH, galv. 37
117321 Lifting Gear Combi MX 37
117322 Lifting Gear MX 37
115168 Lifting Hook MAXIMO 1.5 t 38
115058 Stacking Device MAXIMO 38
113019 Stacking Device MX 38
023440 Lifting Pin TRIO 38
023670 Scaffold Bracket TRG 80 39
023680 Scaffold Bracket TRG 120 39
124640 MAXIMO Rahmenhalter 39
201592 Handrail Post Holder TRIO GB 40
116292 Guardrail Post HSGP-2 40
118103 Stacking Device L MXA 40
118105 Stacking Device R MXA 40
118110 Stacking Device L MXI 41
118112 Stacking Device R MXI 41
118100 Stacking Device MX Flat for Shaft Corner MXSE 41
027680 Connector SB-1, 2 - MX/TR/D 42
025740 Connector SB-A, B, C - MX/TR/D 42
113255 Bolt SB-MAXIMO, galv. 42
114107 Sleeve SB-MAXIMO, galv. 43
114417 Sleeve SB-MAXIMO WDMX 43
126991 Stopper MX 15 - 75 MF-S 43
126988 Stopper MX 15 - 75 MF-L 43
127064 Stopper MX 15 – 50 MF-LS 43
127065 Stopper MX 15 – 50 OF-LS 43
126999 Stud Spanner MX 15-2 44
112937 Sealing Cone MX 15 – 55 44
031643 DK Concrete Cone UNI 58/52 44
126696 Magnet Cone Spanner MX 15 / MX 18 44
114592 Spacer MX 15 – 10 mm 44
125299 Cone MX DR 22/2 45
031636 DK Cone DW 15/55 45
031637 DK Cone DW 20/55 45
123603 Sealing MX 15 45
125337 Extraction Tool MX Sealing 46

TRIO Panel Formwork **49**
054304 Panel TR/4 330 x 240 50
054314 Panel TR/4 330 x 120 50
054324 Panel TR/4 330 x 90 50
054334 Panel TR/4 330 x 72 51
054354 Panel TR/4 330 x 60 51
054364 Panel TR/4 330 x 30 51
054344 Multi Panel TRM/4 330 x 72 52
054374 Inside Corner TE/4 330 52
054414 Articulated Corner TGE/4 330 52
054391 Wall Thickness Comp. WDA/4 330 x 5 53
054401 Wall Thickness Comp. WDA/4 330 x 6 53
054435 Wall Thickness Comp. WDA/4 330 x 10 Alu 53
105525 Shaft Element TSE 330 53
023050 Stopend Panel TR/4 330 x 24 53
054384 Filler Plate LA/4 330 x 36 54
054430 Filler Support TPA 330 54
101829 Filler Profile TPP 330 Alu 54
022514 Panel TR 120 x 240 55
022600 Panel TR 120 x 120 55
022610 Panel TR 120 x 90 55
022620 Panel TR 120 X 72 55
022640 Panel TR 120 x 60 56
022650 Panel TR 120 x 30 56
022630 Panel TR 120 x 72 56
022660 Panel TR 120-2 56
023300 Articulated Corner TGE 120 57
103284 Internal Corner TEI 120/135° 57
103330 Outside Corner TEA 120/135° 57
023282 Wall Thickness Comp. WDA-2 120 x 5 57
023292 Wall Thickness Comp. WDA-2 120 x 6 57
023990 Wall Thickness Comp. WDA 120 x 10 Alu 57
023270 Filler Plate LA 120 x 36 58
105524 Shaft Element TSE 120 58
023030 Stopend Panel TR 120 x 24 58
023450 Filler Support TPA 120 58
101823 Filler Profile TPP 120 Alu 58
023067 Stopend Panel TRIO AT 120 x 3 59
105978 Stopend Panel TRIO AT 120 x 5 59
023068 Stopend Panel TRIO MT 120 x 20 59
023069 Stopend Panel TRIO MT 120 x 24/25 59
023071 Stopend Panel TRIO MT 120 x 30 59
023072 Stopend Panel TRIO MT 120 x 35/36 59
023081 Stopend Panel TRIO MTF 120 x 20 59
023080 Stopend Panel TRIO MTF 120 x 24/25 59
023078 Stopend Panel TRIO MTF 120 x 30 59
023079 Stopend Panel TRIO MTF 120 x 35/36 59
022790 Panel TR 60 x 90 59
022800 Panel TR 60 x 72 60
022810 Panel TR 60 x 60 60
022820 Panel TR 60 x 30 60
022840 Inside Corner TE 60-2 60
023500 Alignment Coupler BFD, galv. 61
023550 Compensation Waler TAR 85 61
023551 Waler 85 61
128387 Projection Waler TVR 45/45-2 61
023920 Universal Waler 245 61
023930 Waler Stop 62
023640 Bulkhead Tie TS, galv. 62
023660 Brace Connector TRIO, galv. 62
023820 Hook Tie Head DW 15, galv. 62
023650 Hook Tie DW 15, l = 400 mm, galv. 62
030300 Plug Ø 20/24 mm 63
112588 Stripping Bar TRIO 63
054240 Chamfer Strip, l = 2.70 m 63
023630 Top Tie Bracket-2 AH, galv. 63
117321 Lifting Gear Combi MX 63
117322 Lifting Gear MX 64
115168 Lifting Hook MAXIMO 1.5 t 64
115058 Stacking Device MAXIMO 64
023440 Lifting Pin TRIO 64
750303 Stacking Aid TRIO DW 20 65
124554 Stacking Device TRIO Corner 65
128313 Stacking Device TRIO LI 65
128494 Stacking Device TRIO RE 65
023670 Scaffold Bracket TRG 80 66
023680 Scaffold Bracket TRG 120 66
101592 Guardrail Post Holder TRIO 66
201592 Handrail Post Holder TRIO GB 66
116292 Guardrail Post HSGP-2 67
027680 Connector SB-1, 2 - MX/TR/D 67
025740 Connector SB-A, B, C - MX/TR/D 67
027690 Bolt SB-TRIO/DOMINO galv. 68
023010 Foundation Tie Clamp TRIO TLS 68
023020 Perforated Foundation Tie, 25 m 68

HOME

023800 Foundation Strap TRIO 68

DOMINO Panel Formwork **71**
066020 Panel D 250 x 100 72
066022 Panel D 250 x 75 72
066025 Panel D 250 x 50 72
125501 Panel D 250 x 35 73
066026 Panel D 250 x 25 73
066021 Panel DA 250 x 100 73
066023 Panel DA 250 x 75 74
066024 Multi Panel DM 250 x 75 74
066032 Multi Panel Alu DMA 250 x 75 74
126242 Inside Steel Corner DISE 250 74
066029 Articulated Corner DGE 250 75
066030 Wall Thickness Comp. DWD 250 x 5 75
101986 Wall Thickness Comp. DWD 250 x 10 75
066028 Outside Corner Angle DAW 250 75
066033 Filler Support DPA 250 76
101927 Stopend Panel DOMINO AT 250 x 3 76
108855 Stopend Panel DOMINO AT 250 x 5 76
101928 Stopend Panel DOMINO MTF 250 x 20 76
101929 Stopend Panel DOMINO MTF 250 x 24/25 76
101930 Stopend Panel DOMINO MTF 250 x 30 76
101931 Stopend Panel DOMINO MTF 250 x 35/36 76
066040 Panel D 125 x 100 77
066041 Panel D 125 x 75 77
066043 Panel D 125 x 50 77
125494 Panel D 125 x 35 77
066044 Panel D 125 x 25 78
066050 Panel DA 125 x 100 78
066051 Panel DA 125 x 75 78
066042 Multi Panel DM 125 x 75 78
066052 Multi Panel DMA 125 x 75 78
126280 Inside Steel Corner DISE 125 79
066047 Articulated Corner DGE 125 79
066048 Wall Thickness Comp. DWD 125 x 5 79
101964 Wall Thickness Comp. DWD 125 x 10 79
066046 Outside Corner Angle DAW 125 79
066053 Filler Support DPA 125 79
101934 Stopend Panel DOMINO AT 125 x 3 80
108856 Stopend Panel DOMINO AT 125 x 5 80
101935 Stopend Panel DOMINO MTF 125 x 20 80
101936 Stopend Panel DOMINO MTF 125 x 24/25 80
101937 Stopend Panel DOMINO MTF 125 x 30 80
101940 Stopend Panel DOMINO MTF 125 x 35/36 80
066064 Panel D 75 x 25 80
125486 Panel D 75 x 35 80
066063 Panel D 75 x 50 80
066061 Panel D 75 x 75 81
066060 Panel D 75 x 100 81
066062 Multi Panel DM 75 x 75 81
126274 Inside Steel Corner DISE 75 81
066067 Articulated Corner DGE 75 81
066068 Wall Thickness Compensation DWD 75 x 5 82
066066 Outside Corner Angle DAW 75 82
066080 Alignment Coupler DRS 82
066084 Compensation Waler DAR 80 82
110406 Stopend Tie-2 DSA 83
127010 Push-Pull Spreader DOMINO 15 – 100 83
030290 Plug Ø 20 mm 83
066088 DOMINO Chamfer Strip DSD 250 83
066086 Top Tie Bracket DAH 84
066100 Positioning DEA 90 84
066095 Positioning DGE 135 internal 84
066097 Positioning DGE 135 external 84
066085 Scaffold Bracket DG 85 85
106877 Guardrail Post Holder DOMINO 85
116292 Guardrail Post HSGP-2 85
066091 Lifting Hook DOMINO 500 kg 85
066094 Stacking Device DOMINO DSR, galv. 86
066093 Stacking Aid DOMINO DSH 86
066099 Stacking Aid DOMINO DSW 86
027680 Connector SB-1, 2 - MX/TR/D 87
025740 Connector SB-A, B, C - MX/TR/D 87
027690 Bolt SB-TRIO/DOMINO, galv. 87
066090 Foundation Tie Clamp DOMINO DLS 88
023020 Perforated Foundation Tie, 25 m 88

DUO **91**
128280 Panel DP 135 x 90 92
128282 Panel DP 135 x 60 92
128284 Panel DP 135 x 30 92
128285 Panel DP 135 x 15 92
191003 Panel DP 135 x 60-6 92
128281 Multi panel DMP 135 x 75 92
128283 Multi panel DMP 135 x 45 93
128286 Corner post DC 135 x 10 93
128287 Wall thickness compensator DWC 135 x 5 93
128288 Wall thickness compensator DWC 135 x 6 93
128289 Wall thickness compensator DWC 135 x 7 93
128290 Wall thickness compensator DWC 135 x 8 93
128291 Wall thickness compensator DWC 135 x 9 93
128292 Wall thickness compensator DWC 135 x 10 93
128245 Filler support 18 DFS 135 94
128246 Filler support 15 DFS 135 94
129979 Filler support 12 DFS 135 94
129837 Panel DP 60 x 90 94
129839 Panel DP 60 x 60 94
129841 Panel DP 60 x 30 94
129842 Panel DP 60 x 15 94
129838 Multi panel DMP 60 x 75 94
129840 Multi panel DMP 60 x 45 95
129864 Corner post DC 60 x 10 95
129879 Wall thickness compensator DWC 60 x 5 95
129880 Wall thickness compensator DWC 60 x 6 95
129881 Wall thickness compensator DWC 60 x 7 95
129882 Wall thickness compensator DWC 60 x 8 95
129883 Wall thickness compensator DWC 60 x 9 95
129884 Wall thickness compensator DWC 60 x 10 95
129889 Filler support 18 DFS 60 95
129890 Filler support 15 DFS 60 95
129980 Filler support 12 DFS 60 95
131205 DUO accessories bag 96
128247 DUO couplers 96
131240 DUO steel waler coupler 96
129550 DUO special panel insert 60-6 96
128255 DUO compensation waler 62 96
128293 DUO tube holders 97
131245 DUO timber connector 97
128256 DUO coupling ties 97
128254 DUO grip DW 15 97
201073 Cam Nut DW15 98
030110 Wingnut counterplate DW 15, 120 x 120 x 15 98
030370 Wingnut pivot plate DW 15 galv. 98
128274 DUO plugs Ø 20 mm 98
128294 DUO brace connectors 99
128257 DUO scaffold bracket 70 99
131242 DUO front post holders 99

117325 PP post 99
128295 DUO corner connectors 100
12826 DUO corner ties 100
128260 DUO chamfer strip, L = 1.35 m 100
129557 DUO chamfer strip, L = 0.60 m 100
128298 DFH prophead 100
129862 Backpropping head DBH 101
129855 Filler panel DFP 15 x 90 101
129856 Filler panel DFP 15 x 75 101
129857 Filler panel DFP 15 x 60 101
129858 Filler panel DFP 15 x 45 101
129859 Filler panel DFP 15 x 15 101
129860 Filler panel DFP 15 x 10 101
129861 Filler panel DFP 15 x 5 101
128263 DUO 82 wall holders 101
128299 DUO shuttering aids 101
132440 DUO stripping levers 102
128264 DUO slab guardrail holder 102
061260 Guardrail post SGP 102
065066 End guardrail 55 103
128296 DUO Crane Eyes 103
128275 DUO stacking aid 103
018050 Bolt Ø 16 x 65/86 galv. 103
018060 Cotter pin 4/1 galv. 104
129809 Extension support DES 12 104
129810 Extension support DES 15 104
129811 Extension support DES 18 104
129976 DUO frame holders 104
128278 DUO cleaning device 104
128302 DUO Stacking Devices 105
128276 DUO wheel for stacking device 105
133526 PP welding wire D 4 105
132104 DUO repair plug 105
128708 DUO repair kit (for Europe) 106
133906 DUO repair kit (for USA) 106
131139 DUO prop adapter 106
131182 LIWA Adapter DUO 106
131241 DOMINO DUO adapters 107
131239 DUO foundation tie clamp 107
023020 Perforated foundation tie, 25 m roll 107
131061 DUO carrier rack end 107
133266 DUO carrier rack middle 107
131225 DUO SB hook straps 108
126299 Plastic Stopend Angle 108
128228 Formlining DP 135 x 90 108
128230 Formlining DP 135 x 60 108
128232 Formlining DP 135 x 30 108
128233 Formlining DP 135 x 15 108
128229 Multi-purpose formlining DMP 135 x 75 108
128231 Multi-purpose formlining DMP 135 x 45 109
129843 Formlining DP 60 x 90 109
129845 Formlining DP 60 x 60 109
129847 Formlining DP 60 x 30 109
129848 Formlining DP 60 x 15 109
129844 Multi-purpose formlining 109
129846 Multi-purpose formlining DMP 60 x 45 109
117466 Push-pull prop RS 210 galv. 110
118238 Push-pull prop RS 260 galv. 110
117467 Push-pull prop RS 300 galv. 110
117468 Push-pull prop RS 450 galv. 110
126666 Base Plate -3 for RS 210 – 1400 111
113397 Spindle handle RSS / AV 111
057087 Kicker brace AV 82 111
057088 Kicker brace AV 111 111
201150 Propping Brace AV 110 112
028110 Kicker brace AV 140 112
124777 PERI anchor bolt 14/20 x 130 112

VARIO GT 24 Girder Wall Formwork **115**
011200 Steel Waler U120 SRZ, l = 0.56 m 116
010840 Steel Waler U120 SRZ, l = 1.17 m 116
010820 Steel Waler U120 SRZ, l = 1.78 m 116
010870 Steel Waler U120 SRZ, l = 2.39 m 116
010540 Steel Waler U120 VSRZ, l = 24/1.17/12 116
014220 Steel Waler U120 VSRZ, l = 24/1.78/12 116
010550 Steel Waler U120 VSRZ, l = 24/2.39/12 116
103868 Steel Waler Universal SRU U120, l = 0.72 m 117
103871 Steel Waler Universal SRU U120, l = 0.97 m 117
103874 Steel Waler Universal SRU U120, l = 1.22 m 117
103877 Steel Waler Universal SRU U120, l = 1.47 m 117
103886 Steel Waler Universal SRU U120, l = 1.72 m 117
103889 Steel Waler Universal SRU U120, l = 1.97 m 117
103898 Steel Waler Universal SRU U120, l = 2.22 m 117
103892 Steel Waler Universal SRU U120, l = 2.47 m 117
103929 Steel Waler Universal SRU U120, l = 2.72 m 117
103903 Steel Waler Universal SRU U120, l = 2.97 m 117
103906 Steel Waler Universal SRU U120, l = 3.47 m 117
103915 Steel Waler Universal SRU U120, l = 3.97 m 117
103918 Steel Waler Universal SRU U120, l = 4.47 m 117
103922 Steel Waler Universal SRU U120, l = 4.97 m 117
103925 Steel Waler Universal SRU U120, l = 5.47 m 117
103928 Steel Waler Universal SRU U120, l = 5.97 m 117
103943 Steel Waler Universal SRU U140, l = 4.97 m 118
104027 Extension VARIO 24 U120 118
024070 Hook Strap HB 24-100/120, galv. 119
024600 Girder Claw HB 119
024630 Fix Strap U100 – U120, galv. 119
024640 Quick Str. Hook Strap 24-100/140, galv. 119
104931 Hook Strap Uni HBU 20-24 120
103845 Hook Strap Uni HBU 24-28 120
104096 Hook Strap Uni Double HBUD 24-28 120
024860 Hook Strap HB 24 QB 150, galv. 120
024470 TSS-Torx 6 x 60, galv. 121
024690 TSS-Torx 6 x 80, galv. 121
110272 TSS-Torx 6 x 60, ZKS, galv. 121
024270 Lag Screw DIN 571 8 x 60, galv. 121
024260 Lag Screw DIN 571 8 x 80, galv. 121
013010 Coupling VKZ 99 121
013020 Coupling VKZ 147 121
013030 Coupling VKZ 211 121
013080 Coupling VKZ spec. length 121
101395 Offset Coupling VVKZ 3/99 122
013140 Corner Coupling EKZ 95/43 122
013130 Corner Coupling EKZ 76/76 122
103938 Corner Coupling EKZ 47/43 122
013180 Corner Coupling EKZ spec. length 122
103850 Outside Corner Coupling AKZ 85/85 122
013220 Articulated Coupling GKZ 60/60 123
013210 Articulated Coupling GKZ 76/76 123
013230 Articulated Coupling GKZ spec. length 123
102825 VARIO Coupling Concrete Finish VKS 99 123
103054 Articulated Coupling GKS 60/60 S 123
102945 VARIO Alignment Clamp VRS 123
103737 Universal Coupling UK 70 124
104031 Fitting Pin Ø 21 x 120 124
018060 Cotter Pin 4/1, galv. 124
024210 Tie Yoke SKZ 124
013240 Stopend Tie 125

024240 Wedge KZ, galv. 125
024220 Coupling Compression Plate KDP 125
024250 Wedge K, galv. 125
031200 Chamfer Strip with Flange, l = 2.50 m 125
030260 Formwork Joint 21/20, l = 2.50 m 126
101706 Formwork Joint 21/40, l = 3.00 m 126
027590 Hook Strap for SB-1, 2 126
024480 Extension Splice 24-2 126
070760 Crane Splice GT 24 126
021990 Crane Eye 24, right 127
021980 Crane Eye 24, left 127
111238 Crane Hook 2 t / GT 24 127
201202 GB 80 Bracket MK1 with Pin 127
112159 Handrail Post Holder VARIO 128
116292 Guardrail Post HSGP-2 128
105823 Platform Bracket VARIO VBK 90 129
107738 Ladder 240 — 360 129
111165 Ladder Connector VARIO, adjustable 129

RUNDFLEX Circular Formwork **131**
021800 Outside Panel A 250 x 60 132
021820 Outside Panel A 250 x 120 132
102856 Outside Panel A 250 x 120 2R 132
126073 Outside Panel A 250 x 180 132
021840 Outside Panel A 250 x 240 132
021400 Outside Panel A 250 x 300 132
021880 Outside Panel A 250 x 360 132
021810 Inside Panel I 240 x 60 133
021830 Inside Panel I 240 x 120 133
102855 Inside Panel I 240 x 120 2R 133
126043 Inside Panel I 240 x 180 133
021850 Inside Panel I 240 x 240 133
021410 Inside Panel I 240 x 300 133
021890 Inside Panel I 240 x 360 133
021900 Outside Panel A 128 x 60 134
021920 Outside Panel A 128 x 120 134
102854 Outside Panel A 128 x 120 2R 134
126075 Outside Panel A 128 x 180 134
021940 Outside Panel A 128 x 240 134
021420 Outside Panel A 128 x 300 134
021960 Outside Panel A 128 x 360 134
021910 Inside Panel I 123 x 60 135
021930 Inside Panel I 123 x 120 135
102853 Inside Panel I 123/120 2R 135
126067 Inside Panel I 123 x 180 135
021950 Inside Panel I 123 x 240 135
021430 Inside Panel I 123 x 300 135
021970 Inside Panel I 123 x 360 135
020820 Outside Panel A 85 x 120 136
126079 Outside Panel A 85 x 180 136
020840 Outside Panel A 85 x 240 136
020860 Outside Panel A 85 x 300 136
020880 Outside Panel A 85 x 360 136
020830 Inside Panel I 72 x 120 137
126070 Inside Panel I 72 x 180 137
020850 Inside Panel I 72 x 240 137
020870 Inside Panel I 72 x 300 137
020890 Inside Panel I 72 x 360 137
023500 Alignment Coupler BFD 138
023940 Alignment Coupler 38, 138
021620 Adjusting Spindle 500 138
021610 Adjusting Spindle 210 138
021630 Distribution Waler 139
021640 Waler Bolt for RUNDFLEX, galv. 139
024480 Extension Splice 24-2 139
070760 Crane Splice GT 24 139
021990 Crane Eye 24, right 140
021980 Crane Eye 24, left 140
201202 GB 80 Bracket MK1 with Pin 140
112159 Handrail Post Holder VARIO 140
116292 Guardrail Post HSGP-2 141
021790 Ratchet Spanner SW 24 "Combi" 141
099540 Template for RUNDFLEX A250, I240, A128, I123 141
098217 Template for RUNDFLEX A85, I72 141
109411 Ladder Connector RFP 141
051410 Ladder 180/6 142
051460 Ladder Base 142
103718 Ladder Hook 142
104132 Ladder Safety Cage 75 142
051450 Ladder Safety Cage 150 142
109420 Ladder Safety Cage RFP 200 143
025690 Brace Frame SB-A0 146
025700 Brace Frame SB-A 146
025710 Brace Frame SB-B 147
025720 Brace Frame SB-C 147
027690 Bolt SB-TRIO/DOMINO, galv 147
113255 Bolt SB-MAXIMO, galv 148
114107 Sleeve SB-MAXIMO, galv 148
025740 Connector SB-A, B, C - MX/TR/D 148
025760 Waler Connector SB-A, B, C 148
024250 Wedge K, galv 149
025750 Guide Roller SB-A, B 149
100901 SB-L Tension Strut, l = 740 mm 149
100903 SB-L Anchor Bracket 150
010050 Steel Waler SRZ U100, l = 2.45 m 150
102018 Base Plate-2 for RS 1000/1400, galv. 150
101776 Heavy Duty Spindle SLS 140/240 151
024910 Bolt ISO 4014 M20 x 100-8.8, galv. 151
710334 Nut ISO 4032 M20-8, galv. 151
024180 Compensation Washer 20, galv. 151
017010 Swivel Coupling DK 48/48, galv. 151
201410 Scaff. Tube Steel Ø 48.3 x 4.0, l = 6.4 m 152
027210 Spanner SW 80, for SB 152
027213 Spanner SW 70, for SB 152
027211 Spanner SW 46, for SB 152
201002 Tie Rod DW 15, l = 6.00 m 152
030840 Threaded Anchor Plate DW 15 152
030060 Brace Frame Double Anchor DW 15 153
201022 DW 15 Hex. Coupler 153
201001 DW 15 Wingnut, galv. 153
027520 Double Anchor Tie Yoke DSW 153
031580 V-Tie Holder DW 15 153
031631 Leading Anchor Coupler DW 15, compl. 154
031627 Spacer Tube rough DR 32, l = 3.00 m 154
201842 DW 20 Tie Rod l = 6.00 m 154
030860 Threaded Anchor Plate DW 20 154
201023 DW 20 Hex. Coupler 155
030580 Hex. Nut DW 20 SW 36/60, weldable 155
201020 DW 20 Wingnut, galv. 155
201025 Counterplate DW 20, 120 x 120 x 20 155
031590 V-Tie Holder DW 20 156
031632 Leading Anchor Coupler DW 20 156
031634 Spacer Tube rough DR 42, l = 3.00 m 156
201688 DW 26 Tie Rod l = 0.50 m 156
201689 DW 26 Tie Rod l = 1.50 m 156
201687 DW 26 Tie Rod l = 6.00 m 156
201684 DW 26 Wingnut 156
030870 Threaded Anchor Plate DW 26 157

030400 Coupling Nut M 30/DW 26, galv. 157
027540 Tension Rod with Nut 100/M30 157
027230 Tension Rod with Nut 135/M30 157
030980 Hex. Coupler DW 26 SW 46/150, weldable 157
030970 Hex. Coupler DW 26 SW 46/80, weldable 158
031600 V-Tie Holder DW 26 158
031633 Leading Anchor Coupler DW 26 158
031634 Spacer Tube rough DR 42, l = 3.00 m 158
101621 Tension Release Plate SB DW 26 159
027480 Anchor Plate SB - DW 26 159
109017 Anchor Waler U160, l = 0.55 m 159
027650 Anchor Waler U140, l = 0.55 m 159
027530 Anchor Waler U140, l = 2.35 m 160
106661 Brace Frame Wall Scaffold Hinge 160
106662 Brace Frame Adaptor SB A0, A, B 160
106663 Brace Frame Adaptor SB-2 160
111866 Wall Scaffold Hinge SB double 161
030940 Climbing Cone-2 M36/DW 26, galv. 161
029490 Scaffold Mounting Ring M36, galv. 161
030870 Threaded Anchor Plate DW 26 162
030340 Tie Rod DW 26, spec. length 162
030500 Cutting Cost Tie Rod DW 26 162
029550 Bolt ISO 4014 M36 x 130-10.9, galv. 162
029430 Bolt ISO 4017 M36 x 70-8.8, galv. 162
029390 Anchor Positioning Plate M36, galv. 163
029440 Lag Screw DIN 571 6 x 20, galv. 163
026460 Anchor Positioning Stud M36, galv. 163
027212 Allen Key SW 14, long 163

RS and RSS Push-Pull Props **165**
117466 Push-Pull Prop RS 210, galv. 166
118238 Push-Pull Prop RS 260, galv. 166
117467 Push-Pull Prop RS 300, galv. 166
117468 Push-Pull Prop RS 450, galv. 166
117469 Push-Pull Prop RS 650, galv. 167
028990 Push-Pull Prop RS 1000, galv. 167
103800 Push-Pull Prop RS 1400, galv. 167
126666 Base Plate-3 for RS 210 – 1400 168
127190 Quick Assembly Head RS-2 168
117470 Quick Connector Head RS 168
117726 Push-Pull Prop Adaptor RS 168
106000 Base Plate-2 for RSS 169
057087 Kicker AV 82 169
057088 Kicker AV 111 169
028110 Kicker AV 140 169
108135 Kicker AV 210 170
028120 Kicker AV RSS III 170
028050 Girder Headpiece GT 24, galv. 170
028070 Girder Headpiece GT 24/A, galv. 170
028060 Wedge Headpiece SRZ/SRU 171
024250 Wedge K, galv. 171
023660 Brace Connector TRIO, galv. 171
066082 Brace Connector DRA 171
028080 Connector Kicker/Push-Pull Prop, galv. 172
027170 Pin Ø 16 x 42, galv. 172
018050 Pin Ø 16 x 65/86, galv. 172
018060 Cotter Pin 4/1, galv. 172
124777 Anchor Bolt PERI 14/20 x 130 172

Tie System DW 15, 20, 26 B 15, 20 **175**
201002 Tie Rod DW 15, l = 6.00 m 176
201004 DW 15 Wingnut Pivot Plate, galv. 176
201024 DW 15 Wingnut Counterplate 176
201001 DW 15 Wingnut, galv. 177
201021 DW 15 Hex. Nut 177
030550 Hex. Nut DW 15 SW 30/50, weldable 177
030090 Hex. Nut DW 15 SW 30/108, galv 177
030190 Three Wingnut DW 15, galv. 177
030130 Cam Nut DW 15, galv. 178
201005 Counterplate DW 15, 120 x 120 x 15 178
022030 Tie Yoke, galv. 178
110755 Tie Yoke SRU 178
201365 DW 15 Water Barrier 179
026280 Anchor Sleeve DW 15 179
026440 Anchor Positioning Stud f. AH-DW 15, galv. 179
030840 Threaded Anchor Plate DW 15 179
031300 Weld on Anchor DW 15 179
114997 Bracing Shoe RCS DW 15 180
115375 Articulated Spanner RCS DW 15 180
115378 Eye Nut RCS DW 15 180
037150 Tie Yoke DW 15 180
116807 Turnbuckle CB M20/DW 15 181
201146 DW 15 Rock Anchor HB 181
031070 Tie Rod Wrench 15, galv. 181
108129 Tie Rod Spanner DW 15 181
201720 Spacer Tube for DW 15 22/26mm l = 2.00 m 181
201623 Spacer Tube for DW 20 26/30mm, l = 2.00 m 182
031627 Spacer Tube rough DR 32, l = 3.00 m 182
201630 10mm Cover Cone for 22mm Tube 182
201630 50mm Cover Cone for 22mm Tube 182
065036 Plug DR 22 182
201842 Tie Rod DW 20 l = 3.00 m 182
201020 DW 20 Wingnut, galv. 183
201023 DW 20 Hex. Coupler 183
030580 Hex. Nut DW 20 SW 36/60, weldable 183
201025 Counterplate DW 20, 120 x 120 x 20 184
201616 DW 20 Water Barrier 184
030860 Threaded Anchor Plate DW 20 184
031050 Tie Rod Wrench 20, galv. 184
201617 DW 20 Rock Anchor 184
201624 12mm Cover Cone for 26 mm Tube 184
201627 50mm Cover Cone for 26 mm Tub 184
201688 DW 26 Tie Rod l = 0.50 m 185
201689 DW 26 Tie Rod l = 1.50 m 185
201687 DW 26 Tie Rod l = 6.00 m 185
201684 DW 26 Wingnut 185
030970 Hex. Coupler DW 26 SW 46/80, weldable 185
030980 Hex. Coupler DW 26 SW 46/150, weldable 185
030420 Counterplate DW 26, 120 x 120 x 20 185
030870 Threaded Anchor Plate DW 26 186
030460 Pretension Jack for DW 15/20/26 186
030663 Adapter I for Pretension Jack 186
030664 Adapter III for Pretension Jack 186
110612 Tie Load Gauge 160 kN 186
102390 Drill- and Pretension Device 45° 187

Tie System DK, SK, KKV **189**
031635 DK Cone DW 15/35 190
031636 DK Cone DW 15/55 190
031637 DK Cone DW 20/55 190
031638 DK Cone DW 26/55 190
112937 Sealing Cone MX 15 – 55 191
127425 Magnet Cone MX 18 – 55 191
110675 Sealing Cone TRH 55 191
031642 DK Concrete Cone DW 15-58/30 191
031643 DK Concrete Cone UNI 58/52 191
031641 DK Concrete Cone Architec. DW 15-58/52 192
126609 SK Anchor Cone DW 15 / 2 192
031646 SK Anchor Cone DW 20 192

031647 SK Anchor Cone DW 26 192
031639 SK Sealing Washer UNI DW 15 193
031648 SK Sealing Washer DW 20 193
031649 SK Sealing Washer DW 26 193
031671 SK Tube Seal 22 193
031672 SK Tube Seal 28 194
126013 Sealing Ring 60 x 15 x 4, EPDM 194
031643 DK Concrete Cone UNI 58/52 194
031650 SK Concrete Cone DW 20-67/60 194
031651 SK Concrete Cone DW 26-100/60 194
104643 SK Lead Cone DW 15 195
031652 KK Concrete Cone M24-67/52 195
031653 KK Concrete Cone M30-80/52 195
031654 KK Concrete Cone M36-90/52 195
108136 Glue for Concrete Cones-2, 5-kg-Set 196
108958 Glue Component A-2 196
110345 Glue Component B-2 196
126696 Magnet Cone Spanner MX 15 / MX 18 196
031655 DK Cone Remover UNI 196
110634 Cone Spanner TRH 197
031644 DK Tong for Concrete Cone 58 197
031656 SK Tong for Concrete Cone 67 197
031657 SK Tong for Concrete Cone 100 197
101995 Concrete Cone Gauge 197
031480 Socket Wrench SW 36, chrome-plated 197

TRIO Column Formwork **201**
054200 Column Panel TRS 270 x 90 202
054210 Column Panel TRS 120 x 90 202
054220 Column Panel TRS 60 x 90 202
103716 TRS Clamp DW 15, galv. 203
054230 Column Tie Bolt TRIO, galv. 203
201004 DW 15 Wingnut Pivot Plate, galv. 203
054240 Chamfer Strip, l = 2.70 m 204
030320 Plug Ø 25 mm for TRS 204
023500 Alignment Coupler BFD, galv. 204
023660 Brace Connector TRIO, galv. 204
117321 Lifting Gear Combi MX 205
117322 Lifting Gear MX 205
115168 Lifting Hook MAXIMO 1.5 t 205
115058 Stacking Device MAXIMO 205
023440 Lifting Pin TRIO 206
750303 Stacking Aid TRIO DW 20 206

VARIO GT 24 Column Formwork **209**
012150 Column Waler SSRZ-24 U-100, l = 0.97/0.85 m 210
012160 Column Waler SSRZ-24 U-100, l = 1.13/1.01 m 210
012080 Column Waler SSRZ-U100, spec. length 210
012040 Column Waler SSRZ-U120, spec. length 210
012090 Column Waler SSRZ-U140, spec. length 210
012300 Welding Unit for SSRZ 210
012050 Column VARIO Waler SVRZ U-100, l = 1.20 m 210
103871 Steel Waler Universal SRU U120, l = 0.97 m 211
103874 Steel Waler Universal SRU U120, l = 1.22 m 211
103877 Steel Waler Universal SRU U120, l = 1.47 m 211
103886 Steel Waler Universal SRU U120, l = 1.72 m 211
037160 Bolt Ø 20 x 205, galv. 211
024240 Wedge KZ, galv. 211
024070 Hook Strap HB 24-100/120, galv. 212
031200 Chamfer Strip with Flange, l = 2.50 m 212
024210 Tie Yoke SKZ 212
030010 Tie Rod DW 15, l = 0.85 m 212
201001 DW 15 Wingnut, galv. 213
028050 Girder Headpiece GT 24, galv. 213
028070 Girder Headpiece GT 24/A, galv. 213
028060 Wedge Headpiece SRZ/SRU 213
024250 Wedge K, galv. 214
070760 Crane Splice GT 24 214
201202 GB 80 Bracket MK1 with Pin 214
051410 Ladder 180/6, galv. 215
051460 Ladder Base, galv. 215
103724 End Ladder 180/2, galv. 215
103718 Ladder Hook, galv. 215
111165 Ladder Connector VARIO, adjustable 216
104132 Ladder Safety Cage 75, galv. 216
051450 Ladder Safety Cage 150, galv. 216

SKYDECK Panel Slab Formwork **221**
061000 Panel SDP 150 x 75 222
061011 Panel SDP 150 x 50 222
061020 Panel SDP 150 x 37.5 222
061010 Panel SDP 75 x 75 222
061013 Panel SDP 75 x 50 222
061030 Panel SDP 75 x 37.5 222
061160 Main Beam SLT 375 222
061100 Main Beam SLT 225 222
061110 Main Beam SLT 150 223
061026 Cover Strip SAL 150 223
061027 Cover Strip SAL 75 223
061024 Cover Strip SAL 50 223
061038 Cover Strip SAL 37.5 223
061045 Edge Beam SRT-2 150 223
061046 Edge Beam SRT-2 75 223
061210 Drophead SFK 224
061200 Prophead SSK 224
061180 Combihead SCK 224
061049 Filler Timber SPH 150 225
061036 Filler Timber SPH 225 225
061021 Triangular Frame SDR 150 x 75 225
061022 Triangular Frame SDR 75 x 75 225
061051 Wall Holder SWH-2 225
061023 End Support SSL 226
061290 Panel Clip SPK 226
061280 Panel Wedge Clip SPKK 226
061052 Table Connector STV 226
061300 Erection Aid SSH 226
061310 Tension Sleeve SAO 227
061250 Guardrail Holder SGH, Alu 227
061260 Guardrail Post SGP 227
065073 Anchor Chain 3.0 kN, l = 2.5 m 227
065074 Turnbuckle 3.0 kN, M12 228
028100 Base Plate for RS 228
124777 Anchor Bolt PERI 14/20 x 130 228
123970 Screw-On Sleeve PERI M16/164 228
061530 Pallet SD 150 x 225, galv. 229
061500 Pallet SD 150 x 75, galv. 229
118622 Transition Prophead SDSK 230
127620 Transition Head SDFK 230

MULTIFLEX Girder Slab Formwork **233**
075100 Girder GT 24, l = 0.90 m 234
075120 Girder GT 24, l = 1.20 m 234
075150 Girder GT 24, l = 1.50 m 234
075180 Girder GT 24, l = 1.80 m 234
075210 Girder GT 24, l = 2.10 m 234
075240 Girder GT 24, l = 2.40 m 234
075270 Girder GT 24, l = 2.70 m 234
075300 Girder GT 24, l = 3.00 m 234
075330 Girder GT 24, l = 3.30 m 234
075360 Girder GT 24, l = 3.60 m 234

075390 Girder GT 24, l = 3.90 m 234
075420 Girder GT 24, l = 4.20 m 234
075450 Girder GT 24, l = 4.50 m 234
075480 Girder GT 24, l = 4.80 m 234
075510 Girder GT 24, l = 5.10 m 234
075540 Girder GT 24, l = 5.40 m 234
075570 Girder GT 24, l = 5.70 m 234
075600 Girder GT 24, l = 6.00 m 234
074990 Girder VT 20K, l = 1.45 m 235
074905 Girder VT 20K, l = 2.15 m 235
074910 Girder VT 20K, l = 2.45 m 235
074890 Girder VT 20K, l = 2.65 m 235
074920 Girder VT 20K, l = 2.90 m 235
074930 Girder VT 20K, l = 3.30 m 235
074940 Girder VT 20K, l = 3.60 m 235
074950 Girder VT 20K, l = 3.90 m 235
074960 Girder VT 20K, l = 4.50 m 235
074970 Girder VT 20K, l = 4.90 m 235
074980 Girder VT 20K, l = 5.90 m 235
028870 Lowering Head 20/24, galv. 235
028680 Crosshead 20/24 S, galv. 236
027890 Crosshead 20/24, galv. 236
028890 Clawhead 24 S, galv. 236
028880 Clawhead 24, galv. 236
028660 Clawhead 16/20 S, galv. 236
028670 Clawhead 16/20, galv. 236
027990 Bolt Ø 14 x 107, galv. 236
018060 Cotter Pin 4/1, galv. 237
028590 Tension Strap 16-25, galv. 237
028000 Universal Tripod, galv. 237
107152 Tripod PEP Ergo, galv. 237
027940 Brace Clamp, galv., 48 – 76 mm 238
027790 Brace Clamp HL, galv., 76 – 120 mm 238
103434 Pallet RP-2 80 x 120, galv. 238
103429 Pallet RP-2 80 x 150, galv. 238
027930 Assembly Bar 24, galv. 239
070740 Erection Bar GT/VT, galv. 239
101290 Guardrail Holder GT 24 / VT 20 239
116292 Guardrail Post HSGP-2 239
061260 Guardrail Post SGP 240
117326 Side-Mesh-Barrier PMB 260 240
117327 Side-Mesh-Barrier PMB 130 240
018290 Framing Clip, galv. 240
018280 Double Head Nail, l = 65 mm 240
035500 Stripping Cart, Alu 241
116614 Flexclip GT/GT 241
116605 Flexclip GT/VT 241
117575 Fixing Tool MF, galv. 242
117574 Distance Device MF-Plus 242

Lifting Fork **245**
101862 Lifting Fork 1 t / 5.0 m 246
112230 Lifting Fork 1.25 t / 6.0 m compl. 246
103212 Lifting Fork 1.75 t / 8.0 m 247
115865 Lifting Fork 1.5 t / 8.0 m / 6.6 m 248

CB Climbing Formwork **253**
201976 CB 240 Climbing Bracket (No Post) 254
051020 Carriage CB 240 254
051040 Rack CB 240 255
127821 Crane Eye CB 240-2 0.7 t 255
051100 Climbing Bracket CB 160 255
051130 Adjusting Unit CB 160 256
051120 Platform Connection CB 160 256
051060 Strongback CB 270 256
051150 Strongback CB 380 256
051030 Height Adjusting Unit CB, SCS 257
051110 Adjustable Brace CB 164-224 257
051090 Connector TRIO-CB 257
110059 Waler Fixation U100 – U120 258
051230 Finishing Platform Beam CB 258
201911 Platform Beam 200 x 75 x 26 258
201913 Platform Beam 230 x 75 x 26 258
051200 Platform Post CB 225 258
051050 Post Extension CB 180 259
051190 Handrail Post CB 200 259
051210 Handrail Post CB 190 260
051220 Handrail Post CB 370 260
201410 Scaff. Tube Steel Ø 48.3 x 4.0, l = 6.4 m 260
201412 Swivel Coupler Pressed Steel 260
017040 Screw-On Coupler AK 48, galv. 261
051160 Guardrail Connector CB 261
201090 Main Post 1.8m 261
201091 CBC Side Guardrail Post 1.8m 261
201092 CBC Intermediate Post 1.8M 262
126399 Handrail Post Extension CB 262
065066 End Guardrail Frame 55 262
051640 Lag Screw DIN 571 6 x 80, galv. 263
051650 F.H. Bolt DIN 603 M6 x 180 MU, galv. 263
710240 F.H. Bolt DIN 603 M8 x 100 MU, galv. 263
024360 F.H. Bolt DIN 603 M8 x 125 MU, galv. 263
108834 F.H. Bolt DIN 603 M8 x 180 MU, galv. 263
029470 Scaffold Mounting Ring M24, galv. 263
029560 Bolt ISO 4014 M24 x 120-10.9 263
114158 Screw-On Cone-2 M24/DW 20, galv. 264
030860 Threaded Anchor Plate DW 20 264
031220 Climbing Cone-2 M24/DW 15, galv. 264
030840 Threaded Anchor Plate DW 15 264
201002 Tie Rod DW 15, l = 6.00 m 265
030740 Tie Rod B 15, spec. length 265
030050 Cutting Cost Tie Rod DW 15, B 15 265
031652 KK Concrete Cone M24-67/52 265
029270 Advancing Bolt M24, galv. 265
029280 Anchor Positioning Plate M24, galv. 266
029440 Lag Screw DIN 571 6 x 20, galv. 266
026420 Anchor Positioning Stud M24, galv. 266
107007 Tension Anchor Connector CB 266
116807 Turnbuckle CB M20/DW 15 267
107008 Wall Tension Anchor 267
051260 Tension Belt Connector CB 267
051250 Tension Belt, l = 5.70 m, 2.5 t 268
051270 Tension Belt Connector Wall M24 268
116752 Wall Bracing Shoe CB M24 268
026430 Bolt ISO 4014 M24 x 70-10.9, glav. 269
027180 Ratchet Lever SW 19 269
031480 Socket Wrench SW 36, chrome-plated 269
027212 Allen Key SW 14, long 269
072180 Ratchet Wrench 1/2" 269
029620 Socket SW 19-1/2" 270
118638 Arch. Anchor Sleeve M24-150/2 270
126793 Arch. Anchor Sleeve M24-150/2, D = 25 270
126795 Arch. Anchor Sleeve M24-150/2, D = 30 270
116279 Arch. Anchor Sleeve M24-120/2 271
116385 Arch. Leading Cone M24/DW 26 271
125512 Arch. Leading Cone M24/DW 26 Steel 271
125963 Arch. Anchor Sleeve M24-150/1 272
114606 Arch. Mounting Cone M24 272
057138 Hex. Bolt ISO 4014 M24 x 160-8.8, galv. 272
031642 DK Concrete Cone DW 15-58/30 272

03164 DK Concrete Cone UNI 58/52 273
031641 DK Concrete Cone Architec. DW 15-58/52 273
108136 Glue for Concrete Cones-2, 5-kg-Set 273
201720 Spacer Tube for DW 15 22/26mm l = 2.00 m 273
201630 10mm Cover Cone for 22mm Tube 273
201630 50mm Cover Cone for 22mm Tube 273
065036 Plug DR 22 274
115499 Leading Cone Screw DW 26 274
031480 Socket Wrench SW 36, chrome-plated 274
031644 DK Tong for Concrete Cone 58 274
101995 Concrete Cone Gauge 274

Ladder Access for Climbing Systems **277**
126431 Hatch 55 x 60-2, foldable 278
110608 Hatch 55 x 60, foldable 278
051410 Ladder 180/6, galv. 279
051420 Ladder 220/6 279
103724 End Ladder 180/2, galv. 279
109105 Ladder Base 30 adjustable, galv. 279
051460 Ladder Base, galv. 280
103718 Ladder Hook, galv. 280
104132 Ladder Safety Cage 75, galv. 280
051450 Ladder Safety Cage 150, galv. 280
111165 Ladder Connector VARIO, adjustable 280

BR Shaft Platform **283**
201871 Platform Beam BR 100 X 65 X 10 284
201872 Platform Beam BR 125 X 65 X 15 284
201873 Platform Beam BR 150 X 75 X 18 284
201909 Platform Beam BR 180 X 75 X 20 284
201911 Platform Beam 200 x 75 x 26 284
201913 Platform Beam 230 x 75 x 26 284
020620 Spacer for Platform Beam BR 284
127834 Crane Eye BR-2 2.5 t, galv. 284
020600 Gravity Pivot Plate BR 285
108162 Bearing Box BR 285
020330 Folding Bearing Plate 25 285
026430 Bolt ISO 4014 M24 x 70-10.9, glav. 286
026230 Anchor Sleeve M24 286
026240 Cone PP Ø 31/26, c = 25 286
026250 Plug Ø 26 mm 286
114158 Screw-On Cone-2 M24/DW 20, galv. 287
030860 Threaded Anchor Plate DW 20 287
029270 Advancing Bolt M24, galv. 287
029280 Anchor Positioning Plate M24, galv. 287
029440 Lag Screw DIN 571 6 x 20, galv. 288
026420 Anchor Positioning Stud M24, galv. 288
024070 Hook Strap HB 24-100/120, galv. 288
024860 Hook Strap HB 24 QB 150, galv. 288
024080 Hook Strap HB 24-140/160, galv. 289
115544 Hook Strap Uni HBU 14-17 289
104931 Hook Strap Uni HBU 20-24 289
103845 Hook Strap Uni HBU 24-28 290
111806 Hook Strap Uni HBU 24-26 U200 290
201004 DW 15 Wingnut Pivot Plate, galv. 290
201021 DW 15 Hex. Nut 291
115378 Eye Nut RCS DW 15 291
201002 Tie Rod DW 15, l = 6.00 m 291
030740 Tie Rod B 15, spec. length 291
030050 Cutting Cost Tie Rod DW 15, B 15 291
201410 Scaff. Tube Steel Ø 48.3 x 4.0, l = 6.4 m 292
103868 Steel Waler Universal SRU U120, l = 0.72 m 292
103871 Steel Waler Universal SRU U120, l = 0.97 m 292
103874 Steel Waler Universal SRU U120, l = 1.22 m 292
103877 Steel Waler Universal SRU U120, l = 1.47 m 292
103886 Steel Waler Universal SRU U120, l = 1.72 m 292
103889 Steel Waler Universal SRU U120, l = 1.97 m 292
103898 Steel Waler Universal SRU U120, l = 2.22 m 292
103892 Steel Waler Universal SRU U120, l = 2.47 m 292
103929 Steel Waler Universal SRU U120, l = 2.72 m 292
103903 Steel Waler Universal SRU U120, l = 2.97 m 292
103906 Steel Waler Universal SRU U120, l = 3.47 m 292
103915 Steel Waler Universal SRU U120, l = 3.97 m 292
103918 Steel Waler Universal SRU U120, l = 4.47 m 292
103922 Steel Waler Universal SRU U120, l = 4.97 m 292
103925 Steel Waler Universal SRU U120, l = 5.47 m 292
103928 Steel Waler Universal SRU U120, l = 5.97 m 292

RCS Rail Climbing System **294**
114166 Climbing Rail RCS 148 296
109469 Climbing Rail RCS 248 296
112102 Climbing Rail RCS 298 296
109470 Climbing Rail RCS 348 296
112141 Climbing Rail RCS 398 296
109471 Climbing Rail RCS 498 296
109472 Climbing Rail RCS 748 296
109472 Climbing Rail RCS 998 296
110022 Spacer M20-82 296
110023 Spacer M24-82 296
115626 M24 Kicker Connector RCS 296
110569 Climbing Rail Hinge RCS 297
109791 Climbing Rail Extension RCS 100 297
111390 Climbing Rail Connector RCS 97 297
113744 Climbing Rail Connector RCS 73 298
111833 Climbing Rail Connector RCS 40 298
109743 Climbing Rail Connector RCS 33 298
111283 Angle Connector RCS/SRU 299
123534 Brace Connector RCS DW 15/M20 299
111382 Climbing Rail Angle Connector RCS 299
104031 Fitting Pin Ø 21 x 120 300
018060 Cotter Pin 4/1, galv. 300
111567 Fitting Pin Ø 26 x 120 300
022230 Cotter Pin 5/1, galv. 300
202650 Crossbeam RCS 220, VARIO GB 301
110285 Crossbeam Head RCS/TRIO 301
116477 Platform Beam Support RCS 301
109717 Intermediate Platform Beam RCS 241 302
109722 Finishing Platform Beam RCS 122 302
109718 Diagonal Strut RCS 142 302
110012 Diagonal Strut RCS 212 302
114301 Platform Beam RCS/SRU 113 303
114328 Guardrail Post RCS/SRU 184 303
109720 Guardrail Post RCS 226 303
109721 Guardrail Post RCS 384 304
109773 Guardrail Post RCS 509 304
126088 Guardrail Post Holder MULTI 304
111035 Heavy Duty Spindle SLS 40/80 305
101773 Heavy Duty Spindle SLS 80/140 305
101774 Heavy Duty Spindle SLS 100/180 305
101776 Heavy Duty Spindle SLS 140/240 305
101778 Heavy Duty Spindle SLS 200/300 305
101779 Heavy Duty Spindle SLS 260/360 305
109726 Heavy Duty Spindle SLS 320/420 305
109785 Heavy Duty Spindle SLS 380/480 305
110477 Spindle Adapter SLS/RCS 305
103868 Steel Waler Universal SRU U120, l = 0.72 m 306
103871 Steel Waler Universal SRU U120, l = 0.97 m 306
103874 Steel Waler Universal SRU U120, l = 1.22 m 306
103877 Steel Waler Universal SRU U120, l = 1.47 m 306

103886 Steel Waler Universal SRU U120, l = 1.72 m 306
103889 Steel Waler Universal SRU U120, l = 1.97 m 306
103898 Steel Waler Universal SRU U120, l = 2.22 m 306
103892 Steel Waler Universal SRU U120, l = 2.47 m 306
103929 Steel Waler Universal SRU U120, l = 2.72 m 306
103903 Steel Waler Universal SRU U120, l = 2.97 m 306
103906 Steel Waler Universal SRU U120, l = 3.47 m 306
103915 Steel Waler Universal SRU U120, l = 3.97 m 306
103918 Steel Waler Universal SRU U120, l = 4.47 m 306
103922 Steel Waler Universal SRU U120, l = 4.97 m 306
103925 Steel Waler Universal SRU U120, l = 5.47 m 306
103928 Steel Waler Universal SRU U120, l = 5.97 m 306
020620 Spacer for Platform Beam BR 306
110059 Waler Fixation U100 – U120 307
110400 Adjusting Unit SRU, external 307
111135 Adjusting Unit SRU, internal 307
115325 Strongback Adapter RCS/SRU 308
115623 Connector SRU VARIOKIT 308
111403 Mounting Castor Climbing Rail RCS 308
057050 Suspension Tube Vario 53 308
125823 Formwork Suspension VARIO GT 24, Ø 60 309
111631 Crossbar RCS 69 309
110234 Crossbar RCS 103 309
110012 Diagonal Strut RCS 212 310
128671 Climbing Rail Connector RCS/LPS 73 310
127875 Screen Support LPS M20 310
110290 Timber Fixation RCS 12/20 311
117644 Cover Mat LPS 40 x 30, U120 – 140 311
125857 Platform Bracket Multi LPS 311
125991 Oval-Head Screw ISO 7380 M10 x 25-10.9, galv 312
125719 Washer ISO 7094-10 100 HV, galv. 312
780356 Nut ISO 7042 M10-8, galv. 312
127568 Screen Element DX LPS 250 x 123 312
127572 Screen Element DX LPS 300 x 123 312
127576 Screen Element DX LPS 350 x 123 312
127580 Screen Element DX LPS 500 x 123 312
127556 Telescopic Screen LPS 123 x 248, DX 312
127560 Telescopic Screen LPS 123 x 373, DX 313
127564 Telescopic Screen DX LPS 123 x 498 313
125972 Telescopic Scaffold Tube LPS 314
117166 Screen Adapter Single LPS 60 314
117152 Screen Adapter Double LPS 60 314
124226 Screen Adapter Telescope LPS 314
117165 Screen Adapter Combi LPS 60 315
117535 Screen Adapter Corner LPS 315
127053 Cover Clip Profile LPS 112 315
127060 Draw-in Profile LPS 20/55, l = 15 m 316
127061 Draw-in Profile LPS 18/93, l = 15 m 316
201410 Scaff. Tube Steel Ø 48.3 x 4.0, l = 6.4 m 316
201412 Swivel Coupler Pressed Steel 316
110084 Scaffold Tube Adapter Ø 48 RCS 317
110296 Clamp A64 DIN 3570 M12, galv. 317
017040 Screw-On Coupler AK 48, galv. 317
125856 Scaffold Tube Adapter LPS/RCS Ø 48 317
125458 Flap Safety Plate LPS Ø 48 318
125461 Flap Hinge LPS Ø 48/M10 318
110289 L-Angle RCS 120 x 120 x 200 318
123478 Toe Board Angle 90° 318
070030 Bulldog-Spike Ø 48/12 mm 319
111436 Hinge DIN 7957-200-ST, yellow galv. 319
114937 Fixation Bar RCS 319
104477 Bolt ISO 4014 M20 x 120-8.8, galv. 319
781053 Nut ISO 7042 M20-8, galv. 319
109612 Bolt ISO 4014 M24 x 130-8.8, galv. 320
105032 Nut ISO 7042 M24-8, galv. 320
126076 Cover Strip LPS 16 x 107.5 320
126834 Cover Strip LPS 18 x 158 320
125971 Cover Strip LPS 20 x 248 321
125945 Cover Strip LPS 20 x 373 321
125973 Cover Strip Rubber 0.20 x 10 m 321
126268 Cable Binder PA 6.6 SW 203 x 7.6 321
112986 Lifting Beam RCS 10 t 322
127320 Lifting Beam 10 t 322
105401 Crane Eye BR 2.5 t 323
127834 Crane Eye BR-2 2.5 t, galv. 323
113745 Climbing Rail Extension RCS 125 323
116469 RCS Wheel 1.5 t 324
109468 Climbing Shoe RCS 324
109503 Wall Shoe RCS 324
110667 Wall Shoe RCS, pivoted 325
110315 Mounting Ring Adapter RCS M30 325
029480 Scaffold Mounting Ring M30, galv. 325
030920 Climbing Cone-2 M30/DW 20, galv. 326
030860 Threaded Anchor Plate DW 20 326
201842 DW 20 Tie Rod l = 6.00 m 326
030745 Tie Rod B 20, spec. length 326
030800 Cutting Cost Tie Rod DW 20/B 20 326
057257 Screw-On Cone M30/DW 26 327
030870 Threaded Anchor Plate DW 26 327
031653 KK Concrete Cone M30-80/52 327
108136 Glue for Concrete Cones-2, 5-kg-Set 327
029380 Anchor Positioning Plate M30, galv. 328
029450 Advancing Screw M30, galv. 328
029420 Bolt ISO 4017 M30 x 70-8.8, galv. 328
029540 Bolt ISO 4014 M30 x 130-10.9, galv. 328
109567 Slab Shoe RCS 329
110375 Slab Shoe RCS Corner 329
115570 Slab Shoe Adjustable RCS 30 329
114113 Cover RCS 70 x 70 330
114947 Slab Anchor Template 61 RCS 330
029270 Advancing Bolt M24, galv. 330
115918 Slab Shoe Adapter RCS/AV/SLS 331
115850 Slab Support Adapter RCS 331
112359 Slab Support Anchor Shoe RCS M24 331
116538 Slab Support Alignment RCS 332
114158 Screw-On Cone-2 M24/DW 20, galv. 332
030860 Threaded Anchor Plate DW 20 332
031220 Climbing Cone-2 M24/DW 15, galv. 333
030840 Threaded Anchor Plate DW 15 333
201002 Tie Rod DW 15, l = 6.00 m 333
030740 Tie Rod B 15, spec. length 333
030050 Cutting Cost Tie Rod DW 15, B 15 333
026430 Bolt ISO 4014 M24 x 70-10.9, glav. 334
113232 Slab Stopend Shoe RCS 334
113822 Reducing Bush Ø 30 - 25 334
113820 Stopend Slab Anchor M24/20-128 335
113821 Stopend Slab Anchor M30/25-160 335
114997 Bracing Shoe RCS DW 15 335
115375 Articulated Spanner RCS DW 15 335
115378 Eye Nut RCS DW 15 336
115388 Forkhead Adapter RCS/SLS 336
115298 Spindle Shoe SLS/RCS M24 336
109765 Climbing Device RCS 50 336
109766 Hydraulic Pump RCS 4-fold, 380 – 460V 337
057376 Hydraulic Fluid HV LP46, 20 l 337
110069 Hydraulic Twin Hose RCS, 10 m 337
110070 Hydraulic Twin Hose RCS, 20 m 337
110280 Adapter Cable RCS 338

110279 Plug Socket RCS, black 338
072180 Ratchet Wrench 1/2" 338
051764 Ratchet Wrench 3/4" 338
029610 Ratchet Wrench 1" 338
029620 Socket SW 19-1/2" 338
057276 Socket SW 30-3/4" 338
102785 Socket SW 36-3/4" 338
029630 Socket SW 46-1" 338
110094 Carriage Crank Lever SW 19 339
110950 Excentric Lever RCS 339
114317 Guide in Tool RCS 339
114243 Hydr. Pump RCS 4 x 190 / 460 V CSA 339
135500 Hydraulic Pump RCS MAX 2 x 210 340
135499 Power Cable RCS MAX CEE-32A 2M 340
135498 Power Connection Cable RCS MAX 10m 340
135501 Power Connection Cable RCS MAX 20m 340
135502 Connector Power Cable RCS MAX 341
135503 Data Connection Cable RCS MAX 10m 341
135504 Data Connection Cable RCS MAX 20m 341
135505 Connector Data Cable RCS MAX 341
135506 Remote Control RCS max. 15m 341
135507 Display RCS MAX 342
135606 Return Filter RCS MAX 342
135607 Tank Breather Filter RCS MAX 342
135413 Climbing Device-2 RCS 50 342
135411 Conv. Set Climb Device-2 RCS 50 343
110069 Hydraulic Twin Hose RCS, 10 m 343
110070 Hydraulic Twin Hose RCS, 20 m 343
129035 Hydraulic Hose 2SN-DN08-FF 1.0 m 343
129036 Hydraulic Hose 2SN-DN08-FF 2.0 m 343
129419 Hydraulic Hose 2SN-DN08-FF 5.0 m 344
129420 Hydraulic Hose 2SN-DN08-FF 10.0 m 344
129421 Hydraulic Hose 2SN-DN08-FF 15.0 m 344
129422 Hydraulic Hose 2SN-DN08-FF 20.0 m 344
131270 Hydraulic Oil ISO 11158 HM10, 20 l 344
131274 Hydraulic Oil ISO 11158 HVI22, 20 l 344
057376 Hydraulic Oil ISO 11158 HVI46, 20 l 344
131273 Hydraulic Oil ISO 11158 HM10, 210 l 344
131275 Hydraulik Oil ISO 11158 HVI22, 210 l 344
131277 Hydraulic Oil ISO 11158 HVI46, 210 l 344
131313 Hydraulic Oil Filter Pump CE 345
131314 Hydraulic Oil Filter Element 5 MIC 345
130685 Universal Funnel 345
051760 Cable Binder NT-240H 345
125632 Protect. Covers Climb. Device RCS 346
129424 FF-Coupling Pair X-GE 12PSR-ED+ 346
128992 Pin ISO16028 DN10 R3/8IG 346
128993 Sleeve ISO16028 DN10 R3/8IG 346
115581 Hydraulic Service Case 347
12600 Schr ISO 4017 M12 x 60-8.8, verz. 347
780702 Washer ISO 7089 200 HV, A 12, galv. 348
723805 Skt Mutter ISO 4034 M 12-5 348

SCS Single-Sided Climbing System **351**
118737 Crossbeam Unit SCS 250 352
118710 Vertical Strut SCS 237 352
118714 Diagonal Strut SCS 257 353
118730 Crossbeam Unit SCS 190 353
118583 Platform Beam SCS 112 354
118579 Guardrail Post SCS 150 354
118578 Platform Post SCS 232 354
118799 Starter Bar SCS 187 355
118584 Strongback SCS 325 355
110022 Spacer M20-82 355

051030 Height Adjusting Unit CB, SCS 356
110059 Waler Fixation U100 – U120 356
118585 Heavy Duty Spindle SCS 198-250 356
123828 Spindle Adapter SCS Ø 26/31 356
201410 Scaff. Tube Steel Ø 48.3 x 4.0, l = 6.4m 357
201412 Swivel Coupler Pressed Steel 357
110084 Scaffold Tube Adapter Ø 48 RCS 357
123664 Connection Plate SCS Ø 21-125 357
113762 Guardrail Conn. Plate ACS/SCS 358
110296 Clamp A64 DIN 3570 M12, galv. 358
126088 Guardrail Post Holder MULTI 358
116477 Platform Beam Support RCS 359
110330 Girder Fixation M20 359
118582 Mounting Ring SCS M30 359
030920 Climbing Cone-2 M30/DW 20, galv. 360
201842 DW 20 Tie Rod l = 6.00 m 360
030745 Tie Rod B 20, spec. length 360
030800 Cutting Cost Tie Rod DW 20/B 20 360
030860 Threaded Anchor Plate DW 20 360
031653 KK Concrete Cone M30-80/5 361
029450 Advancing Screw M30, galv. 361
029380 Anchor Positioning Plate M30, galv. 361
026450 Anchor Positioning Stud M30, galv. 361
118769 Mounting Bolt SCS M36 362
118772 Mounting Ring SCS M36 362
030940 Climbing Cone-2 M36/DW 26, galv. 362
201688 DW 26 Tie Rod l = 0.50 m 362
201689 DW 26 Tie Rod l = 1.50 m 362
201687 DW 26 Tie Rod l = 6.00 m 362
030870 Threaded Anchor Plate DW 26 363
031654 KK Concrete Cone M36-90/52 363
108136 Glue for Concrete Cones-2, 5-kg-Set 363
029390 Anchor Positioning Plate M36, galv. 363
029430 Bolt ISO 4017 M36 x 70-8.8, galv. 364
026460 Anchor Positioning Stud M36, galv. 364
123819 Bracing Shoe SCS M30/DW20 364
030580 Hex. Nut DW 20 SW 36/60, weldable 365
114082 Counterplate RCS DW 20 365
201020 DW 20 Wingnut, galv. 365
051250 Tension Belt, l = 5.70 m, 2.5 t 365
110469 Tension Belt Connector Wall M36 366
104477 Bolt ISO 4014 M20 x 120-8.8, galv. 366
781053 Nut ISO 7042 M20-8, galv. 366
124630 Tie Yoke SCS Ø 60 - 200 366
201022 DW 15 Hex. Coupler 367
030090 Hex. Nut DW 15 SW 30/108, galv. 367
103874 Steel Waler Universal SRU U120, l = 1.22 m 368
103877 Steel Waler Universal SRU U120, l = 1.47 m 368
103886 Steel Waler Universal SRU U120, l = 1.72 m 368
103889 Steel Waler Universal SRU U120, l = 1.97 m 368
103898 Steel Waler Universal SRU U120, l = 2.22 m 368
103892 Steel Waler Universal SRU U120, l = 2.47 m 368
103929 Steel Waler Universal SRU U120, l = 2.72 m 368
103903 Steel Waler Universal SRU U120, l = 2.97 m 368
030370 Wingnut Pivot Plate DW 15, galv. 368
201002 Tie Rod DW 15, l = 6.00 m 369
030840 Threaded Anchor Plate DW 15 369
031580 V-Tie Holder DW 15 369
031631 Leading Anchor Coupler DW 15, compl. 369
072180 Ratchet Wrench 1/2" 370
029610 Ratchet Wrench 1" 370
123751 Socket SW 19-1/2" L 370
104823 Socket SW 30-1/2" 370
029630 Socket SW 46-1" 370

029640 Socket SW 55-1" 370
123750 Hexagon Socket SW 27-1" 371
027212 Allen Key SW 14, long 371
118575 Adjusting Unit SCS 371
118580 Spindle Connector SCS Ø 26-21 371
118690 Carriage SCS 372

VARIOKIT Engineering Construction Kit - Core Elements **377**
114166 Climbing Rail RCS 148 378
109469 Climbing Rail RCS 248 378
112102 Climbing Rail RCS 298 378
109470 Climbing Rail RCS 348 378
112141 Climbing Rail RCS 398 378
109471 Climbing Rail RCS 498 378
109472 Climbing Rail RCS 748 378
109610 Climbing Rail RCS 998 378
117585 Climbing Rail Profile RCS 98 378
103868 Steel Waler Universal SRU U120, l = 0.72 m 379
103871 Steel Waler Universal SRU U120, l = 0.97 m 379
103874 Steel Waler Universal SRU U120, l = 1.22 m 379
103877 Steel Waler Universal SRU U120, l = 1.47 m 379
103886 Steel Waler Universal SRU U120, l = 1.72 m 379
103889 Steel Waler Universal SRU U120, l = 1.97 m 379
103898 Steel Waler Universal SRU U120, l = 2.22 m 379
103892 Steel Waler Universal SRU U120, l = 2.47 m 379
103929 Steel Waler Universal SRU U120, l = 2.72 m 379
103903 Steel Waler Universal SRU U120, l = 2.97 m 379
103906 Steel Waler Universal SRU U120, l = 3.47 m 379
103915 Steel Waler Universal SRU U120, l = 3.97 m 379
103918 Steel Waler Universal SRU U120, l = 4.47 m 379
103922 Steel Waler Universal SRU U120, l = 4.97 m 379
103925 Steel Waler Universal SRU U120, l = 5.47 m 379
103928 Steel Waler Universal SRU U120, l = 5.97 m 379
103943 Steel Waler Universal SRU U140, l = 4.97 m 380
111035 Heavy Duty Spindle SLS 40/80 380
101773 Heavy Duty Spindle SLS 80/140 380
101774 Heavy Duty Spindle SLS 100/180 380
101776 Heavy Duty Spindle SLS 140/240 380
101778 Heavy Duty Spindle SLS 200/300 380
101779 Heavy Duty Spindle SLS 260/360 380
109726 Heavy Duty Spindle SLS 320/420 380
109785 Heavy Duty Spindle SLS 380/480 380
110477 Spindle Adapter SLS/RCS 381
111390 Climbing Rail Connector RCS 97 381
113744 Climbing Rail Connector RCS 73 381
111833 Climbing Rail Connector RCS 40 382
109743 Climbing Rail Connector RCS 33 382
103737 Universal Coupling UK 70 382
115623 Connector SRU VARIOKIT 382
111382 Climbing Rail Angle Connector RCS 383
111283 Angle Connector RCS/SRU 383
111279 Cross Connector VARIOKIT 383
123509 Cross Connector RCS 384
113933 Adjusting Unit VARIOKIT 384
111806 Hook Strap Uni HBU 24-26 U200 384
115544 Hook Strap Uni HBU 14-17 385
104931 Hook Strap Uni HBU 20-24 385
103845 Hook Strap Uni HBU 24-28 385
104027 Extension VARIO 24 U120 385
115682 Height Adjustment VARIOKIT 386
114328 Guardrail Post RCS/SRU 184 386
116363 Spacer RCS 184 386
201131 Handrail-Post Holder SRU/SRZ (GB) 386
116292 Guardrail Post HSGP-2 387

061260 Guardrail Post SGP 387
024000 Compensation Washer 16, yellow galv 387
024180 Compensation Washer 20, galv. 387
116469 RCS Wheel 1.5 t 388
104031 Fitting Pin Ø 21 x 120 388
111567 Fitting Pin Ø 26 x 120 388
105400 Pin Ø 20 x 140, galv. 388
022230 Cotter Pin 5/1, galv. 389
018060 Cotter Pin 4/1, galv. 389
110022 Spacer M20-82 389
110023 Spacer M24-82 389
201415 SRU Scaffold Tube Coupler 389

MULTIPROP Single Props and System **393**
027288 MULTIPROP MP 120 394
027289 MULTIPROP MP 250 394
027290 MULTIPROP MP 350 394
027291 MULTIPROP MP 480 394
027305 MULTIPROP MP 625 394
028390 Frame MRK 62.5 394
028400 Frame MRK 75 394
028330 Frame MRK 90 394
028340 Frame MRK 120 394
028380 Frame MRK 137.5 394
028350 Frame MRK 150 394
028460 Frame MRK 201.5 395
028360 Frame MRK 225 395
028470 Frame MRK 230 395
028480 Frame MRK 237 395
028490 Frame MRK 266 395
028370 Frame MRK 296 395
107169 MULTIPROP Platform 150 x 60 395
107170 MULTIPROP Platform 225 x 60 395
107171 MULTIPROP Platform 150 x 60 with Hatch 395
107172 MULTIPROP Platform 225 x 60 with Hatch 395
107173 Ladder 220 x 350, telescopic 396
022027 Wing Nut Spanner HD 396
027310 Base MP 50 396
027297 Tilting Forkhead MKK 397
027296 Tilting Base MKF 397
027298 Scaffold Tube Coupler MG-A/C 397
027299 Scaffold Tube Coupler MG-B/D 397
028000 Universal Tripod, galv. 397
027301 Connector MPV-2 398
201142 ASSEMBLY Bolt MPB24 with Nut 398
027302 MULTIPROP Strap SRZ U100 – U140 398
107161 Compression Brace Head MP/SRU 399
107160 Connector MP-SRU 399
104031 Fitting Pin Ø 21 x 120 399
018060 Cotter Pin 4/1, galv. 399
019200 Trolley with Winch 400
118114 Connector MP – Trolley 400
079300 Alu Beam MPB 24 l = 3.00 m 401
079360 Alu Beam MPB 24 l = 3.60 m 401
079420 Alu Beam MPB 24 l = 4.20 m 401
079480 Alu Beam MPB 24 l = 4.80 m 401
079540 Alu Beam MPB 24 l = 5.40 m 401
079600 Alu Beam MPB 24 l = 6.00 m 401
107348 Coupling MPB 24 401
108339 Quick Strap MPB 24/GT 24 401
111000 Tension Strap MPB 24 / GT 24 402
107820 Strap MPB 24 402
108213 Brace Connector MPB 24 402
201131 Handrail-Post Holder SRU/SRZ (GB) 403

116292 Guardrail Post HSGP-2 403

PERI UP Flex Heavy Duty Prop 405
102859 Standard UVR 50 406
101306 Standard UVR 100 406
102860 Standard UVR 150 406
100009 Standard UVR 200 406
100012 Standard UVR 300 406
100013 Standard UVR 400 406
114613 Ledger UH 25 Plus 406
111053 Locking Pin Ø 48/57 406
100719 Bolt ISO 4014 M10 x 70-8.8 MU, galv. 407
126435 Head Spindle TR 110-80/55 407
022027 Wing Nut Spanner HD 407
126436 Lowering Jack HD 408
126437 Connector UJC 408
126438 Hydraulic-Unit HD 408
022013 Centring Bolt HD M12, galv. 409
022008 Main Beam HDT 880 409
022009 Main Beam HDT 440 409
022010 Main Beam HDT 280 409
022016 Brace Connector HDR 410
028080 Connector Kicker/Push-Pull Prop, galv. 410
201410 Scaff. Tube Steel Ø 48.3 x 4.0, l = 6.4 m 410
022025 Centering Bar 40 x 20 x 400 410
022011 Double Anchor Tie Yoke HDD 411
022021 Trolley HD 411
106183 Main Beam Clamp HD 70 mm, galv. 411
022026 Steel Beam Clamp IPB 300 - 1000 411
201411 Double Coupler Pressed Steel 411
017010 Swivel Coupling DK 48/48, galv. 412

PERI UP Flex Reinforcement Scaffold R75/R100 UDI/UDG 417
100411 Adj. Base Plate UJB 38-50/30 418
100863 Spindle Locking UJS 418
100014 Base Standard UVB 24 418
133499 Base Standard UVB 25 418
135187 Base Standard UVB 50 418
100009 Standard UVR 200 419
100012 Standard UVR 300 419
100000 Top Standard UVH 100 419
132196 Top Standard UVH-2 125 419
132123 Top Standard UVH-2 50 420
132194 Top Standard UVH-2 100 420
132198 Top Standard UVH-2 150 420
132200 Top Standard UVH-2 200 420
100002 Top Standard UVH-2 250 420
114595 Ledger UH 50 Plus 420
114629 Ledger UH 75 Plus 420
114632 Ledger UH 100 Plus 420
114641 Ledger UH 150 Plus 420
114645 Ledger UH 200 Plus 420
114648 Ledger UH 250 Plus 420
114651 Ledger UH 300 Plus 420
131998 Horizontal Ledger UH-2 50 420
132213 Horizontal Ledger UH-2 75 420
132004 Horizontal Ledger UH-2 100 420
132010 Horizontal Ledger UH-2 150 420
132016 Horizontal Ledger UH-2 200 420
132025 Horizontal Ledger UH-2 250 420
132022 Horizontal Ledger UH-2 300 420
114681 Ledger UHV 150 Plus 421
137020 Horizontal Ledger UHV-2 150 421
101731 Ledger to Ledger Coupler UHA 421
136582 Ledger to Ledger Coupler UHA-2 421
110792 Ledger to Ledger Coupler UHA Half w. Spigot 421
100870 Base Beam UVA 250 422
404779 Ledger UH 50 422
400017 Ledger UH 75 422
401159 Ledger UH 100 422
400021 Ledger UH 150 422
400023 Ledger UH 200 422
400025 Ledger UH 250 422
400027 Ledger UH 300 422
409107 Ledger UHV 150 422
100057 Ledger Brace UBL 150/200 423
100061 Ledger Brace UBL 200/200 423
100065 Ledger Brace UBL 250/200 423
100069 Ledger Brace UBL 300/200 423
132771 Ledger Brace UBL-2 100/ 50 423
132773 Ledger Brace UBL-2 100/100 423
132775 Ledger Brace UBL-2 100/150 423
132777 Ledger Brace UBL-2 100/200 423
132779 Ledger Brace UBL-2 150/ 50 423
132781 Ledger Brace UBL-2 150/100 423
132783 Ledger Brace UBL-2 150/150 423
132785 Ledger Brace UBL-2 150/200 423
132787 Ledger Brace UBL-2 175/200 423
132789 Ledger Brace UBL-2 200/ 50 423
132791 Ledger Brace UBL-2 200/100 423
132793 Ledger Brace UBL-2 200/150 423
132795 Ledger Brace UBL-2 200/200 423
132797 Ledger Brace UBL-2 225/ 50 423
132808 Ledger Brace UBL-2 225/100 423
132810 Ledger Brace UBL-2 225/200 423
132812 Ledger Brace UBL-2 250/100 423
132814 Ledger Brace UBL-2 250/150 423
132816 Ledger Brace UBL-2 250/200 423
132827 Ledger Brace UBL-2 300/ 50 423
132829 Ledger Brace UBL-2 300/100 423
132831 Ledger Brace UBL-2 300/150 423
132833 Ledger Brace UBL-2 300/200 423
100416 Coupler Brace UBC 150/200 424
406092 Industrial Deck UDI 25 x 100 424
407002 Industrial Deck UDI 25 x 150 424
408380 Industrial Deck UDI 25 x 200 424
408540 Industrial Deck UDI 25 x 250 424
408689 Industrial Deck UDI 25 x 300 424
124118 Steel Deck UDG 25 x 100 425
124112 Steel Deck UDG 25 x 150 425
124109 Steel Deck UDG 25 x 200 425
123771 Steel Deck UDG 25 x 250 425
124915 Steel Deck UDG 25 x 300 425
132479 Steel Deck UDG-2 25X 50 425
132483 Steel Deck UDG-2 25X 67 425
132488 Steel Deck UDG-2 25X 75 425
132492 Steel Deck UDG-2 25X100 425
132502 Steel Deck UDG-2 25X125 425
132505 Steel Deck UDG-2 25X150 425
132508 Steel Deck UDG-2 25X200 425
132511 Steel Deck UDG-2 25X250 425
132515 Steel Deck UDG-2 25X300 425
109755 Hatch UAF 75 x 100 425
109879 Ladder UAF 200, Alu 426
126318 Ladder Flex UEL with hook 426
110160 Toeboard Steel UPY 150 426
110176 Toeboard Steel UPY 200 426
110208 Toeboard Steel UPY 250 426
110211 Toeboard Steel UPY 300 426

115655 End Guardrail in Advance UPA Rosett 426
201412 Swivel Coupler Pressed Steel 427
201411 Double Coupler Pressed Steel 427
017020 Standard Coupler NK 48/48, galv. 427
201415 SRU Scaffold Tube Coupler 427
201410 Scaff. Tube Steel Ø 48.3 x 4.0, l = 6.4 m 427
111053 Locking Pin Ø 48/57 428
100719 Bolt ISO 4014 M10 x 70-8.8 MU, galv. 428
112676 Console UCM 50 with Spigot 428
112678 Console UCM 75 with Spigot 428
136923 Console Bracket ECM 50 428
136918 Console Bracket ECM 75 429
130365 Console Bracket ECM 100 429

PERI UP Easy 431
100411 Base Spindle UJB 38-50/30 432
100242 Base Spindle UJB 38-80/55 432
130619 Easy Base Standard EVS 124 433
130621 Easy Standard EVM 200 433
130481 Tube EVR 150 434
130512 Guardrail Post EVP 434
130162 Face Brace EBF 150/200 435
130171 Face Brace EBF 200/200 435
130180 Face Brace EBF 250/200 435
130189 Face Brace EBF 300/200 435
130191 Guardrail EPG 67 435
130193 Guardrail EPG 100 435
130195 Guardrail EPG 150 435
130197 Guardrail EPG 200 435
130199 Guardrail EPG 250 435
130201 Guardrail EPG 300 435
130450 Steel Deck EDS 33 x 67 435
130448 Steel Deck EDS 33 x 100 435
130445 Steel Deck EDS 33 x 150 435
130441 Steel Deck EDS 33 x 200 435
130438 Steel Deck EDS 33 x 250 435
129272 Steel Deck EDS 33 x 300 435
130321 Combi Deck EDW 150 436
130317 Combi Deck EDW 200 436
130313 Combi Deck EDW 250 436
130309 Combi Deck EDW 300 436
130426 Entry Platform EAW 200 436
133286 Access Deck EAW-2 67 x 250-L 436
130577 End Guardrail End Guardrail UPA 75 437
130583 End Guardrail End Guardrail UPA 100 437
134104 End Guardrail End Guardrail UPA-2 100 437
130233 End Guardrail EPF 33 438
130228 Guardrail EPF 67 438
130592 End Guardrail EPF 75 438
130225 End Guardrail EPF 100 438
130434 Guardrail Coupling EPR 439
130562 Guardrail Holder EPW 439
130681 UH Spigot-2 439
130390 Support UC 33 439
130378 Console Bracket ECM 33 440
136923 Console Bracket ECM 50 440
130372 Console Bracket ECM 67 440
136918 Console Bracket ECM 75 441
130365 Console Bracket ECM 100 441
130532 Protection Panel Post EPS 442
130385 Protection Roof Connector EPC 442
131329 Post Pallet ESP 100 442
131329 Post Pallet ESP 100 443

PERI UP ULS Flex 445
124,805 End Element ULS 50 Flex 446
124795 Additional Element ULS 100 Flex 446
124790 Additional Element ULS 125 Flex 446
124781 Additional Element ULS 150 Flex 446
124,806 Connector ULS Flex 446

PERI UP Flex Staircase 75 451
100411 Base Plate UJB 38-50/30 452
100863 Spindle Locking UJS 452
100014 Base Standard UVB 24 452
133499 Base Standard UVB 25 452
117194 Base Standard UVB 49 452
135187 Base Standard UVB 50 452
102860 Standard UVR 150 453
100009 Standard UVR 200 453
100012 Standard UVR 300 453
100000 Top Standard UVH 100 453
132196 Top Standard UVH-2 125 453
132123 Top Standard UVH-2 50 454
132194 Top Standard UVH-2 100 454
132198 Top Standard UVH-2 150 454
132200 Top Standard UVH-2 200 454
100002 Top Standard UVH-2 250 454
114629 Ledger UH 75 Plus 454
114641 Ledger UH 150 Plus 454
114645 Ledger UH 200 Plus 454
114648 Ledger UH 250 Plus 454
114651 Ledger UH 300 Plus 454
132213 Horizontal Ledger UH-2 75 454
132010 Horizontal Ledger UH-2 150 454
132016 Horizontal Ledger UH-2 200 454
132025 Horizontal Ledger UH-2 250 454
132022 Horizontal Ledger UH-2 300 454
109764 UH Spigot 455
101731 Ledger to Ledger Coupler UHA 455
136582 Ledger to Ledger Coupler UHA-2 455
100065 Ledger Brace UBL 250/200 455
100069 Ledger Brace UBL 300/200 455
132771 Ledger Brace UBL-2 100/ 50 456
132773 Ledger Brace UBL-2 100/100 456
132775 Ledger Brace UBL-2 100/150 456
132777 Ledger Brace UBL-2 100/200 456
132779 Ledger Brace UBL-2 150/ 50 456
132781 Ledger Brace UBL-2 150/100 456
132783 Ledger Brace UBL-2 150/150 456
132785 Ledger Brace UBL-2 150/200 456
132787 Ledger Brace UBL-2 175/200 456
132789 Ledger Brace UBL-2 200/ 50 456
132791 Ledger Brace UBL-2 200/100 456
132793 Ledger Brace UBL-2 200/150 456
132795 Ledger Brace UBL-2 200/200 456
132797 Ledger Brace UBL-2 225/ 50 456
132808 Ledger Brace UBL-2 225/100 456
132810 Ledger Brace UBL-2 225/200 456
132812 Ledger Brace UBL-2 250/100 456
132814 Ledger Brace UBL-2 250/150 456
132816 Ledger Brace UBL-2 250/200 456
132827 Ledger Brace UBL-2 300/ 50 456
132829 Ledger Brace UBL-2 300/100 456
132831 Ledger Brace UBL-2 300/150 456
132833 Ledger Brace UBL-2 300/200 456
133418 Node Brace UBK-2 75/200 457
133421 Node Brace UBK-2 100/200 457
133424 Node Brace UBK-2 125/100 457

133427 Node Brace UBK-2 125/200 457
133430 Node Brace UBK-2 150/100 457
133433 Node Brace UBK-2 150/150 457
133436 Node Brace UBK-2 150/200 457
133439 Node Brace UBK-2 200/100 457
133442 Node Brace UBK-2 200/150 457
133445 Node Brace UBK-2 200/200 457
133448 Node Brace UBK-2 250/100 457
133451 Node Brace UBK-2 250/150 457
133454 Node Brace UBK-2 250/200 457
133457 Node Brace UBK-2 300/100 457
133460 Node Brace UBK-2 300/150 457
133463 Node Brace UBK-2 300/200 457
100742 Stair Guardrail UAG 457
100830 Stair Guardrail UAH 457
111117 Staircase UAS 75 x 250/200, Alu 458
111124 Staircase UAS 75 x 300/200, Alu 458
113228 Staircase UAS 75 x 75/50, Alu 458
111087 Staircase UAS 75 x 150/50 T, Alu 458
111095 Staircase UAS 75 x 150/50 S, Alu 459
114536 Staircase UAS 75 x 150/100 S, Alu 459
111103 Staircase UAS 75 x 150/100, Alu 459
115189 Waler on Staircase UAS 75 459
123771 Steel Deck UDG 25 x 250 460
124915 Steel Deck UDG 25 x 300 460
132479 Steel Deck UDG-2 25X 50 460
132483 Steel Deck UDG-2 25X 67 460
132488 Steel Deck UDG-2 25X 75 460
132492 Steel Deck UDG-2 25X100 460
132502 Steel Deck UDG-2 25X125 460
132505 Steel Deck UDG-2 25X150 460
132508 Steel Deck UDG-2 25X200 460
132511 Steel Deck UDG-2 25X250 460
132515 Steel Deck UDG-2 25X300 460
112678 Console UCM 75 with Spigot 460
112717 Console Bracket Brace UCM 461
201412 Swivel Coupler Pressed Steel 461
201411 Double Coupler Pressed Steel 461
111053 Locking Pin Ø 48/57 461
100719 Bolt ISO 4014 M10 x 70-8.8 MU, galv. 461
100088 Wall Tie UWT 45 462
102954 Wall Tie UWT 220 462
100693 Ring Bolt UFE 12/90 462
100694 Ring Bolt UFE 12/120 462
100695 Ring Bolt UFE 12/190 462
100696 Wall Insert UFI 14/70 462
100697 Wall Insert UFI 14/100 462
100698 Wall Insert UFI 14/135 462

PERI UP Flex Staircase 100, 125 465
101306 Standard UVR 100 466
100009 Standard UVR 200 466
100012 Standard UVR 300 466
114629 Ledger UH 75 Plus 466
114632 Ledger UH 100 Plus 466
114638 Ledger UH 125 Plus 466
114645 Ledger UH 200 Plus 466
114648 Ledger UH 250 Plus 466
132213 Horizontal Ledger UH-2 75 467
132004 Horizontal Ledger UH-2 100 467
132007 Horizontal Ledger UH-2 125 467
132016 Horizontal Ledger UH-2 200 467
132025 Horizontal Ledger UH-2 250 467
114687 Ledger UHV 200 Plus 467
114691 Ledger UHV 250 Plus 467
137025 Horizontal Ledger UHV-2 200 467
137030 Horizontal Ledger UHV-2 250 467
101731 Ledger to Ledger Coupler UHA 468
136582 Ledger to Ledger Coupler UHA-2 468
100059 Ledger Brace UBL 200/100 468
100063 Ledger Brace UBL 250/100 468
100061 Ledger Brace UBL 200/200 468
100065 Ledger Brace UBL 250/200 468
132771 Ledger Brace UBL-2 100/ 50 469
132773 Ledger Brace UBL-2 100/100 469
132775 Ledger Brace UBL-2 100/150 469
132777 Ledger Brace UBL-2 100/200 469
132779 Ledger Brace UBL-2 150/ 50 469
132781 Ledger Brace UBL-2 150/100 469
132783 Ledger Brace UBL-2 150/150 469
132785 Ledger Brace UBL-2 150/200 469
132787 Ledger Brace UBL-2 175/200 469
132789 Ledger Brace UBL-2 200/ 50 469
132791 Ledger Brace UBL-2 200/100 469
132793 Ledger Brace UBL-2 200/150 469
132795 Ledger Brace UBL-2 200/200 469
132797 Ledger Brace UBL-2 225/ 50 469
132808 Ledger Brace UBL-2 225/100 469
132810 Ledger Brace UBL-2 225/200 469
132812 Ledger Brace UBL-2 250/100 469
132814 Ledger Brace UBL-2 250/150 469
132816 Ledger Brace UBL-2 250/200 469
132827 Ledger Brace UBL-2 300/ 50 469
132829 Ledger Brace UBL-2 300/100 469
132831 Ledger Brace UBL-2 300/150 469
132833 Ledger Brace UBL-2 300/200 469
114818 H-Brace UBH Flex 100/100 469
114904 H-Brace UBH Flex 125/125 469
114819 H-Brace UBH Flex 250/100 469
114996 H-Brace UBH Flex 250/125 469
115354 Node Brace UBK 125/100 470
100574 Node Brace UBK 250/200 470
133418 Node Brace UBK-2 75/200 470
133421 Node Brace UBK-2 100/200 470
133424 Node Brace UBK-2 125/100 470
133427 Node Brace UBK-2 125/200 470
133430 Node Brace UBK-2 150/100 470
133433 Node Brace UBK-2 150/150 470
133436 Node Brace UBK-2 150/200 470
133439 Node Brace UBK-2 200/100 470
133442 Node Brace UBK-2 200/150 470
133445 Node Brace UBK-2 200/200 470
133448 Node Brace UBK-2 250/100 470
133451 Node Brace UBK-2 250/150 470
133454 Node Brace UBK-2 250/200 470
133457 Node Brace UBK-2 300/100 470
133460 Node Brace UBK-2 300/150 470
133463 Node Brace UBK-2 300/200 470
114731 Stair Stringer UA 125/100 470
109219 Stair Stringer UA 250/200 470
109198 Stair Step UAR 100 471
109208 End Step UAE 100 471
114180 End Step UAE 125 471
114349 Edge Profile UH 100 471
124266 Distance Piece UA 76 471
124118 Steel Deck UDG 25 x 100 472
124115 Steel Deck UDG 25 x 125 472
124109 Steel Deck UDG 25 x 200 472

123771 Steel Deck UDG 25 x 250 472
132479 Steel Deck UDG-2 25X 50 472
132483 Steel Deck UDG-2 25X 67 472
132488 Steel Deck UDG-2 25X 75 472
132492 Steel Deck UDG-2 25X100 472
132502 Steel Deck UDG-2 25X125 472
132505 Steel Deck UDG-2 25X150 472
132508 Steel Deck UDG-2 25X200 472
132511 Steel Deck UDG-2 25X250 472
132515 Steel Deck UDG-2 25X300 472
201412 Swivel Coupler Pressed Steel 472
201411 Double Coupler Pressed Steel 472
201410 Scaff. Tube Steel Ø 48.3 x 4.0, l = 6.4 m 473
111053 Locking Pin Ø 48/57 473
100719 Bolt ISO 4014 M10 x 70-8.8 MU, galv. 473
100088 Wall Tie UWT 45 473
100093 Wall Tie UWT 140 473
100693 Ring Bolt UFE 12/90 473
100694 Ring Bolt UFE 12/120 473
100695 Ring Bolt UFE 12/190 473
100696 Wall Insert UFI 14/70 473
100697 Wall Insert UFI 14/100 473
100698 Wall Insert UFI 14/135 473

PERI UP Flex LGS 75 Weather Protection Roof Components 477
135766 LGS Standard Element URB 300/75 478
135793 LGS Eave Element URB 300/75 478
135773 LGS Intermediate Element URB 150/75 478
135782 LGS Ridge Element URR 75 479
128334 Ridge Bar HD UR 150° 479
104854 Support Roller UEW unstopped 479
104771 LGS Support URS 15° 480
135801 LGS Bearer URS 75 480
104777 Carriage URW 480
104790 Aluminium Rail URT 150 481
104791 Aluminium Rail URT 200 481
104796 Aluminium Rail URT 250 481
104797 Aluminium Rail URT 300 481
104853 Rail Support URF 481
104852 Rail End Piece URD 481
132553 Ledger URL 67/14 482
131869 Ledger URL 75/14 482
115018 Ledger URL 100/14 482
105386 Ledger URL 150/14 482
118022 Stopper URA-2 482
114613 Horizontal Ledger UH 25 Plus 482
114595 Horizontal Ledger UH 50 Plus 482
114629 Horizontal Ledger UH 75 Plus 482
114632 Horizontal Ledger UH 100 Plus 482
114638 Horizontal Ledger UH 125 Plus 482
114641 Horizontal Ledger UH 150 Plus 482
117032 Horizontal Ledger UH 175 Plus 482
114645 Horizontal Ledger UH 200 Plus 482
116356 Horizontal Ledger UH 225 Plus 482
114648 Horizontal Ledger UH 250 Plus 482
114651 Horizontal Ledger UH 300 Plus 482
131995 Horizontal Ledger UH-2 25 483
133900 Horizontal Ledger UH-2 33 483
131998 Horizontal Ledger UH-2 50 483
133903 Horizontal Ledger UH-2 67 483
132213 Horizontal Ledger UH-2 75 483
132004 Horizontal Ledger UH-2 100 483
132007 Horizontal Ledger UH-2 125 483
132010 Horizontal Ledger UH-2 150 483
132013 Horizontal Ledger UH-2 175 483
132016 Horizontal Ledger UH-2 200 483
132019 Horizontal Ledger UH-2 225 483
132025 Horizontal Ledger UH-2 250 483
132022 Horizontal Ledger UH-2 300 483
114681 Horizontal Ledger UHV 150 Plus 483
114687 Horizontal Ledger UHV 200 Plus 483
114691 Horizontal Ledger UHV 250 Plus 483
114695 Horizontal Ledger UHV 300 Plus 483
137020 Horizontal Ledger UHV-2 150 483
137025 Horizontal Ledger UHV-2 200 483
137030 Horizontal Ledger UHV-2 250 483
137035 Horizontal Ledger UHV-2 300 483
130684 Ledger-To-Ledger Coupler UHA-2 half with pin 484
111053 Locking Pin Ø 48/57 484
128823 Suspension Tie Connector URU 484
128817 Anchor Tie Yoke URU 484
129435 Tie Rod Extension URU 484
201002 Tie Rod DW 15, l = 6.00 m 485
114818 Horizontal Brace UBH Flex 100/100 485
114821 Horizontal Brace UBH Flex 150/100 485
114912 Horizontal Brace UBH Flex 150/150 485
114820 Horizontal Brace UBH Flex 200/100 485
124097 Horizontal Brace UBH Flex 200/150 485
114819 Horizontal Brace UBH Flex 250/100 485
124101 Horizontal Brace UBH Flex 250/150 485
114892 Horizontal Brace UBH Flex 300/100 485
124105 Horizontal Brace UBH Flex 300/150 485
126009 LGS Keder Connector URV 486
125166 LGS Keder Connector URK 486
126051 LGS Ridge Rail URK 150 486
127501 LGS Keder Track URK 150 486
127500 LGS Keder Track URK 300 486
126071 LGS Keder Track URK 600 486
126491 LGS Eave Rail URK 486
126487 LGS Crank URG 486
126486 LGS Reel Connector URG 487
126484 LGS Tarpaulin Reel URG 250 487
126485 LGS Tarpaulin Reel URG 300 487
126488 LGS Handle URG 487
100719 Bolt ISO 4014 M10 x 70-8.8 487
710242 Bolt ISO 4014 M10 x 100-8.8, galv. 488
201021 DW 15 Hex. Nut 488
780356 Nut ISO 7040 M10-8, galv. 488
070890 Nut ISO 7040 M16-8, galv. 488
105032 Nut ISO 7040 M24-8, galv. 488
106031 Bolt Ø 16 x 70, coated 488
018060 Cotter pin 4/1, galv. 488
106191 Bolt Ø 24 x 105, coated 488
127468 Pin Ø 24 x 70, galv. 489
022230 Cotter pin 5/1, galv. 489
118349 Tension Belt PTB 12 489
065074 Turnbuckle 3.0 kN, M12 489
065073 Anchor chain 3.0 kN, l = 2.5 m 489

PERI UP Flex LGS 150 Weather Protection Roof Components 491
104768 LGS Basic Element URB 150/300 492
126483 LGS Eave Element URB 300/150 492
104792 LGS Additional Element URB 150/150 493
105334 LGS End Element URB 150 493
116122 LGS Middle Element URB 150/150 493
115978 LGS Connector URC 494
104769 LGS Ridge Element URR 150 494

104778 LGS Ridge Bar UR 120° 494
104891 LGS Ridge Bar UR 150° 494
128334 Ridge Bar HD UR 150° 495
104854 Support Roller UEW unstopped 495
105399 LGS Support URS 0° 495
104771 LGS Support URS 15° 496
104770 LGS Support URS 45° 496
105398 LGS Bearer URS 497
104777 Wheel URW 497
104790 Alu Rail URT 150 497
104791 Alu Rail URT 200 497
104796 Alu Rail URT 250 497
104797 Alu Rail URT 300 497
104853 Rail Support URF 498
104852 Rail End Element URD 498
105394 LGS Ledger URL 72/14 498
115018 LGS Ledger URL 100/14 498
105390 LGS Ledger URL 104/14 498
105386 LGS Ledger URL 150/14 498
118022 Stopper URA-2 498
114613 Ledger UH 25 Plus 499
114595 Ledger UH 50 Plus 499
114629 Ledger UH 75 Plus 499
114632 Ledger UH 100 Plus 499
114638 Ledger UH 125 Plus 499
114641 Ledger UH 150 Plus 499
117032 Ledger UH 175 Plus 499
114645 Ledger UH 200 Plus 499
116356 Ledger UH 225 Plus 499
114648 Ledger UH 250 Plus 499
114651 Ledger UH 300 Plus 499
105366 LGS Collar URP 499
105372 Spigot w. Spacer URE 4/42 500
404780 Ledger UH 25 500
404779 Ledger UH 50 500
400017 Ledger UH 75 500
401159 Ledger UH 100 500
410347 Ledger UH 125 500
400021 Ledger UH 150 500
400023 Ledger UH 200 500
400025 Ledger UH 250 500
400027 Ledger UH 300 500
128823 Suspension Tie Connector URU 500
128817 Tie Yoke URU 501
129435 Tie Rod Extension URU 501
201002 Tie Rod DW 15, l = 6.00 m 501
107867 Ledger Brace UBL 150/50 502
100055 Ledger Brace UBL 150/100 502
104391 Ledger Brace UBL 200/50 502
100059 Ledger Brace UBL 200/100 502
100063 Ledger Brace UBL 250/100 502
104762 Ledger Brace UBL 300/50 502
100067 Ledger Brace UBL 300/100 502
132771 Ledger Brace UBL-2 100/ 50 503
132773 Ledger Brace UBL-2 100/100 503
132775 Ledger Brace UBL-2 100/150 503
132777 Ledger Brace UBL-2 100/200 503
132779 Ledger Brace UBL-2 150/ 50 503
132781 Ledger Brace UBL-2 150/100 503
132783 Ledger Brace UBL-2 150/150 503
132785 Ledger Brace UBL-2 150/200 503
132787 Ledger Brace UBL-2 175/200 503
132789 Ledger Brace UBL-2 200/ 50 503
132791 Ledger Brace UBL-2 200/100 503
132793 Ledger Brace UBL-2 200/150 503
132795 Ledger Brace UBL-2 200/200 503
132797 Ledger Brace UBL-2 225/ 50 503
132808 Ledger Brace UBL-2 225/100 503
132810 Ledger Brace UBL-2 225/200 503
132812 Ledger Brace UBL-2 250/100 503
132814 Ledger Brace UBL-2 250/150 503
132816 Ledger Brace UBL-2 250/200 503
132827 Ledger Brace UBL-2 300/ 50 503
132829 Ledger Brace UBL-2 300/100 503
132831 Ledger Brace UBL-2 300/150 503
132833 Ledger Brace UBL-2 300/200 503
114818 H-Brace UBH Flex 100/100 503
114821 H-Brace UBH Flex 150/100 503
114912 H-Brace UBH Flex 150/150 503
114820 H-Brace UBH Flex 200/100 503
124097 H-Brace UBH Flex 200/150 503
114819 H-Brace UBH Flex 250/100 503
124101 H-Brace UBH Flex 250/150 503
114892 H-Brace UBH Flex 300/100 503
124105 H-Brace UBH Flex 300/150 503
111863 Industrial Deck UDI 37.5 x 150 504
111865 Industrial Deck UDI 37.5 x 250 504
111969 Industrial Deck UDI 37.5 x 300 504
100265 Guardrail UPG 150 504
100267 Guardrail UPG 250 504
100268 Guardrail UPG 300 504
126489 LGS Ridge Console URH 504
126466 LGS Ridge Guardrail URH 505
126490 LGS Console URH 505
126009 LGS Keder Connector URV 505
125166 LGS Keder Connector URK 506
12605 LGS Ridge Rail URK 150 506
127501 LGS Keder Rail URK 150 506
127500 LGS Keder Rail URK 300 506
126071 LGS Keder Rail URK 600 506
126491 LGS Eave Rail URK 506
126487 LGS Crank URG 506
126486 LGS Reel Connector URG 507
126484 LGS Tarpaulin Reel URG 250 507
126485 LGS Tarpaulin Reel URG 300 507
126488 LGS Handle URG 507
100719 Bolt ISO 4014 M10 x 70-8.8 MU 507
710242 Bolt ISO 4014 M10 x 100-8.8, galv. 508
201021 DW 15 Hex. Nut 508
780356 Nut ISO 7042 M10-8, galv. 508
070890 Nut ISO 7042 M16-8, galv. 508
105032 Nut ISO 7042 M24-8, galv. 508
106031 Bolt Ø 16 x 70, galv. 508
018060 Cotter Pin 4/1, galv. 508
106191 Bolt Ø 24 x 105, galv. 508
127468 Bolt Ø 24 x 55, galv. 509
022230 Cotter Pin 5/1, galv. 509
118349 Tension Belt PTB 12 509

GT 24 Formwork Girder 513
075100 Girder GT 24, l = 0.90 m 514
075120 Girder GT 24, l = 1.20 m 514
075150 Girder GT 24, l = 1.50 m 514
075180 Girder GT 24, l = 1.80 m 514
075210 Girder GT 24, l = 2.10 m 514
075240 Girder GT 24, l = 2.40 m 514
075270 Girder GT 24, l = 2.70 m 514
075300 Girder GT 24, l = 3.00 m 514
075330 Girder GT 24, l = 3.30 m 514
075360 Girder GT 24, l = 3.60 m 514
075390 Girder GT 24, l = 3.90 m 514
075420 Girder GT 24, l = 4.20 m 514
075450 Girder GT 24, l = 4.50 m 514
075480 Girder GT 24, l = 4.80 m 514
075510 Girder GT 24, l = 5.10 m 514
075540 Girder GT 24, l = 5.40 m 514
075570 Girder GT 24, l = 5.70 m 514
075600 Girder GT 24, l = 6.00 m 514

PROKIT EP 110 517
117326 Side-Mesh-Barrier PMB 260 518
117327 Side-Mesh-Barrier PMB 130 518
117325 Post PP 518
117323 Slab Foot PDF 518
117324 Side Foot PSF 519
118660 Uni-Clamp PUC 519
126330 Sheet Piling Clamp PSC 519
118296 Post Increase PPE 520
118670 Front Guardrail Holder ADJ PFH 520
117020 Anchor Bolt PERI 14 x 150 520
123970 Screw-On Sleeve PERI M16/164 520
123973 Bolt ISO 4014 M16 x 130-8.8, galv. 521
123960 Pallet EP 110 521

PROKIT EP 200 523
118350 Fold Mesh Room Height PFR 524
118408 Cable Tie PCT 524

Combisafe Edge Protection 527
201830 Multi Clamp MK2 528
201834 Mesh Barrier Retaining Clip 528
201845 Skydeck handrail Post Adapter 528
201846 Timber Beam Foot 60mm 528
201847 Safety Post 1150 529
201849 Steel Mesh Barrier 2.6 x 1.15m 529
201850 Safety Post 1800 530
201857 Multi Foot 530

Construction Site Equipment 533
126299 Plastic Slab Stopend Angle 534
065062 Formwork Bracket-2 534
065039 Stopend Sleeve DW 15 534
065060 Plug for Stopend Sleeve DW 15 534
030740 Tie Rod B 15, Spec. Length 534
030050 Cutting Cost Tie Rod DW 15, B 15 534
030150 Tie Rod B 15, l = 0.30 m 534
201024 DW 15 Wingnut Counterplate 535
065040 Stopend Trestle 535
065042 Peg 535
116292 Guardrail Post HSGP-2 535
065066 End Guardrail Frame 55 536
201147 Release Agent PERI Clean, 25 l 536
201148 Release Agent PERI Clean, 205 l 536
118778 PERI Plasto Clean 20 l 537
118779 PERI Plasto Clean 208 l 537
201008 Release Agent Pressure Sprayer 537

Accessories for Logistics 539
103434 Pallet RP-2 80 x 120, galv. 540
103429 Pallet RP-2 80 x 150, galv. 540
065067 Lid for Wire Crate Pallet 80 x 120, painted 540
106939 Pallet RP 110 x 125, painted 540
111396 Pallet RP 80 x 110, galv. 540
065015 Euro Flat Bed Pallet 80 x 120 541
061500 Pallet SD 150 x 75, galv. 541
126580 Pallet Handrail Unit SD 150 541
126630 Pallet Handrail Unit SD 75 542
061530 Pallet SD 150 x 225, galv. 542
123960 Pallet EP 110 543
115058 Stacking Device MAXIMO 543
066094 Stacking Device DOMINO DSR, galv. 543
118103 Stacking Device L MXA 544
118105 Stacking Device R MXA 544
118110 Stacking Device L MXI 544
118112 Stacking Device R MXI 544
118100 Stacking Device MX Flat for Shaft Corner MXSE 545
124554 Stacking Device TRIO Corner 545
128313 Stacking Device TRIO LI 545
128494 Stacking Device TRIO RE 545

Plywood 547
052460 Fin-Ply 30 mm 1250 x 3610 mm 548
052260 Fin-Ply 21 mm 1250 x 2500 mm 548
052060 Fin-Ply 21 mm 1500 x 2500 mm 548
052270 Fin-Ply 21 mm 1500 x 3000 mm 548
052065 Fin-Ply 21 mm 1500 x 3600 mm 548
052072 Fin-Ply 21 mm 2000 x 4000 mm 548
052240 Fin-Ply 18 mm 1500 x 3000 mm 548
052159 Fin-Ply 15 mm 1500 x 3000 mm 548
052150 Fin-Ply 12 mm 1500 x 3000 mm 548
052095 Fin-Ply 9 mm 1500 x 3000 mm 548
052823 Fin-Ply Maxi 20 mm 7500 x 2700 mm 548
052829 Fin-Ply Maxi 20 mm 5400 x 2000 mm 548
052261 Rus-Ply 21 mm 1250 x 2500 mm 548
052271 Rus-Ply 21 mm 1500 x 3000 mm 548
052824 PERI Birch 21 mm 625 x 2500 mm 549
052820 PERI Birch 21 mm 1250 x 2500 mm 549
052806 PERI Birch 21 mm 1500 x 3000 mm 549
052080 PERI Spruce 400 / 21 mm 2500 x 1250 mm 549
052020 Plywood 8 mm 2500 x 1250 mm 549
052010 Plywood 4 mm 2500 x 1250 mm 549
050824 Plywood 2.4 mm 2500 x 1250 mm 549
052622 Chinese Coated Ply 21 mm 1250 x 2500 mm 550
052624 Chinese Coated Ply 21 mm 500 x 2500 mm 550
052837 PERI Pine 21 mm 2500 x 1250 mm 550
050806 PINE Premium 21 mm 2500 x 1250 550
050190 3-Ply Panel 21 mm 2000 x 1000 mm (yellow) 551
050040 3-Ply Panel 21 mm 2500 x 1000 mm (yellow) 551
050200 3-Ply Panel 21 mm 3000 x 1000 mm (yellow) 551
050030 3-Ply Panel 21 mm 5000 x 1000 mm (yellow) 551
052590 3-Ply Panel 21 mm 2500 x 1500 mm (yellow) 551
052380 3-Ply Panel 21 mm 5000 x 2000 mm (yellow) 551
050070 3-Ply Panel 21 mm 1500 x 500 mm (red/yell) 551
050080 3-Ply Panel 21 mm 2000 x 500 mm (red/yell) 551
050000 3-Ply Panel 21 mm 2500 x 500 mm (red/yell) 551
052828 FinNa-Ply 21 mm 2500 x 1250 mm 551
052800 Conifer Plywood 20 mm 2500 x 1250 mm 551

Machines and Tools 553
031070 Tie Rod Wrench 15, galv. 554
031050 Tie Rod Wrench 20, galv. 554
108129 Tie Rod Spanner DW 15 554
031655 DK Cone Remover UNI 554
114290 Tie Rod Spanner MX-2 555
126696 Magnet Cone Spanner MX 15 / MX 18 555
031644 DK Tong for Concrete Cone 58 555
031656 SK Tong for Concrete Cone 67 555
031657 SK Tong for Concrete Cone 100 555

101995 Concrete Cone Gauge 555
110634 Cone Spanner TRH 556
027210 Spanner SW 80, for SB 556
027213 Spanner SW 70, for SB 556
027211 Spanner SW 46, for SB 556
027180 Ratchet Lever SW 19 556
027200 Insert Socket SW 19 556
070740 Erection Bar GT/VT, galv. 557
027212 Allen Key SW 14, long 557
021790 Ratchet Spanner SW 24 "Combi" 557
031480 Socket Wrench SW 36, chrome-plated 557
125337 Extraction Tool MX Sealing 557

Bolts, Nails, Pins **558**
710284 Bolt ISO 4014 M8 x 60-8.8, galv. 560
710285 Bolt ISO 4014 M8 x 100-8.8, galv. 560
722859 Bolt ISO 4014 M8 x 140-8.8, galv. 560
104929 Bolt ISO 4014 M8 x 150-8.8, galv. 560
103518 Bolt ISO 4014 M8 x 190-8.8, galv. 560
710593 Bolt ISO 4014 M10 x 80-8.8, galv. 560
710242 Bolt ISO 4014 M10 x 100-8.8, galv. 560
721817 Bolt ISO 4014 M10 x 50-8.8, galv. 560
710221 Bolt ISO 4014 M12 x 60-8.8, galv. 560
720610 Bolt ISO 4014 M12 x 70-8.8, galv. 560
710220 Bolt ISO 4014 M12 x 80-8.8, galv. 560
750330 Bolt ISO 4014 M12 x 100-8.8, galv. 560
710299 Bolt ISO 4014 M16 x 60-8.8, galv. 560
714093 Bolt ISO 4014 M16 x 70-8.8, galv. 560
710222 Bolt ISO 4014 M16 x 80-8.8, galv. 560
721729 Bolt ISO 4014 M16 x 90-8.8, galv. 560
710219 Bolt ISO 4014 M16 x 100-8.8, galv. 560
710233 Bolt ISO 4014 M16 x 110-8.8, galv. 560
105402 Bolt ISO 4014 M16 x 120-8.8, galv. 560
710232 Bolt ISO 4014 M16 x 130-8.8, galv. 560
722169 Bolt ISO 4014 M16 x 140-8.8, galv. 560
780155 Bolt ISO 4014 M16 x 160-8.8, galv. 560
024900 Bolt ISO 4014 M20 x 80-8.8, galv. 560
710226 Bolt ISO 4014 M20 x 90-8.8, galv. 560
024910 Bolt ISO 4014 M20 x 100-8.8, galv. 560
104477 Bolt ISO 4014 M20 x 120-8.8, galv. 560
711078 Bolt ISO 4014 M20 x 130-8.8, galv. 560
781054 Bolt ISO 4014 M20 x 160-8.8, galv. 560
706462 Bolt ISO 4014 M20 x 200-8.8, galv. 560
109612 Bolt ISO 4014 M24 x 130-8.8, galv. 560
113686 Bolt ISO 4014 M24 x 200-8.8, galv. 560
026430 Bolt ISO 4014 M24 x 70-10.9, glav. 560
026220 Bolt ISO 4014 M24 x 80-10.9, galv. 560
029560 Bolt ISO 4014 M24 x 120-10.9, galv. 560
106797 Bolt ISO 4014 M24 x 220-10.9, galv. 560
029540 Bolt ISO 4014 M30 x 130-10.9, galv. 560
029550 Bolt ISO 4014 M36 x 130-10.9, galv. 560
780353 Bolt ISO 4016 M8 x 25-4.6 MU, galv. 561
035440 Bolt ISO 4016 M12 x 40-4.6 MU, galv. 561
070100 Bolt ISO 4016 M12 x 120-4.6 MU, galv. 561
018330 Bolt ISO 4016 M12 x 140-4.6 MU, galv. 561
027340 Bolt ISO 4016 M12 x 180-4.6 MU, galv. 561
018320 Bolt ISO 4016 M16 x 140-4.6 MU, galv. 561
018350 Bolt ISO 4016 M16 x 160-4.6 MU, galv. 561
103740 Bolt ISO 4016 M16 x 280-4.6 MU, galv. 561
710266 Bolt ISO 4017 M12 x 25-8.8, galv. 561
102120 Bolt ISO 4017 M12 x 30-8.8, galv. 561
710224 Bolt ISO 4017 M12 x 40-8.8, galv. 561
110598 Bolt ISO 4017 M12 x 140-8.8, galv. 561
110599 Bolt ISO 4017 M12 x 240-8.8, galv. 561
710231 Bolt ISO 4017 M16 x 30-8.8, galv. 561
710225 Bolt ISO 4017 M16 x 45-8.8, galv. 561
710252 Bolt ISO 4017 M16 x 50-8.8, galv. 561
706458 Bolt ISO 4017 M20 x 40-8.8, galv. 561
780357 Bolt ISO 4017 M20 x 50-8.8, galv. 561
114727 Bolt ISO 4017 M20 x 100-8.8, galv. 561
029420 Bolt ISO 4017 M30 x 70-8.8, galv. 561
029430 Bolt ISO 4017 M36 x 70-8.8, galv. 561
104278 Cyl. Bolt ISO 4762 M12 x 60-8.8, galv. 561
104528 Cyl. Bolt ISO 4762 M12 x 90-8.8, galv. 561
113007 Cyl. Bolt ISO 4762 M30 x 70-8.8, galv. 561
026290 Bolt ISO 4017 M24 x 50-10.9, galv. 562
061230 Bolt EN 14399-4 M12 x 140-10.9 562
711060 Eye Bolt M20, left, galv. 562
110281 Eye Bolt M20, right, galv 562
024090 Nut ISO 4032 M8-8, galv. 562
710234 Nut ISO 4032 M10-8, galv. 562
710330 Nut ISO 4032 M12-8, galv. 562
710229 Nut ISO 4032 M16-8, galv. 562
710334 Nut ISO 4032 M20-8, galv. 562
022250 Nut ISO 4032 M24-8, galv. 562
710238 Nut ISO 4032 M16-10, galv. 562
706488 Nut ISO 4032 M24-10, galv. 562
710336 Nut ISO 4032 M30-10, galv. 562
722086 Nut ISO 7042 M6-8, galv. 563
711071 Nut ISO 7042 M8-8, galv. 563
780356 Nut ISO 7042 M10-8, galv. 563
710381 Nut ISO 7042 M12-8, galv. 563
070890 Nut ISO 7042 M16-8, galv. 563
781053 Nut ISO 7042 M20-8, galv. 563
105032 Nut ISO 7042 M24-8, galv. 563
750350 Washer ISO 7093-1 200 HV, A 12, galv. 563
710886 Washer ISO 7093-1 200 HV, A 16, galv. 563
780354 Washer ISO 7089 200 HV, A 8, galv. 563
780702 Washer ISO 7089 200 HV, A 12, galv. 563
725574 Washer ISO 7089 200 HV, A 14, galv. 563
711074 Washer ISO 7089 200 HV, A 16, galv. 563
706454 Washer ISO 7089 200 HV, A 20, galv. 563
710874 Washer ISO 7089 200 HV, A 24, galv. 563
113347 Washer ISO 7094 100 HV A 8, galv. 563
113348 Washer ISO 7094 100 HV A 12, galv. 563
113349 Washer ISO 7094 A16-100HV, galv. 563
113350 Washer ISO 7094 100 HV A 20, galv. 563
710880 Washer DIN 434 18, galv. 564
710139 Washer R11 DIN 440, galv. 564
112815 Clamping Plate M16 Nova Grip 564
115145 Clamping Plate M16 Nova Grip 564
029440 Lag Screw DIN 571 6 x 20, galv. 564
051640 Lag Screw DIN 571 6 x 80, galv. 564
024270 Lag Screw DIN 571 8 x 60, galv. 564
024260 Lag Screw DIN 571 8 x 80, galv. 564
024490 Lag Screw DIN 571 8 x 100, galv. 564
024500 Lag Screw DIN 571 8 x 130, galv. 564
024510 Lag Screw DIN 571 8 x 140, galv. 564
024520 Lag Screw DIN 571 8 x 160, galv. 564
024540 TSS-Torx 6 x 40, galv. 565
024470 TSS-Torx 6 x 60, galv. 565
024690 TSS-Torx 6 x 80, galv. 565
103444 TSS-Torx 8 x 38, galv. 565
104892 TSS-Torx 8 x 44, galv. 565
104647 TSS-Torx 8 x 58, galv. 565
103443 TSS-Torx 8 x 78, galv. 565
110272 TSS-Torx 6 x 60, ZKS, galv. 565
710262 Screw ISO 15482 5.5x45 TX 30, galv. 565

024550 Spax Screw TX 30 8 x 20, yellow galv. 566
024950 Spax Screw TX 30 6 x 100, yellow galv. 566
024960 Spax Screw TX 30 6 x 120, yellow galv. 566
024970 Spax Screw TX 30 6 x 140, yellow galv. 566
024980 Spax Screw TX 30 6 x 160, yellow galv. 566
024990 Spax Screw TX 30 6 x 180, yellow galv. 566
024530 Screwnail 40 mm, galv. 566
024310 Screwnail 70 mm, galv. 566
024350 Screwnail 90 mm, galv. 566
018280 Double Head Nail, l = 65 mm 566
021770 Selftapping Screw 6.3 x 32, galv. 566
722083 Rivet DIN 7337 A 4.8 x 23, Alu 566
780304 Rivet DIN 7337 A 5 x 12, Alu 566
722318 Rivet DIN 7337 A 6 x 10, Steel 566
780305 Rivet DIN 7337 B 5 x 20, GAV 566
780302 Rivet DIN 7337 B 5 x 25, Alu 566
730050 Rivet DIN 7337 B 5 x 30, Alu 566
051650 F.H. Bolt DIN 603 M6 x 180 MU, galv. 567
710295 F.H. Bolt DIN 603 M8 x 45 MU, galv. 567
710326 F.H. Bolt DIN 603 M8 x 60 MU, galv. 567
710709 F.H. Bolt DIN 603 M8 x 65 MU, galv. 567
024140 F.H. Bolt DIN 603 M8 x 70 MU, galv. 567
723439 F.H. Bolt DIN 603 M8 x 80 MU, galv. 567
750076 F.H. Bolt DIN 603 M8 x 90 MU, galv. 567
710240 F.H. Bolt DIN 603 M8 x 100 MU, galv. 567
024360 F.H. Bolt DIN 603 M8 x 125 MU, galv. 567
725462 F.H. Bolt DIN 603 M8 x 140 MU, galv. 567
024380 F.H. Bolt DIN 603 M8 x 160 MU, galv. 567
024390 F.H. Bolt DIN 603 M8 x 200 MU, galv. 567
024410 F.H. Bolt DIN 603 M8 x 250 MU, galv. 567
027990 Bolt Ø 14 x 107, galv. 567
027170 Pin Ø 16 x 42, galv. 567
018050 Pin Ø 16 x 65/86, galv. 568
027690 Bolt SB-TRIO/DOMINO, galv. 568
105400 Pin Ø 20 x 140, galv. 568
107579 Pin Ø 25 x 154, galv. 568
026200 Bolt Ø 25 x 160, KG, galv. 569
105435 Bolt Ø 50 x 330 569
104031 Fitting Pin Ø 21 x 120 569
111567 Fitting Pin Ø 26 x 120 569
037160 Bolt Ø 20 x 205, galv. 570
113012 Pin Ø 20 x 260, galv. 570
715585 Pin Ø 25 x 240, SKS, galv. 570
113247 Pin Ø 25 x 260, mont. 570
022210 Pin for GRB, galv. 571
022230 Cotter Pin 5/1, galv. 571
018060 Cotter Pin 4/1, galv. 571
710618 Cotter Pin 8, galv. 571
710304 Cotter Pin 7, galv. 571
711063 Dowel Pin Ø 5 x 35 571
722457 Dowel Pin Ø 10 x 70, galv. 571

Accessories **573**
030290 Plug Ø 20 mm 574
030300 Plug Ø 20/24 mm 574
026250 Plug Ø 26 mm 574
031200 Chamfer Strip with Flange, l = 2.50 m 574
030260 Formwork Joint 21/20, l = 2.50 m 574
101706 Formwork Joint 21/40, l = 3.00 m 574
054240 Chamfer Strip, l = 2.70 m 575
018290 Framing Clip, galv. 575
018310 Beam Connector, galv. 575
024880 Hook Strap HB for VT, galv. 575
065073 Anchor Chain 3.0 kN, l = 2.5 m 576
065074 Turnbuckle 3.0 kN, M12 576
123478 Toe Board Angle 90° 576
201410 Scaff. Tube Steel Ø 48.3 x 4.0, l = 6.4 m 576
201411 Double Coupler Pressed Steel 577
017030 Double Coupler NK 60/48, galv. 577
102400 Swivel Coupling DK 38/48, galv. 577
201412 Swivel Coupler Pressed Steel 577
017000 Swivel Coupling DK 60/48, galv. 577
017040 Screw-On Coupler AK 48, galv. 577

Numerical Index

03164 DK Concrete Cone UNI 58/52 273
010050 Steel Waler SRZ U100, l = 2.45 m 150
010540 Steel Waler U120 VSRZ, l = 24/1.17/12 116
010550 Steel Waler U120 VSRZ, l = 24/2.39/12 116
010820 Steel Waler U120 SRZ, l = 1.78 m 116
010840 Steel Waler U120 SRZ, l = 1.17 m 116
010870 Steel Waler U120 SRZ, l = 2.39 m 116
011200 Steel Waler U120 SRZ, l = 0.56 m 116
012040 Column Waler SSRZ-U120, spec. length 210
012050 Column VARIO Waler SVRZ U-100, l = 1.20 m 210
012080 Column Waler SSRZ-U100, spec. length 210
012090 Column Waler SSRZ-U140, spec. length 210
012150 Column Waler SSRZ-24 U-100, l = 0.97/0.85 m 210
012160 Column Waler SSRZ-24 U-100, l = 1.13/1.01 m 210
012300 Welding Unit for SSRZ 210
12600 Schr ISO 4017 M12 x 60-8.8, verz. 347
12826 DUO corner ties 100
013010 Coupling VKZ 99 121
013020 Coupling VKZ 147 121
013030 Coupling VKZ 211 121
013080 Coupling VKZ spec. length 121
013130 Corner Coupling EKZ 76/76 122
013140 Corner Coupling EKZ 95/43 122
013180 Corner Coupling EKZ spec. length 122
013210 Articulated Coupling GKZ 76/76 123
013220 Articulated Coupling GKZ 60/60 123
013230 Articulated Coupling GKZ spec. length 123
013240 Stopend Tie 125
014220 Steel Waler U120 VSRZ, l = 24/1.78/12 116
017010 Swivel Coupling DK 48/48, galv. 151
017010 Swivel Coupling DK 48/48, galv. 412
017020 Standard Coupler NK 48/48, galv. 427
017040 Screw-On Coupler AK 48, galv. 261
017040 Screw-On Coupler AK 48, galv. 317
018050 Bolt Ø 16 x 65/86 galv. 103
018050 Pin Ø 16 x 65/86, galv. 172
018060 Cotter pin 4/1 galv. 104
018060 Cotter Pin 4/1, galv. 124
018060 Cotter Pin 4/1, galv. 172
018060 Cotter Pin 4/1, galv. 237
018060 Cotter Pin 4/1, galv. 300
018060 Cotter Pin 4/1, galv. 389
018060 Cotter Pin 4/1, galv. 399
018280 Double Head Nail, l = 65 mm 240
018290 Framing Clip, galv. 240
019200 Trolley with Winch 400
020330 Folding Bearing Plate 25 285
020600 Gravity Pivot Plate BR 285
020620 Spacer for Platform Beam BR 284
020620 Spacer for Platform Beam BR 306
020820 Outside Panel A 85 x 120 136
020830 Inside Panel I 72 x 120 137
020840 Outside Panel A 85 x 240 136
020850 Inside Panel I 72 x 240 137
020860 Outside Panel A 85 x 300 136
020870 Inside Panel I 72 x 300 137
020880 Outside Panel A 85 x 360 136
020890 Inside Panel I 72 x 360 137
021400 Outside Panel A 250 x 300 132
021410 Inside Panel I 240 x 300 133
021420 Outside Panel A 128 x 300 134
021430 Inside Panel I 123 x 300 135
021610 Adjusting Spindle 210 138
021620 Adjusting Spindle 500 138
021630 Distribution Waler 139
021640 Waler Bolt for RUNDFLEX, galv. 139
021790 Ratchet Spanner SW 24 “Combi” 141
021800 Outside Panel A 250 x 60 132
021810 Inside Panel I 240 x 60 133
021820 Outside Panel A 250 x 120 132
021830 Inside Panel I 240 x 120 133
021840 Outside Panel A 250 x 240 132
021850 Inside Panel I 240 x 240 133
021880 Outside Panel A 250 x 360 132
021890 Inside Panel I 240 x 360 133
021900 Outside Panel A 128 x 60 134
021910 Inside Panel I 123 x 60 135
021920 Outside Panel A 128 x 120 134
021930 Inside Panel I 123 x 120 135
021940 Outside Panel A 128 x 240 134
021950 Inside Panel I 123 x 240 135
021960 Outside Panel A 128 x 360 134
021970 Inside Panel I 123 x 360 135
021980 Crane Eye 24, left 127
021980 Crane Eye 24, left 140
021990 Crane Eye 24, right 127
021990 Crane Eye 24, right 140
022008 Main Beam HDT 880 409
022009 Main Beam HDT 440 409
022010 Main Beam HDT 280 409
022011 Double Anchor Tie Yoke HDD 411
022013 Centring Bolt HD M12, galv. 409
022016 Brace Connector HDR 410
022021 Trolley HD 411
022025 Centering Bar 40 x 20 x 400 410
022026 Steel Beam Clamp IPB 300 - 1000 411
022027 Wing Nut Spanner HD 396
022027 Wing Nut Spanner HD 407
022030 Tie Yoke, galv. 178
022230 Cotter Pin 5/1, galv. 300
022230 Cotter Pin 5/1, galv. 389
022514 Panel TR 120 x 240 55
022600 Panel TR 120 x 120 55
022610 Panel TR 120 x 90 55
022620 Panel TR 120 X 72 55
022630 Panel TR 120 x 72 56
022640 Panel TR 120 x 60 56
022650 Panel TR 120 x 30 56
022660 Panel TR 120-2 56
022790 Panel TR 60 x 90 59
022800 Panel TR 60 x 72 60
022810 Panel TR 60 x 60 60
022820 Panel TR 60 x 30 60
022840 Inside Corner TE 60-2 60
023010 Foundation Tie Clamp TRIO TLS 68
023020 Perforated Foundation Tie, 25 m 68
023020 Perforated Foundation Tie, 25 m 88
023020 Perforated foundation tie, 25 m roll 107
023030 Stopend Panel TR 120 x 24 58
023050 Stopend Panel TR/4 330 x 24 53
023060 Stopend Panel TRIO AT 270 x 3 19
023061 Stopend Panel TRIO MT 270 x 20 19
023062 Stopend Panel TRIO MT 270 x 24/25 19
023064 Stopend Panel TRIO MT 270 x 30 19
023065 Stopend Panel TRIO MT 270 x 35/36 19
023067 Stopend Panel TRIO AT 120 x 3 24
023067 Stopend Panel TRIO AT 120 x 3 59
023068 Stopend Panel TRIO MT 120 x 20 24

Numerical Index

023068 Stopend Panel TRIO MT 120 x 20 59
023069 Stopend Panel TRIO MT 120 x 24/25 24
023069 Stopend Panel TRIO MT 120 x 24/25 59
023071 Stopend Panel TRIO MT 120 x 30 24
023071 Stopend Panel TRIO MT 120 x 30 59
023072 Stopend Panel TRIO MT 120 x 35/36 24
023072 Stopend Panel TRIO MT 120 x 35/36 59
023074 Stopend Panel TRIO MTF 270 x 20 19
023075 Stopend Panel TRIO MTF 270 x 24/25 19
023076 Stopend Panel TRIO MTF 270 x 35/36 19
023077 Stopend Panel TRIO MTF 270 x 30 19
023078 Stopend Panel TRIO MTF 120 x 30 24
023078 Stopend Panel TRIO MTF 120 x 30 59
023079 Stopend Panel TRIO MTF 120 x 35/36 24
023079 Stopend Panel TRIO MTF 120 x 35/36 59
023080 Stopend Panel TRIO MTF 120 x 24/25 24
023080 Stopend Panel TRIO MTF 120 x 24/25 59
023081 Stopend Panel TRIO MTF 120 x 20 24
023081 Stopend Panel TRIO MTF 120 x 20 59
023270 Filler Plate LA 120 x 36 58
023282 Wall Thickness Comp. WDA-2 120 x 5 57
023292 Wall Thickness Comp. WDA-2 120 x 6 57
023300 Articulated Corner TGE 120 57
023440 Lifting Pin TRIO 38
023440 Lifting Pin TRIO 64
023440 Lifting Pin TRIO 206
023450 Filler Support TPA 120 58
023500 Alignment Coupler BFD 138
023500 Alignment Coupler BFD, galv. 30
023500 Alignment Coupler BFD, galv. 32
023500 Alignment Coupler BFD, galv. 61
023500 Alignment Coupler BFD, galv. 204
023550 Compensation Waler TAR 85 61
023551 Waler 85 33
023551 Waler 85 61
023630 Top Tie Bracket-2 AH, galv. 37
023630 Top Tie Bracket-2 AH, galv. 63
023640 Bulkhead Tie TS, galv. 33
023640 Bulkhead Tie TS, galv. 62
023650 Hook Tie DW 15, l = 400 mm, galv. 33
023650 Hook Tie DW 15, l = 400 mm, galv. 62
023660 Brace Connector TRIO, galv. 34
023660 Brace Connector TRIO, galv. 62
023660 Brace Connector TRIO, galv. 171
023660 Brace Connector TRIO, galv. 204
023670 Scaffold Bracket TRG 80 39
023670 Scaffold Bracket TRG 80 66
023680 Scaffold Bracket TRG 120 66
023680 Scaffold Bracket TRG 120 39
023800 Foundation Strap TRIO 68
023820 Hook Tie Head DW 15, galv. 33
023820 Hook Tie Head DW 15, galv. 62
023920 Universal Waler 245 61
023930 Waler Stop 62
023940 Alignment Coupler 38, 138
023990 Wall Thickness Comp. WDA 120 x 10 Alu 57
024000 Compensation Washer 16, yellow galv 387
024070 Hook Strap HB 24-100/120, galv. 119
024070 Hook Strap HB 24-100/120, galv. 212
024070 Hook Strap HB 24-100/120, galv. 288
024080 Hook Strap HB 24-140/160, galv. 289
024180 Compensation Washer 20, galv. 151
024180 Compensation Washer 20, galv. 387
024210 Tie Yoke SKZ 124
024210 Tie Yoke SKZ 212
024220 Coupling Compression Plate KDP 125
024240 Wedge KZ, galv. 125
024240 Wedge KZ, galv. 211
024250 Wedge K, galv 149
024250 Wedge K, galv. 125
024250 Wedge K, galv. 171
024250 Wedge K, galv. 214
024260 Lag Screw DIN 571 8 x 80, galv. 121
024270 Lag Screw DIN 571 8 x 60, galv. 121
024360 F.H. Bolt DIN 603 M8 x 125 MU, galv. 263
024470 TSS-Torx 6 x 60, galv. 121
024480 Extension Splice 24-2 126
024480 Extension Splice 24-2 139
024600 Girder Claw HB 119
024630 Fix Strap U100 – U120, galv. 119
024640 Quick Str. Hook Strap 24-100/140, galv. 119
024690 TSS-Torx 6 x 80, galv. 121
024860 Hook Strap HB 24 QB 150, galv. 120
024860 Hook Strap HB 24 QB 150, galv. 288
024910 Bolt ISO 4014 M20 x 100-8.8, galv. 151
025690 Brace Frame SB-A0 146
025700 Brace Frame SB-A 146
025710 Brace Frame SB-B 147
025720 Brace Frame SB-C 147
025740 Connector SB-A, B, C - MX/TR/D 42
025740 Connector SB-A, B, C - MX/TR/D 67
025740 Connector SB-A, B, C - MX/TR/D 87
025740 Connector SB-A, B, C - MX/TR/D 148
025750 Guide Roller SB-A, B 149
025760 Waler Connector SB-A, B, C 148
026230 Anchor Sleeve M24 35
026230 Anchor Sleeve M24 286
026240 Cone PP 31/26, c = 25 36
026240 Cone PP Ø 31/26, c = 25 286
026250 Plug 26 mm 36
026250 Plug Ø 26 mm 286
026280 Anchor Sleeve DW 15 179
026420 Anchor Positioning Stud M24 galv 36
026420 Anchor Positioning Stud M24, galv. 266
026420 Anchor Positioning Stud M24, galv. 288
026430 Bolt ISO 4014 M24 x 70-10.9, glav. 269
026430 Bolt ISO 4014 M24 x 70-10.9, glav. 286
026430 Bolt ISO 4014 M24 x 70-10.9, glav. 334
026440 Anchor Positioning Stud f. AH-DW 15, galv. 179
026450 Anchor Positioning Stud M30, galv. 361
026460 Anchor Positioning Stud M36, galv. 163
026460 Anchor Positioning Stud M36, galv. 364
027170 Pin Ø 16 x 42, galv. 172
027180 Ratchet Lever SW 19 269
027210 Spanner SW 80, for SB 152
027211 Spanner SW 46, for SB 152
027212 Allen Key SW 14, long 163
027212 Allen Key SW 14, long 269
027212 Allen Key SW 14, long 371
027213 Spanner SW 70, for SB 152
027230 Tension Rod with Nut 135/M30 157
027288 MULTIPROP MP 120 394
027289 MULTIPROP MP 250 394
027290 MULTIPROP MP 350 394
027291 MULTIPROP MP 480 394
027296 Tilting Base MKF 397
027297 Tilting Forkhead MKK 397
027298 Scaffold Tube Coupler MG-A/C 397

Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX

Numerical Index

027299 Scaffold Tube Coupler MG-B/D 397
027301 Connector MPV-2 398
027302 MULTIPROP Strap SRZ U100 – U140 398
027305 MULTIPROP MP 625 394
027310 Base MP 50 396
027480 Anchor Plate SB - DW 26 159
027520 Double Anchor Tie Yoke DSW 153
027530 Anchor Waler U140, l = 2.35 m 160
027540 Tension Rod with Nut 100/M30 157
027590 Hook Strap for SB-1, 2 126
027650 Anchor Waler U140, l = 0.55 m 159
027680 Connector SB-1, 2 - MX/TR/D 42
027680 Connector SB-1, 2 - MX/TR/D 67
027680 Connector SB-1, 2 - MX/TR/D 87
027690 Bolt SB-TRIO/DOMINO galv. 68
027690 Bolt SB-TRIO/DOMINO, galv 147
027690 Bolt SB-TRIO/DOMINO, galv. 87
027790 Brace Clamp HL, galv., 76 – 120 mm 238
027890 Crosshead 20/24, galv. 236
027930 Assembly Bar 24, galv. 239
027940 Brace Clamp, galv., 48 – 76 mm 238
027990 Bolt Ø 14 x 107, galv. 236
028000 Universal Tripod, galv. 237
028000 Universal Tripod, galv. 397
028050 Girder Headpiece GT 24, galv. 170
028050 Girder Headpiece GT 24, galv. 213
028060 Wedge Headpiece SRZ/SRU 171
028060 Wedge Headpiece SRZ/SRU 213
028070 Girder Headpiece GT 24/A, galv. 170
028070 Girder Headpiece GT 24/A, galv. 213
028080 Connector Kicker/Push-Pull Prop, galv. 172
028080 Connector Kicker/Push-Pull Prop, galv. 410
028100 Base Plate for RS 228
028110 Kicker AV 140 169
028110 Kicker brace AV 140 112
028120 Kicker AV RSS III 170
028330 Frame MRK 90 394
028340 Frame MRK 120 394
028350 Frame MRK 150 394
028360 Frame MRK 225 395
028370 Frame MRK 296 395
028380 Frame MRK 137.5 394
028390 Frame MRK 62.5 394
028400 Frame MRK 75 394
028460 Frame MRK 201.5 395
028470 Frame MRK 230 395
028480 Frame MRK 237 395
028490 Frame MRK 266 395
028590 Tension Strap 16-25, galv. 237
028660 Clawhead 16/20 S, galv. 236
028670 Clawhead 16/20, galv. 236
028680 Crosshead 20/24 S, galv. 236
028870 Lowering Head 20/24, galv. 235
028880 Clawhead 24, galv. 236
028890 Clawhead 24 S, galv. 236
028990 Push-Pull Prop RS 1000, galv. 167
029270 Advancing Bolt M24, galv. 265
029270 Advancing Bolt M24, galv. 287
029270 Advancing Bolt M24, galv. 330
029280 Anchor Positioning Plate M24, galv. 266
029280 Anchor Positioning Plate M24, galv. 287
029380 Anchor Positioning Plate M30, galv. 328
029380 Anchor Positioning Plate M30, galv. 361
029390 Anchor Positioning Plate M36, galv. 163
029390 Anchor Positioning Plate M36, galv. 363
029420 Bolt ISO 4017 M30 x 70-8.8, galv. 328
029430 Bolt ISO 4017 M36 x 70-8.8, galv. 162
029430 Bolt ISO 4017 M36 x 70-8.8, galv. 364
029440 Lag Screw DIN 571 6 x 20, galv. 163
029440 Lag Screw DIN 571 6 x 20, galv. 266
029440 Lag Screw DIN 571 6 x 20, galv. 288
029450 Advancing Screw M30, galv. 328
029450 Advancing Screw M30, galv. 361
029470 Scaffold Mounting Ring M24, galv. 263
029480 Scaffold Mounting Ring M30, galv. 325
029490 Scaffold Mounting Ring M36, galv. 161
029540 Bolt ISO 4014 M30 x 130-10.9, galv. 328
029550 Bolt ISO 4014 M36 x 130-10.9, galv. 162
029560 Bolt ISO 4014 M24 x 120-10.9 36
029560 Bolt ISO 4014 M24 x 120-10.9 263
029610 Ratchet Wrench 1" 338
029610 Ratchet Wrench 1" 370
029620 Socket SW 19-1/2" 270
029620 Socket SW 19-1/2" 338
029630 Socket SW 46-1" 338
029630 Socket SW 46-1" 370
029640 Socket SW 55-1" 370
030010 Tie Rod DW 15, l = 0.85 m 212
030050 Cutting Cost Tie Rod DW 15, B 15 265
030050 Cutting Cost Tie Rod DW 15, B 15 291
030050 Cutting Cost Tie Rod DW 15, B 15 333
030060 Brace Frame Double Anchor DW 15 153
030090 Hex. Nut DW 15 SW 30/108, galv 177
030090 Hex. Nut DW 15 SW 30/108, galv. 367
030110 Wingnut counterplate DW 15, 120 x 120 x 15 98
030130 Cam Nut DW 15, galv. 178
030190 Three Wingnut DW 15, galv. 177
030260 Formwork Joint 21/20, l = 2.50 m 126
030290 Plug Ø 20 mm 83
030300 Plug Ø 20/24 mm 63
030320 Plug Ø 25 mm for TRS 204
030340 Tie Rod DW 26, spec. length 162
030370 Wingnut pivot plate DW 15 galv. 98
030370 Wingnut Pivot Plate DW 15, galv. 368
030400 Coupling Nut M 30/DW 26, galv. 157
030420 Counterplate DW 26, 120 x 120 x 20 185
030460 Pretension Jack for DW 15/20/26 186
030500 Cutting Cost Tie Rod DW 26 162
030550 Hex. Nut DW 15 SW 30/50, weldable 177
030580 Hex. Nut DW 20 SW 36/60, weldable 155
030580 Hex. Nut DW 20 SW 36/60, weldable 183
030580 Hex. Nut DW 20 SW 36/60, weldable 365
030663 Adapter I for Pretension Jack 186
030664 Adapter III for Pretension Jack 186
030740 Tie Rod B 15, spec. length 265
030740 Tie Rod B 15, spec. length 291
030740 Tie Rod B 15, spec. length 333
030745 Tie Rod B 20, spec. length 326
030745 Tie Rod B 20, spec. length 360
030800 Cutting Cost Tie Rod DW 20/B 20 326
030800 Cutting Cost Tie Rod DW 20/B 20 360
030840 Threaded Anchor Plate DW 15 152
030840 Threaded Anchor Plate DW 15 179
030840 Threaded Anchor Plate DW 15 264
030840 Threaded Anchor Plate DW 15 333
030840 Threaded Anchor Plate DW 15 369
030860 Threaded Anchor Plate DW 20 154
030860 Threaded Anchor Plate DW 20 184

030860 Threaded Anchor Plate DW 20 264
030860 Threaded Anchor Plate DW 20 287
030860 Threaded Anchor Plate DW 20 326
030860 Threaded Anchor Plate DW 20 332
030860 Threaded Anchor Plate DW 20 360
030870 Threaded Anchor Plate DW 26 157
030870 Threaded Anchor Plate DW 26 162
030870 Threaded Anchor Plate DW 26 186
030870 Threaded Anchor Plate DW 26 327
030870 Threaded Anchor Plate DW 26 363
030920 Climbing Cone-2 M30/DW 20, galv. 326
030920 Climbing Cone-2 M30/DW 20, galv. 360
030940 Climbing Cone-2 M36/DW 26, galv. 161
030940 Climbing Cone-2 M36/DW 26, galv. 362
030970 Hex. Coupler DW 26 SW 46/80, weldable 158
030970 Hex. Coupler DW 26 SW 46/80, weldable 185
030980 Hex. Coupler DW 26 SW 46/150, weldable 157
030980 Hex. Coupler DW 26 SW 46/150, weldable 185
031050 Tie Rod Wrench 20, galv. 184
031070 Tie Rod Wrench 15, galv. 181
031200 Chamfer Strip with Flange, l = 2.50 m 125
031200 Chamfer Strip with Flange, l = 2.50 m 212
031220 Climbing Cone-2 M24/DW 15, galv. 264
031220 Climbing Cone-2 M24/DW 15, galv. 333
031300 Weld on Anchor DW 15 179
031480 Socket Wrench SW 36, chrome-plated 197
031480 Socket Wrench SW 36, chrome-plated 269
031480 Socket Wrench SW 36, chrome-plated 274
031580 V-Tie Holder DW 15 153
031580 V-Tie Holder DW 15 369
031590 V-Tie Holder DW 20 156
031600 V-Tie Holder DW 26 158
031627 Spacer Tube rough DR 32, l = 3.00 m 154
031627 Spacer Tube rough DR 32, l = 3.00 m 182
031631 Leading Anchor Coupler DW 15, compl. 154
031631 Leading Anchor Coupler DW 15, compl. 369
031632 Leading Anchor Coupler DW 20 156
031633 Leading Anchor Coupler DW 26 158
031634 Spacer Tube rough DR 42, l = 3.00 m 156
031634 Spacer Tube rough DR 42, l = 3.00 m 158
031635 DK Cone DW 15/35 190
031636 DK Cone DW 15/55 45
031636 DK Cone DW 15/55 190
031637 DK Cone DW 20/55 45
031637 DK Cone DW 20/55 190
031638 DK Cone DW 26/55 190
031639 SK Sealing Washer UNI DW 15 193
031641 DK Concrete Cone Architec. DW 15-58/52 192
031641 DK Concrete Cone Architec. DW 15-58/52 273
031642 DK Concrete Cone DW 15-58/30 191
031642 DK Concrete Cone DW 15-58/30 272
031643 DK Concrete Cone UNI 58/52 44
031643 DK Concrete Cone UNI 58/52 191
031643 DK Concrete Cone UNI 58/52 194
031644 DK Tong for Concrete Cone 58 197
031644 DK Tong for Concrete Cone 58 274
031646 SK Anchor Cone DW 20 192
031647 SK Anchor Cone DW 26 192
031648 SK Sealing Washer DW 20 193
031649 SK Sealing Washer DW 26 193
031650 SK Concrete Cone DW 20-67/60 194
031651 SK Concrete Cone DW 26-100/60 194
031652 KK Concrete Cone M24-67/52 195
031652 KK Concrete Cone M24-67/52 265
031653 KK Concrete Cone M30-80/5 361
031653 KK Concrete Cone M30-80/52 195
031653 KK Concrete Cone M30-80/52 327
031654 KK Concrete Cone M36-90/52 195
031654 KK Concrete Cone M36-90/52 363
031655 DK Cone Remover UNI 196
031656 SK Tong for Concrete Cone 67 197
031657 SK Tong for Concrete Cone 100 197
031671 SK Tube Seal 22 193
031672 SK Tube Seal 28 194
035500 Stripping Cart, Alu 241
037150 Tie Yoke DW 15 180
037160 Bolt Ø 20 x 205, galv. 211
051020 Carriage CB 240 254
051030 Height Adjusting Unit CB, SCS 257
051030 Height Adjusting Unit CB, SCS 356
051040 Rack CB 240 255
051050 Post Extension CB 180 259
051060 Strongback CB 270 256
051090 Connector TRIO-CB 257
051100 Climbing Bracket CB 160 255
051110 Adjustable Brace CB 164-224 257
051120 Platform Connection CB 160 256
051130 Adjusting Unit CB 160 256
051150 Strongback CB 380 256
051160 Guardrail Connector CB 261
051190 Handrail Post CB 200 259
051200 Platform Post CB 225 258
051210 Handrail Post CB 190 260
051220 Handrail Post CB 370 260
051230 Finishing Platform Beam CB 258
051250 Tension Belt, l = 5.70 m, 2.5 t 268
051250 Tension Belt, l = 5.70 m, 2.5 t 365
051260 Tension Belt Connector CB 267
051270 Tension Belt Connector Wall M24 268
051410 Ladder 180/6 142
051410 Ladder 180/6, galv. 215
051410 Ladder 180/6, galv. 279
051420 Ladder 220/6 279
051450 Ladder Safety Cage 150 142
051450 Ladder Safety Cage 150, galv. 216
051450 Ladder Safety Cage 150, galv. 280
051460 Ladder Base 142
051460 Ladder Base, galv. 280
051460 Ladder Base, galv. 215
051640 Lag Screw DIN 571 6 x 80, galv. 263
051650 F.H. Bolt DIN 603 M6 x 180 MU, galv. 263
051760 Cable Binder NT-240H 345
051764 Ratchet Wrench 3/4" 338
054200 Column Panel TRS 270 x 90 202
054210 Column Panel TRS 120 x 90 202
054220 Column Panel TRS 60 x 90 202
054230 Column Tie Bolt TRIO, galv. 203
054240 Chamfer Strip, l = 2.70 m 63
054240 Chamfer Strip, l = 2.70 m 204
054304 Panel TR/4 330 x 240 50
054314 Panel TR/4 330 x 120 50
054324 Panel TR/4 330 x 90 50
054334 Panel TR/4 330 x 72 51
054344 Multi Panel TRM/4 330 x 72 52
054354 Panel TR/4 330 x 60 51
054364 Panel TR/4 330 x 30 51
054374 Inside Corner TE/4 330 52
054384 Filler Plate LA/4 330 x 36 54

Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX

Numerical Index

054391	Wall Thickness Comp. WDA/4 330 x 5	53
054401	Wall Thickness Comp. WDA/4 330 x 6	53
054414	Articulated Corner TGE/4 330	52
054430	Filler Support TPA 330	54
054435	Wall Thickness Comp. WDA/4 330 x 10 Alu	53
057050	Suspension Tube Vario 53	308
057087	Kicker AV 82	169
057087	Kicker brace AV 82	111
057088	Kicker AV 111	169
057088	Kicker brace AV 111	111
057138	Hex. Bolt ISO 4014 M24 x 160-8.8, galv.	272
057257	Screw-On Cone M30/DW 26	327
057276	Socket SW 30-3/4"	338
057376	Hydraulic Fluid HV LP46, 20 l	337
057376	Hydraulic Oil ISO 11158 HVI46, 20 l	344
061000	Panel SDP 150 x 75	222
061010	Panel SDP 75 x 75	222
061011	Panel SDP 150 x 50	222
061013	Panel SDP 75 x 50	222
061020	Panel SDP 150 x 37.5	222
061021	Triangular Frame SDR 150 x 75	225
061022	Triangular Frame SDR 75 x 75	225
061023	End Support SSL	226
061024	Cover Strip SAL 50	223
061026	Cover Strip SAL 150	223
061027	Cover Strip SAL 75	223
061030	Panel SDP 75 x 37.5	222
061036	Filler Timber SPH 225	225
061038	Cover Strip SAL 37.5	223
061045	Edge Beam SRT-2 150	223
061046	Edge Beam SRT-2 75	223
061049	Filler Timber SPH 150	225
061051	Wall Holder SWH-2	225
061052	Table Connector STV	226
061100	Main Beam SLT 225	222
061110	Main Beam SLT 150	223
061160	Main Beam SLT 375	222
061180	Combihead SCK	224
061200	Prophead SSK	224
061210	Drophead SFK	224
061250	Guardrail Holder SGH, Alu	227
061260	Guardrail post SGP	102
061260	Guardrail Post SGP	227
061260	Guardrail Post SGP	240
061260	Guardrail Post SGP	387
061280	Panel Wedge Clip SPKK	226
061290	Panel Clip SPK	226
061300	Erection Aid SSH	226
061310	Tension Sleeve SAO	227
061500	Pallet SD 150 x 75, galv.	229
061530	Pallet SD 150 x 225, galv.	229
065036	Plug DR 22	182
065036	Plug DR 22	274
065066	End guardrail 55	103
065066	End Guardrail Frame 55	262
065073	Anchor Chain 3.0 kN, l = 2.5 m	227
065074	Turnbuckle 3.0 kN, M12	228
066020	Panel D 250 x 100	72
066021	Panel DA 250 x 100	73
066022	Panel D 250 x 75	72
066023	Panel DA 250 x 75	74
066024	Multi Panel DM 250 x 75	74
066025	Panel D 250 x 50	72
066026	Panel D 250 x 25	73
066028	Outside Corner Angle DAW 250	75
066029	Articulated Corner DGE 250	75
066030	Wall Thickness Comp. DWD 250 x 5	75
066032	Multi Panel Alu DMA 250 x 75	74
066033	Filler Support DPA 250	76
066040	Panel D 125 x 100	77
066041	Panel D 125 x 75	77
066042	Multi Panel DM 125 x 75	78
066043	Panel D 125 x 50	77
066044	Panel D 125 x 25	78
066046	Outside Corner Angle DAW 125	79
066047	Articulated Corner DGE 125	79
066048	Wall Thickness Comp. DWD 125 x 5	79
066050	Panel DA 125 x 100	78
066051	Panel DA 125 x 75	78
066052	Multi Panel DMA 125 x 75	78
066053	Filler Support DPA 125	79
066060	Panel D 75 x 100	81
066061	Panel D 75 x 75	81
066062	Multi Panel DM 75 x 75	81
066063	Panel D 75 x 50	80
066064	Panel D 75 x 25	80
066066	Outside Corner Angle DAW 75	82
066067	Articulated Corner DGE 75	81
066068	Wall Thickness Compensation DWD 75 x 5	82
066080	Alignment Coupler DRS	82
066082	Brace Connector DRA	171
066084	Compensation Waler DAR 80	82
066085	Scaffold Bracket DG 85	85
066086	Top Tie Bracket DAH	84
066088	DOMINO Chamfer Strip DSD 250	83
066090	Foundation Tie Clamp DOMINO DLS	88
066091	Lifting Hook DOMINO 500 kg	85
066093	Stacking Aid DOMINO DSH	86
066094	Stacking Device DOMINO DSR, galv.	86
066095	Positioning DGE 135 internal	84
066097	Positioning DGE 135 external	84
066099	Stacking Aid DOMINO DSW	86
066100	Positioning DEA 90	84
070030	Bulldog-Spike Ø 48/12 mm	319
070740	Erection Bar GT/VT, galv.	239
070760	Crane Splice GT 24	126
070760	Crane Splice GT 24	139
070760	Crane Splice GT 24	214
072180	Ratchet Wrench 1/2"	269
072180	Ratchet Wrench 1/2"	338
072180	Ratchet Wrench 1/2"	370
074890	Girder VT 20K, l = 2.65 m	235
074905	Girder VT 20K, l = 2.15 m	235
074910	Girder VT 20K, l = 2.45 m	235
074920	Girder VT 20K, l = 2.90 m	235
074930	Girder VT 20K, l = 3.30 m	235
074940	Girder VT 20K, l = 3.60 m	235
074950	Girder VT 20K, l = 3.90 m	235
074960	Girder VT 20K, l = 4.50 m	235
074970	Girder VT 20K, l = 4.90 m	235
074980	Girder VT 20K, l = 5.90 m	235
074990	Girder VT 20K, l = 1.45 m	235
075100	Girder GT 24, l = 0.90 m	234
075120	Girder GT 24, l = 1.20 m	234
075150	Girder GT 24, l = 1.50 m	234
075180	Girder GT 24, l = 1.80 m	234
075210	Girder GT 24, l = 2.10 m	234
075240	Girder GT 24, l = 2.40 m	234

Numerical Index

075270	Girder GT 24, l = 2.70 m	234
075300	Girder GT 24, l = 3.00 m	234
075330	Girder GT 24, l = 3.30 m	234
075360	Girder GT 24, l = 3.60 m	234
075390	Girder GT 24, l = 3.90 m	234
075420	Girder GT 24, l = 4.20 m	234
075450	Girder GT 24, l = 4.50 m	234
075480	Girder GT 24, l = 4.80 m	234
075510	Girder GT 24, l = 5.10 m	234
075540	Girder GT 24, l = 5.40 m	234
075570	Girder GT 24, l = 5.70 m	234
075600	Girder GT 24, l = 6.00 m	234
079300	Alu Beam MPB 24 l = 3.00 m	401
079360	Alu Beam MPB 24 l = 3.60 m	401
079420	Alu Beam MPB 24 l = 4.20 m	401
079480	Alu Beam MPB 24 l = 4.80 m	401
079540	Alu Beam MPB 24 l = 5.40 m	401
079600	Alu Beam MPB 24 l = 6.00 m	401
098217	Template for RUNDFLEX A85, I72	141
099540	Template for RUNDFLEX A250, I240, A128, I123	141
100000	Top Standard UVH 100	419
100002	Top Standard UVH-2 250	420
100009	Standard UVR 200	406
100009	Standard UVR 200	419
100012	Standard UVR 300	406
100012	Standard UVR 300	419
100013	Standard UVR 400	406
100014	Base Standard UVB 24	418
100057	Ledger Brace UBL 150/200	423
100061	Ledger Brace UBL 200/200	423
100065	Ledger Brace UBL 250/200	423
100069	Ledger Brace UBL 300/200	423
100242	Base Spindle UJB 38-80/55	432
100411	Adj. Base Plate UJB 38-50/30	418
100411	Base Spindle UJB 38-50/30	432
100416	Coupler Brace UBC 150/200	424
100719	Bolt ISO 4014 M10 x 70-8.8 MU, galv.	407
100719	Bolt ISO 4014 M10 x 70-8.8 MU, galv.	428
100863	Spindle Locking UJS	418
100870	Base Beam UVA 250	422
100901	SB-L Tension Strut, l = 740 mm	149
100903	SB-L Anchor Bracket	150
101290	Guardrail Holder GT 24 / VT 20	239
101306	Standard UVR 100	406
101395	Offset Coupling VVKZ 3/99	122
101592	Guardrail Post Holder TRIO	66
101621	Tension Release Plate SB DW 26	159
101633	Adjusting Bracket MX	35
101706	Formwork Joint 21/40, l = 3.00 m	126
101731	Ledger to Ledger Coupler UHA	421
101773	Heavy Duty Spindle SLS 80/140	305
101773	Heavy Duty Spindle SLS 80/140	380
101774	Heavy Duty Spindle SLS 100/180	305
101774	Heavy Duty Spindle SLS 100/180	380
101776	Heavy Duty Spindle SLS 140/240	151
101776	Heavy Duty Spindle SLS 140/240	305
101776	Heavy Duty Spindle SLS 140/240	380
101778	Heavy Duty Spindle SLS 200/300	305
101778	Heavy Duty Spindle SLS 200/300	380
101779	Heavy Duty Spindle SLS 260/360	305
101779	Heavy Duty Spindle SLS 260/360	380
101813	Filler Profile TPP 270 Alu	18
101823	Filler Profile TPP 120 Alu	23
101823	Filler Profile TPP 120 Alu	58
101829	Filler Profile TPP 330 Alu	13
101829	Filler Profile TPP 330 Alu	54
101862	Lifting Fork 1 t / 5.0 m	246
101927	Stopend Panel DOMINO AT 250 x 3	76
101928	Stopend Panel DOMINO MTF 250 x 20	76
101929	Stopend Panel DOMINO MTF 250 x 24/25	76
101930	Stopend Panel DOMINO MTF 250 x 30	76
101931	Stopend Panel DOMINO MTF 250 x 35/36	76
101934	Stopend Panel DOMINO AT 125 x 3	80
101935	Stopend Panel DOMINO MTF 125 x 20	80
101936	Stopend Panel DOMINO MTF 125 x 24/25	80
101937	Stopend Panel DOMINO MTF 125 x 30	80
101940	Stopend Panel DOMINO MTF 125 x 35/36	80
101964	Wall Thickness Comp. DWD 125 x 10	79
101986	Wall Thickness Comp. DWD 250 x 10	75
101995	Concrete Cone Gauge	197
101995	Concrete Cone Gauge	274
102018	Base Plate-2 for RS 1000/1400, galv.	150
102390	Drill- and Pretension Device 45°	187
102785	Socket SW 36-3/4"	338
102825	VARIO Coupling Concrete Finish VKS 99	123
102853	Inside Panel I 123/120 2R	135
102854	Outside Panel A 128 x 120 2R	134
102855	Inside Panel I 240 x 120 2R	133
102856	Outside Panel A 250 x 120 2R	132
102859	Standard UVR 50	406
102860	Standard UVR 150	406
102945	VARIO Alignment Clamp VRS	123
103054	Articulated Coupling GKS 60/60 S	123
103212	Lifting Fork 1.75 t / 8.0 m	247
103284	Internal Corner TEI 120/135°	57
103330	Outside Corner TEA 120/135°	57
103429	Pallet RP-2 80 x 150, galv.	238
103434	Pallet RP-2 80 x 120, galv.	238
103716	TRS Clamp DW 15, galv.	203
103718	Ladder Hook	142
103718	Ladder Hook, galv.	215
103718	Ladder Hook, galv.	280
103724	End Ladder 180/2, galv.	215
103724	End Ladder 180/2, galv.	279
103737	Universal Coupling UK 70	124
103737	Universal Coupling UK 70	382
103800	Push-Pull Prop RS 1400, galv.	167
103845	Hook Strap Uni HBU 24-28	120
103845	Hook Strap Uni HBU 24-28	290
103845	Hook Strap Uni HBU 24-28	385
103850	Outside Corner Coupling AKZ 85/85	122
103868	Steel Waler Universal SRU U120, l = 0.72 m	117
103868	Steel Waler Universal SRU U120, l = 0.72 m	292
103868	Steel Waler Universal SRU U120, l = 0.72 m	306
103868	Steel Waler Universal SRU U120, l = 0.72 m	379
103871	Steel Waler Universal SRU U120, l = 0.97 m	211
103871	Steel Waler Universal SRU U120, l = 0.97 m	292
103871	Steel Waler Universal SRU U120, l = 0.97 m	306
103871	Steel Waler Universal SRU U120, l = 0.97 m	379
103871	Steel Waler Universal SRU U120, l = 0.97 m	117
103874	Steel Waler Universal SRU U120, l = 1.22 m	211
103874	Steel Waler Universal SRU U120, l = 1.22 m	292
103874	Steel Waler Universal SRU U120, l = 1.22 m	306
103874	Steel Waler Universal SRU U120, l = 1.22 m	368
103874	Steel Waler Universal SRU U120, l = 1.22 m	379
103874	Steel Waler Universal SRU U120, l = 1.22 m	117
103877	Steel Waler Universal SRU U120, l = 1.47 m	211
103877	Steel Waler Universal SRU U120, l = 1.47 m	292

Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX

103877 Steel Waler Universal SRU U120, l = 1.47 m 306
103877 Steel Waler Universal SRU U120, l = 1.47 m 368
103877 Steel Waler Universal SRU U120, l = 1.47 m 379
103877 Steel Waler Universal SRU U120, l = 1.47 m 117
103886 Steel Waler Universal SRU U120, l = 1.72 m 117
103886 Steel Waler Universal SRU U120, l = 1.72 m 211
103886 Steel Waler Universal SRU U120, l = 1.72 m 292
103886 Steel Waler Universal SRU U120, l = 1.72 m 306
103886 Steel Waler Universal SRU U120, l = 1.72 m 368
103886 Steel Waler Universal SRU U120, l = 1.72 m 379
103889 Steel Waler Universal SRU U120, l = 1.97 m 117
103889 Steel Waler Universal SRU U120, l = 1.97 m 292
103889 Steel Waler Universal SRU U120, l = 1.97 m 306
103889 Steel Waler Universal SRU U120, l = 1.97 m 368
103889 Steel Waler Universal SRU U120, l = 1.97 m 379
103892 Steel Waler Universal SRU U120, l = 2.47 m 117
103892 Steel Waler Universal SRU U120, l = 2.47 m 292
103892 Steel Waler Universal SRU U120, l = 2.47 m 306
103892 Steel Waler Universal SRU U120, l = 2.47 m 368
103892 Steel Waler Universal SRU U120, l = 2.47 m 379
103898 Steel Waler Universal SRU U120, l = 2.22 m 117
103898 Steel Waler Universal SRU U120, l = 2.22 m 292
103898 Steel Waler Universal SRU U120, l = 2.22 m 306
103898 Steel Waler Universal SRU U120, l = 2.22 m 368
103898 Steel Waler Universal SRU U120, l = 2.22 m 379
103903 Steel Waler Universal SRU U120, l = 2.97 m 117
103903 Steel Waler Universal SRU U120, l = 2.97 m 292
103903 Steel Waler Universal SRU U120, l = 2.97 m 306
103903 Steel Waler Universal SRU U120, l = 2.97 m 368
103903 Steel Waler Universal SRU U120, l = 2.97 m 379
103906 Steel Waler Universal SRU U120, l = 3.47 m 117
103906 Steel Waler Universal SRU U120, l = 3.47 m 292
103906 Steel Waler Universal SRU U120, l = 3.47 m 306
103906 Steel Waler Universal SRU U120, l = 3.47 m 379
103915 Steel Waler Universal SRU U120, l = 3.97 m 117
103915 Steel Waler Universal SRU U120, l = 3.97 m 292
103915 Steel Waler Universal SRU U120, l = 3.97 m 306
103915 Steel Waler Universal SRU U120, l = 3.97 m 379
103918 Steel Waler Universal SRU U120, l = 4.47 m 117
103918 Steel Waler Universal SRU U120, l = 4.47 m 292
103918 Steel Waler Universal SRU U120, l = 4.47 m 306
103918 Steel Waler Universal SRU U120, l = 4.47 m 379
103922 Steel Waler Universal SRU U120, l = 4.97 m 117
103922 Steel Waler Universal SRU U120, l = 4.97 m 292
103922 Steel Waler Universal SRU U120, l = 4.97 m 306
103922 Steel Waler Universal SRU U120, l = 4.97 m 379
103925 Steel Waler Universal SRU U120, l = 5.47 m 117
103925 Steel Waler Universal SRU U120, l = 5.47 m 292
103925 Steel Waler Universal SRU U120, l = 5.47 m 306
103925 Steel Waler Universal SRU U120, l = 5.47 m 379
103928 Steel Waler Universal SRU U120, l = 5.97 m 117
103928 Steel Waler Universal SRU U120, l = 5.97 m 292
103928 Steel Waler Universal SRU U120, l = 5.97 m 306
103928 Steel Waler Universal SRU U120, l = 5.97 m 379
103929 Steel Waler Universal SRU U120, l = 2.72 m 117
103929 Steel Waler Universal SRU U120, l = 2.72 m 292
103929 Steel Waler Universal SRU U120, l = 2.72 m 306
103929 Steel Waler Universal SRU U120, l = 2.72 m 368
103929 Steel Waler Universal SRU U120, l = 2.72 m 379
103938 Corner Coupling EKZ 47/43 122
103943 Steel Waler Universal SRU U140, l = 4.97 m 118
103943 Steel Waler Universal SRU U140, l = 4.97 m 380
104027 Extension VARIO 24 U120 118
104027 Extension VARIO 24 U120 385
104031 Fitting Pin Ø 21 x 120 124
104031 Fitting Pin Ø 21 x 120 300
104031 Fitting Pin Ø 21 x 120 388
104031 Fitting Pin Ø 21 x 120 399
104096 Hook Strap Uni Double HBUD 24-28 120
104132 Ladder Safety Cage 75 142
104132 Ladder Safety Cage 75, galv. 216
104132 Ladder Safety Cage 75, galv. 280
104477 Bolt ISO 4014 M20 x 120-8.8, galv. 319
104477 Bolt ISO 4014 M20 x 120-8.8, galv. 366
104643 SK Lead Cone DW 15 195
104823 Socket SW 30-1/2" 370
104931 Hook Strap Uni HBU 20-24 120
104931 Hook Strap Uni HBU 20-24 289
104931 Hook Strap Uni HBU 20-24 385
105032 Nut ISO 7042 M24-8, galv. 320
105400 Pin Ø 20 x 140, galv. 388
105401 Crane Eye BR 2.5 t 323
105524 Shaft Element TSE 120 58
105525 Shaft Element TSE 330 53
105823 Platform Bracket VARIO VBK 90 129
105953 Stopend Panel TRIO AT 270 x 5 19
105978 Stopend Panel TRIO AT 120 x 5 24
105978 Stopend Panel TRIO AT 120 x 5 59
106000 Base Plate-2 for RSS 169
106183 Main Beam Clamp HD 70 mm, galv. 411
106661 Brace Frame Wall Scaffold Hinge 160
106662 Brace Frame Adaptor SB A0, A, B 160
106663 Brace Frame Adaptor SB-2 160
106877 Guardrail Post Holder DOMINO 85
107007 Tension Anchor Connector CB 266
107008 Wall Tension Anchor 267
107152 Tripod PEP Ergo, galv. 237
107160 Connector MP-SRU 399
107161 Compression Brace Head MP/SRU 399
107169 MULTIPROP Platform 150 x 60 395
107170 MULTIPROP Platform 225 x 60 395
107171 MULTIPROP Platform 150 x 60 with Hatch 395
107172 MULTIPROP Platform 225 x 60 with Hatch 395
107173 Ladder 220 x 350, telescopic 396
107348 Coupling MPB 24 401
107738 Ladder 240 — 360 129
107820 Strap MPB 24 402
108129 Tie Rod Spanner DW 15 181
108135 Kicker AV 210 170
108136 Glue for Concrete Cones-2, 5-kg-Set 196
108136 Glue for Concrete Cones-2, 5-kg-Set 273
108136 Glue for Concrete Cones-2, 5-kg-Set 327
108136 Glue for Concrete Cones-2, 5-kg-Set 363
108162 Bearing Box BR 285
108213 Brace Connector MPB 24 402
108339 Quick Strap MPB 24/GT 24 401
108719 Tie Rod Spanner TRH SW 22 32
108834 F.H. Bolt DIN 603 M8 x 180 MU, galv. 263
108855 Stopend Panel DOMINO AT 250 x 5 76
108856 Stopend Panel DOMINO AT 125 x 5 80
108958 Glue Component A-2 196
109017 Anchor Waler U160, l = 0.55 m 159
109105 Ladder Base 30 adjustable, galv. 279
109411 Ladder Connector RFP 141
109420 Ladder Safety Cage RFP 200 143
109468 Climbing Shoe RCS 324
109469 Climbing Rail RCS 248 296
109469 Climbing Rail RCS 248 378

109470 Climbing Rail RCS 348 296
109470 Climbing Rail RCS 348 378
109471 Climbing Rail RCS 498 296
109471 Climbing Rail RCS 498 378
109472 Climbing Rail RCS 748 296
109472 Climbing Rail RCS 748 378
109472 Climbing Rail RCS 998 296
109503 Wall Shoe RCS 324
109567 Slab Shoe RCS 329
109610 Climbing Rail RCS 998 378
109612 Bolt ISO 4014 M24 x 130-8.8, galv. 320
109717 Intermediate Platform Beam RCS 241 302
109718 Diagonal Strut RCS 142 302
109720 Guardrail Post RCS 226 303
109721 Guardrail Post RCS 384 304
109722 Finishing Platform Beam RCS 122 302
109726 Heavy Duty Spindle SLS 320/420 305
109726 Heavy Duty Spindle SLS 320/420 380
109743 Climbing Rail Connector RCS 33 298
109743 Climbing Rail Connector RCS 33 382
109755 Hatch UAF 75 x 100 425
109765 Climbing Device RCS 50 336
109766 Hydraulic Pump RCS 4-fold, 380 – 460V 337
109773 Guardrail Post RCS 509 304
109785 Heavy Duty Spindle SLS 380/480 305
109785 Heavy Duty Spindle SLS 380/480 380
109791 Climbing Rail Extension RCS 100 297
109879 Ladder UAF 200, Alu 426
110012 Diagonal Strut RCS 212 302
110012 Diagonal Strut RCS 212 310
110022 Spacer M20-82 296
110022 Spacer M20-82 355
110022 Spacer M20-82 389
110023 Spacer M24-82 296
110023 Spacer M24-82 389
110059 Waler Fixation U100 – U120 258
110059 Waler Fixation U100 – U120 307
110059 Waler Fixation U100 – U120 356
110069 Hydraulic Twin Hose RCS, 10 m 337
110069 Hydraulic Twin Hose RCS, 10 m 343
110070 Hydraulic Twin Hose RCS, 20 m 337
110070 Hydraulic Twin Hose RCS, 20 m 343
110084 Scaffold Tube Adapter Ø 48 RCS 317
110084 Scaffold Tube Adapter Ø 48 RCS 357
110094 Carriage Crank Lever SW 19 339
110160 Toeboard Steel UPY 150 426
110176 Toeboard Steel UPY 200 426
110208 Toeboard Steel UPY 250 426
110211 Toeboard Steel UPY 300 426
110234 Crossbar RCS 103 309
110272 TSS-Torx 6 x 60, ZKS, galv. 121
110279 Plug Socket RCS, black 338
110280 Adapter Cable RCS 338
110285 Crossbeam Head RCS/TRIO 301
110289 L-Angle RCS 120 x 120 x 200 318
110290 Timber Fixation RCS 12/20 311
110296 Clamp A64 DIN 3570 M12, galv. 317
110296 Clamp A64 DIN 3570 M12, galv. 358
110315 Mounting Ring Adapter RCS M30 325
110330 Girder Fixation M20 359
110345 Glue Component B-2 196
110375 Slab Shoe RCS Corner 329
110400 Adjusting Unit SRU, external 307
110406 Stopend Tie-2 DSA 83
110469 Tension Belt Connector Wall M36 366
110477 Spindle Adapter SLS/RCS 305
110477 Spindle Adapter SLS/RCS 381
110569 Climbing Rail Hinge RCS 297
110608 Hatch 55 x 60, foldable 278
110612 Tie Load Gauge 160 kN 186
110634 Cone Spanner TRH 197
110667 Wall Shoe RCS, pivoted 325
110675 Sealing Cone TRH 55 191
110755 Tie Yoke SRU 178
110792 Ledger to Ledger Coupler UHA Half w. Spigot 421
110950 Excentric Lever RCS 339
111000 Tension Strap MPB 24 / GT 24 402
111035 Heavy Duty Spindle SLS 40/80 305
111035 Heavy Duty Spindle SLS 40/80 380
111053 Locking Pin Ø 48/57 406
111053 Locking Pin Ø 48/57 428
111135 Adjusting Unit SRU, internal 307
111165 Ladder Connector VARIO, adjustable 129
111165 Ladder Connector VARIO, adjustable 216
111165 Ladder Connector VARIO, adjustable 280
111238 Crane Hook 2 t / GT 24 127
111279 Cross Connector VARIOKIT 383
111283 Angle Connector RCS/SRU 299
111283 Angle Connector RCS/SRU 383
111382 Climbing Rail Angle Connector RCS 299
111382 Climbing Rail Angle Connector RCS 383
111390 Climbing Rail Connector RCS 97 297
111390 Climbing Rail Connector RCS 97 381
111403 Mounting Castor Climbing Rail RCS 308
111436 Hinge DIN 7957-200-ST, yellow galv. 319
111567 Fitting Pin Ø 26 x 120 300
111567 Fitting Pin Ø 26 x 120 388
111631 Crossbar RCS 69 309
111806 Hook Strap Uni HBU 24-26 U200 290
111806 Hook Strap Uni HBU 24-26 U200 384
111833 Climbing Rail Connector RCS 40 298
111833 Climbing Rail Connector RCS 40 382
111850 Articulated Corner MXGA 120 23
111866 Wall Scaffold Hinge SB double 161
111872 Articulated Corner MXGA 270 18
112006 Panel MX 270 x 240 13
112022 Panel MX 270 x 120 14
112045 Panel MX 270 x 90 14
112078 Panel MX 270 x 45 15
112090 Panel MX 270 x 30 15
112102 Climbing Rail RCS 298 296
112102 Climbing Rail RCS 298 378
112104 Panel MX 120 x 240 20
112115 Panel MX 90 x 240 24
112126 Panel MX 60 x 240 27
112133 Panel MX 30 x 240 28
112141 Climbing Rail RCS 398 296
112141 Climbing Rail RCS 398 378
112143 Panel MX 120 x 120 20
112152 Panel MX 120 x 90 20
112159 Handrail Post Holder VARIO 128
112159 Handrail Post Holder VARIO 140
112200 Panel MX 270 x 60 14
112221 Panel MX 120 x 60 20
112230 Lifting Fork 1.25 t / 6.0 m compl. 246
112232 Panel MX 120 x 45 21
112239 Panel MX 120 x 30 21
112252 Panel MX 90 x 90 25

Numerical Index

112259	Panel MX 90 x 60	25
112265	Panel MX 90 x 45	25
112271	Panel MX 90 x 30	25
112280	Panel MX 60 x 60	27
112286	Panel MX 60 x 45	27
112292	Panel MX 60 x 30	27
112359	Slab Support Anchor Shoe RCS M24	331
112386	MX 15 Wingnut	29
112387	MX 15 Tie 20 – 30	29
112419	Inside Corner MXI 270 x 60	16
112464	MX 15 Tie 30 – 40	29
112588	Stripping Bar TRIO	34
112588	Stripping Bar TRIO	63
112667	Outside Corner MXA 270 x 35	17
112676	Console UCM 50 with Spigot	428
112678	Console UCM 75 with Spigot	428
112689	Inside Corner MXI 120 x 60	22
112715	Inside Corner MXI 90 x 60	26
112726	Inside Corner MXI 60 x 60	28
112761	Outside Corner MXA 120 x 35	22
112778	Outside Corner MXA 60 x 35	28
112806	Outside Corner MXA 270 x 45	17
112830	Outside Corner MXA 120 x 45	22
112837	Outside Corner MXA 60 x 45	28
112849	Multi Panel MXM 270 x 60	15
112850	Multi Panel MXM 120 x 60	21
112937	Sealing Cone MX 15 – 55	44
112937	Sealing Cone MX 15 – 55	191
112986	Lifting Beam RCS 10 t	322
113019	Stacking Device MX	38
113203	Articulated Corner MXGI 270	17
113232	Slab Stopend Shoe RCS	334
113246	Articulated Corner MXGI 120	23
113255	Bolt SB-MAXIMO, galv	148
113255	Bolt SB-MAXIMO, galv.	42
113397	Spindle handle RSS / AV	111
113744	Climbing Rail Connector RCS 73	298
113744	Climbing Rail Connector RCS 73	381
113745	Climbing Rail Extension RCS 125	323
113762	Guardrail Conn. Plate ACS/SCS	358
113820	Stopend Slab Anchor M24/20-128	335
113821	Stopend Slab Anchor M30/25-160	335
113822	Reducing Bush Ø 30 - 25	334
113847	MX 15 Tie 15 – 25	28
113933	Adjusting Unit VARIOKIT	384
114082	Counterplate RCS DW 20	365
114107	Sleeve SB-MAXIMO, galv	148
114107	Sleeve SB-MAXIMO, galv.	43
114113	Cover RCS 70 x 70	330
114128	Wall Thickness Comp. WDA MX 270 x 10 Alu	18
114142	Wall Thickness Comp. MX 120 x 10 Alu	23
114158	Screw-On Cone-2 M24/DW 20, galv.	264
114158	Screw-On Cone-2 M24/DW 20, galv.	287
114158	Screw-On Cone-2 M24/DW 20, galv.	332
114165	Wall Thickness Comp. WDA MX 270 x 4	18
114166	Climbing Rail RCS 148	296
114166	Climbing Rail RCS 148	378
114174	Wall Thickness Comp. WDA MX 270 x 6	18
114181	Wall Thickness Comp. MX 120 x 6	23
114186	Wall Thickness Comp. WDA MX 270 x 5	18
114191	Wall Thickness Comp. MX 120 x 5	23
114212	Wall Thickness Comp. MX 120 x 4	23
114243	Hydr. Pump RCS 4 x 190 / 460 V CSA	339
114248	Panel MX 330 x 120	8
114258	Panel MX 330 x 90	8
114300	PVC Plug MX 15 17.5 – 22	30
114301	Platform Beam RCS/SRU 113	303
114317	Guide in Tool RCS	339
114328	Guardrail Post RCS/SRU 184	303
114328	Guardrail Post RCS/SRU 184	386
114394	Wall Thickness Compensations WDA MX 330 x 10 Alu	12
114417	Sleeve SB-MAXIMO WDMX	43
114426	Panel MX 330 x 240	8
114445	Panel MX 330 x 60	9
114452	Panel MX 330 x 45	9
114457	Panel MX 330 x 30	9
114464	Multi Panel MXM 330 x 60	10
114470	Inside Corner MXI 330 x 60	10
114478	Outside Corner MXA 330 x 45	11
114486	Outside Corner MXA 330 x 35	11
114583	Articulated Corner MXGI 330	12
114592	Spacer MX 15 – 10 mm	44
114595	Ledger UH 50 Plus	420
114606	Arch. Mounting Cone M24	272
114607	Articulated Corner MXGA 330	12
114613	Ledger UH 25 Plus	406
114629	Ledger UH 75 Plus	420
114632	Ledger UH 100 Plus	420
114641	Ledger UH 150 Plus	420
114645	Ledger UH 200 Plus	420
114648	Ledger UH 250 Plus	420
114651	Ledger UH 300 Plus	420
114681	Ledger UHV 150 Plus	421
114826	Wall Thickness Compensations WDA MX 330 x 5	12
114842	Wall Thickness Compensations WDA MX 330 x 4	12
114846	Wall Thickness Compensations WDA MX 330 x 6	12
114937	Fixation Bar RCS	319
114947	Slab Anchor Template 61 RCS	330
114997	Bracing Shoe RCS DW 15	180
114997	Bracing Shoe RCS DW 15	335
115058	Stacking Device MAXIMO	38
115058	Stacking Device MAXIMO	205
115058	Stacking Device MAXIMO	64
115168	Lifting Hook MAXIMO 1.5 t	38
115168	Lifting Hook MAXIMO 1.5 t	64
115168	Lifting Hook MAXIMO 1.5 t	205
115255	Inside Corner MXI 270 x 50/20	16
115298	Spindle Shoe SLS/RCS M24	336
115299	Inside Corner MXI 120 x 50/20	21
115307	Inside Corner MXI 90 x 50/20	26
115315	Inside Corner MXI 60 x 50/20	27
115325	Strongback Adapter RCS/SRU	308
115338	Inside Corner MXI 330 x 50/20	10
115350	Tension and Compression Brace MX 15 – 40	34
115375	Articulated Spanner RCS DW 15	180
115375	Articulated Spanner RCS DW 15	335
115378	Eye Nut RCS DW 15	180
115378	Eye Nut RCS DW 15	291
115378	Eye Nut RCS DW 15	336
115388	Forkhead Adapter RCS/SLS	336
115499	Leading Cone Screw DW 26	274
115544	Hook Strap Uni HBU 14-17	289
115544	Hook Strap Uni HBU 14-17	385
115570	Slab Shoe Adjustable RCS 30	329
115581	Hydraulic Service Case	347
115623	Connector SRU VARIOKIT	308
115623	Connector SRU VARIOKIT	382
115626	M24 Kicker Connector RCS	296

Numerical Index

115640	Bulkhead Tie MX DW 20	34
115655	End Guardrail in Advance UPA Rosett	426
115682	Height Adjustment VARIOKIT	386
115850	Slab Support Adapter RCS	331
115865	Lifting Fork 1.5 t / 8.0 m / 6.6 m	248
115918	Slab Shoe Adapter RCS/AV/SLS	331
116279	Arch. Anchor Sleeve M24-120/2	271
116292	Guardrail Post HSGP-2	40
116292	Guardrail Post HSGP-2	67
116292	Guardrail Post HSGP-2	85
116292	Guardrail Post HSGP-2	128
116292	Guardrail Post HSGP-2	141
116292	Guardrail Post HSGP-2	239
116292	Guardrail Post HSGP-2	387
116292	Guardrail Post HSGP-2	403
116363	Spacer RCS 184	386
116385	Arch. Leading Cone M24/DW 26	271
116454	Panel MX 330 x 270	13
116469	RCS Wheel 1.5 t	324
116469	RCS Wheel 1.5 t	388
116477	Platform Beam Support RCS	301
116477	Platform Beam Support RCS	359
116538	Slab Support Alignment RCS	332
116605	Flexclip GT/VT	241
116614	Flexclip GT/GT	241
116752	Wall Bracing Shoe CB M24	268
116807	Turnbuckle CB M20/DW 15	181
116807	Turnbuckle CB M20/DW 15	267
116841	MX 15 Tie Spanner	29
117152	Screen Adapter Double LPS 60	314
117165	Screen Adapter Combi LPS 60	315
117166	Screen Adapter Single LPS 60	314
117321	Lifting Gear Combi MX	37
117321	Lifting Gear Combi MX	63
117321	Lifting Gear Combi MX	205
117322	Lifting Gear MX	37
117322	Lifting Gear MX	64
117322	Lifting Gear MX	205
117325	PP post	99
117326	Side-Mesh-Barrier PMB 260	240
117327	Side-Mesh-Barrier PMB 130	240
117466	Push-pull prop RS 210 galv.	110
117466	Push-Pull Prop RS 210, galv.	166
117467	Push-pull prop RS 300 galv.	110
117467	Push-Pull Prop RS 300, galv.	166
117468	Push-pull prop RS 450 galv.	110
117468	Push-Pull Prop RS 450, galv.	166
117469	Push-Pull Prop RS 650, galv.	167
117470	Quick Connector Head RS	168
117535	Screen Adapter Corner LPS	315
117574	Distance Device MF-Plus	242
117575	Fixing Tool MF, galv.	242
117585	Climbing Rail Profile RCS 98	378
117644	Cover Mat LPS 40 x 30, U120 – 140	311
117726	Push-Pull Prop Adaptor RS	168
117913	Shaft Corner MXSE 330	11
117914	Shaft Corner MXSE 270	16
117915	Shaft Corner MXSE 120	22
118100	Stacking Device MX Flat for Shaft Corner MXSE	41
118103	Stacking Device L MXA	40
118105	Stacking Device R MXA	40
118110	Stacking Device L MXI	41
118112	Stacking Device R MXI	41
118114	Connector MP – Trolley	400
118238	Push-pull prop RS 260 galv.	110
118238	Push-Pull Prop RS 260, galv.	166
118575	Adjusting Unit SCS	371
118578	Platform Post SCS 232	354
118579	Guardrail Post SCS 150	354
118580	Spindle Connector SCS Ø 26-21	371
118582	Mounting Ring SCS M30	359
118583	Platform Beam SCS 112	354
118584	Strongback SCS 325	355
118585	Heavy Duty Spindle SCS 198-250	356
118622	Transition Prophead SDSK	230
118638	Arch. Anchor Sleeve M24-150/2	270
118690	Carriage SCS	372
118710	Vertical Strut SCS 237	352
118714	Diagonal Strut SCS 257	353
118730	Crossbeam Unit SCS 190	353
118737	Crossbeam Unit SCS 250	352
118769	Mounting Bolt SCS M36	362
118772	Mounting Ring SCS M36	362
118799	Starter Bar SCS 187	355
123478	Toe Board Angle 90°	318
123509	Cross Connector RCS	384
123534	Brace Connector RCS DW 15/M20	299
123603	Sealing MX 15	45
123664	Connection Plate SCS Ø 21-125	357
123750	Hexagon Socket SW 27-1“	371
123751	Socket SW 19-1/2“ L	370
123771	Steel Deck UDG 25 x 250	425
123819	Bracing Shoe SCS M30/DW20	364
123828	Spindle Adapter SCS Ø 26/31	356
123842	Tension and Compression Brace MX 15 – 100	34
123900	Wingnut MX 18	31
123901	Tie MX 18, 15 – 25	30
123902	Tie MX 18, 20 – 30	30
123903	Tie MX 18, 30 – 40	31
123904	Tie MX 18, 40 – 5	31
123905	Tie MX 18, 50 – 60	31
123970	Screw-On Sleeve PERI M16/164	228
124109	Steel Deck UDG 25 x 200	425
124112	Steel Deck UDG 25 x 150	425
124118	Steel Deck UDG 25 x 100	425
124226	Screen Adapter Telescope LPS	314
124554	Stacking Device TRIO Corner	65
124630	Tie Yoke SCS Ø 60 - 200	366
124640	MAXIMO Rahmenhalter	39
124777	Anchor Bolt PERI 14/20 x 130	172
124777	Anchor Bolt PERI 14/20 x 130	228
124777	PERI anchor bolt 14/20 x 130	112
124895	PVC Plug MXM 15 18.3	30
124915	Steel Deck UDG 25 x 300	425
124941	Waler MAR 85-3	30
124941	Waler MAR 85-3	33
124942	Waler MAR 170-3	33
125099	Plug MXM 18, Ø 26	32
125299	Cone MX DR 22/2	45
125300	Plug MX 18, Ø 24 – 28	32
125337	Extraction Tool MX Sealing	46
125458	Flap Safety Plate LPS Ø 48	318
125461	Flap Hinge LPS Ø 48/M10	318
125486	Panel D 75 x 35	80
125494	Panel D 125 x 35	77
125501	Panel D 250 x 35	73
125512	Arch. Leading Cone M24/DW 26 Steel	271
125632	Protect. Covers Climb. Device RCS	346

Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX

Numerical Index

125719 Washer ISO 7094-10 100 HV, galv. 312
125823 Formwork Suspension VARIO GT 24, Ø 60 309
125856 Scaffold Tube Adapter LPS/RCS Ø 48 317
125857 Platform Bracket Multi LPS 311
125945 Cover Strip LPS 20 x 373 321
125963 Arch. Anchor Sleeve M24-150/1 272
125971 Cover Strip LPS 20 x 248 321
125972 Telescopic Scaffold Tube LPS 314
125973 Cover Strip Rubber 0.20 x 10 m 321
125991 Oval-Head Screw ISO 7380 M10 x 25-10.9, galv 312
126013 Sealing Ring 60 x 15 x 4, EPDM 194
126043 Inside Panel I 240 x 180 133
126067 Inside Panel I 123 x 180 135
126070 Inside Panel I 72 x 180 137
126073 Outside Panel A 250 x 180 132
126075 Outside Panel A 128 x 180 134
126076 Cover Strip LPS 16 x 107.5 320
126079 Outside Panel A 85 x 180 136
126088 Guardrail Post Holder MULTI 304
126088 Guardrail Post Holder MULTI 358
126242 Inside Steel Corner DISE 250 74
126268 Cable Binder PA 6.6 SW 203 x 7.6 321
126274 Inside Steel Corner DISE 75 81
126280 Inside Steel Corner DISE 125 79
126299 Plastic Stopend Angle 108
126318 Ladder Flex UEL with hook 426
126399 Handrail Post Extension CB 262
126431 Hatch 55 x 60-2, foldable 278
126435 Head Spindle TR 110-80/55 407
126436 Lowering Jack HD 408
126437 Connector UJC 408
126438 Hydraulic-Unit HD 408
126609 SK Anchor Cone DW 15 / 2 192
126666 Base Plate -3 for RS 210 – 1400 111
126666 Base Plate-3 for RS 210 – 1400 168
126696 Magnet Cone Spanner MX 15 / MX 18 44
126696 Magnet Cone Spanner MX 15 / MX 18 196
126793 Arch. Anchor Sleeve M24-150/2, D = 25 270
126795 Arch. Anchor Sleeve M24-150/2, D = 30 270
126834 Cover Strip LPS 18 x 158 320
126917 Outside Corner MXA 90 x 35 26
126923 Outside Corner MXA 90 x 45 26
126988 Stopper MX 15 - 75 MF-L 43
126991 Stopper MX 15 - 75 MF-S 43
126999 Stud Spanner MX 15-2 44
127010 Push-Pull Spreader DOMINO 15 – 100 83
127053 Cover Clip Profile LPS 112 315
127060 Draw-in Profile LPS 20/55, l = 15 m 316
127061 Draw-in Profile LPS 18/93, l = 15 m 316
127064 Stopper MX 15 – 50 MF-LS 43
127065 Stopper MX 15 – 50 OF-LS 43
127190 Quick Assembly Head RS-2 168
127320 Lifting Beam 10 t 322
127425 Magnet Cone MX 18 – 55 191
127556 Telescopic Screen LPS 123 x 248, DX 312
127560 Telescopic Screen LPS 123 x 373, DX 313
127564 Telescopic Screen DX LPS 123 x 498 313
127568 Screen Element DX LPS 250 x 123 312
127572 Screen Element DX LPS 300 x 123 312
127576 Screen Element DX LPS 350 x 123 312
127580 Screen Element DX LPS 500 x 123 312
127620 Transition Head SDFK 230
127821 Crane Eye CB 240-2 0.7 t 255
127834 Crane Eye BR-2 2.5 t, galv. 284
127834 Crane Eye BR-2 2.5 t, galv. 323
127875 Screen Support LPS M20 310
128228 Formlining DP 135 x 90 108
128229 Multi-purpose formlining DMP 135 x 75 108
128230 Formlining DP 135 x 60 108
128231 Multi-purpose formlining DMP 135 x 45 109
128232 Formlining DP 135 x 30 108
128233 Formlining DP 135 x 15 108
128245 Filler support 18 DFS 135 94
128246 Filler support 15 DFS 135 94
128247 DUO couplers 96
128254 DUO grip DW 15 97
128255 DUO compensation waler 62 96
128256 DUO coupling ties 97
128257 DUO scaffold bracket 70 99
128260 DUO chamfer strip, L = 1.35 m 100
128263 DUO 82 wall holders 101
128264 DUO slab guardrail holder 102
128274 DUO plugs Ø 20 mm 98
128275 DUO stacking aid 103
128276 DUO wheel for stacking device 105
128278 DUO cleaning device 104
128280 Panel DP 135 x 90 92
128281 Multi panel DMP 135 x 75 92
128282 Panel DP 135 x 60 92
128283 Multi panel DMP 135 x 45 93
128284 Panel DP 135 x 30 92
128285 Panel DP 135 x 15 92
128286 Corner post DC 135 x 10 93
128287 Wall thickness compensator DWC 135 x 5 93
128288 Wall thickness compensator DWC 135 x 6 93
128289 Wall thickness compensator DWC 135 x 7 93
128290 Wall thickness compensator DWC 135 x 8 93
128291 Wall thickness compensator DWC 135 x 9 93
128292 Wall thickness compensator DWC 135 x 10 93
128293 DUO tube holders 97
128294 DUO brace connectors 99
128295 DUO corner connectors 100
128296 DUO Crane Eyes 103
128298 DFH prophead 100
128299 DUO shuttering aids 101
128302 DUO Stacking Devices 105
128313 Stacking Device TRIO LI 65
128387 Projection Waler TVR 45/45-2 61
128494 Stacking Device TRIO RE 65
128671 Climbing Rail Connector RCS/LPS 73 310
128708 DUO repair kit (for Europe) 106
128992 Pin ISO16028 DN10 R3/8IG 346
128993 Sleeve ISO16028 DN10 R3/8IG 346
129035 Hydraulic Hose 2SN-DN08-FF 1.0 m 343
129036 Hydraulic Hose 2SN-DN08-FF 2.0 m 343
129272 Steel Deck EDS 33 x 300 435
129419 Hydraulic Hose 2SN-DN08-FF 5.0 m 344
129420 Hydraulic Hose 2SN-DN08-FF 10.0 m 344
129421 Hydraulic Hose 2SN-DN08-FF 15.0 m 344
129422 Hydraulic Hose 2SN-DN08-FF 20.0 m 344
129424 FF-Coupling Pair X-GE 12PSR-ED+ 346
129550 DUO special panel insert 60-6 96
129557 DUO chamfer strip, L = 0.60 m 100
129809 Extension support DES 12 104
129810 Extension support DES 15 104
129811 Extension support DES 18 104
129837 Panel DP 60 x 90 94
129838 Multi panel DMP 60 x 75 94

129839 Panel DP 60 x 60 94
129840 Multi panel DMP 60 x 45 95
129841 Panel DP 60 x 30 94
129842 Panel DP 60 x 15 94
129843 Formlining DP 60 x 90 109
129844 Multi-purpose formlining 109
129845 Formlining DP 60 x 60 109
129846 Multi-purpose formlining DMP 60 x 45 109
129847 Formlining DP 60 x 30 109
129848 Formlining DP 60 x 15 109
129855 Filler panel DFP 15 x 90 101
129856 Filler panel DFP 15 x 75 101
129857 Filler panel DFP 15 x 60 101
129858 Filler panel DFP 15 x 45 101
129859 Filler panel DFP 15 x 15 101
129860 Filler panel DFP 15 x 10 101
129861 Filler panel DFP 15 x 5 101
129862 Backpropping head DBH 101
129864 Corner post DC 60 x 10 95
129879 Wall thickness compensator DWC 60 x 5 95
129880 Wall thickness compensator DWC 60 x 6 95
129881 Wall thickness compensator DWC 60 x 7 95
129882 Wall thickness compensator DWC 60 x 8 95
129883 Wall thickness compensator DWC 60 x 9 95
129884 Wall thickness compensator DWC 60 x 10 95
129889 Filler support 18 DFS 60 95
129890 Filler support 15 DFS 60 95
129976 DUO frame holders 104
129979 Filler support 12 DFS 135 94
129980 Filler support 12 DFS 60 95
130162 Face Brace EBF 150/200 435
130171 Face Brace EBF 200/200 435
130180 Face Brace EBF 250/200 435
130189 Face Brace EBF 300/200 435
130191 Guardrail EPG 67 435
130193 Guardrail EPG 100 435
130195 Guardrail EPG 150 435
130197 Guardrail EPG 200 435
130199 Guardrail EPG 250 435
130201 Guardrail EPG 300 435
130225 End Guardrail EPF 100 438
130228 Guardrail EPF 67 438
130233 End Guardrail EPF 33 438
130309 Combi Deck EDW 300 436
130313 Combi Deck EDW 250 436
130317 Combi Deck EDW 200 436
130321 Combi Deck EDW 150 436
130365 Console Bracket ECM 100 429
130365 Console Bracket ECM 100 441
130372 Console Bracket ECM 67 440
130378 Console Bracket ECM 33 440
130385 Protection Roof Connector EPC 442
130390 Support UC 33 439
130426 Entry Platform EAW 200 436
130434 Guardrail Coupling EPR 439
130438 Steel Deck EDS 33 x 250 435
130441 Steel Deck EDS 33 x 200 435
130445 Steel Deck EDS 33 x 150 435
130448 Steel Deck EDS 33 x 100 435
130450 Steel Deck EDS 33 x 67 435
130481 Tube EVR 150 434
130512 Guardrail Post EVP 434
130532 Protection Panel Post EPS 442
130562 Guardrail Holder EPW 439
130577 End Guardrail End Guardrail UPA 75 437
130583 End Guardrail End Guardrail UPA 100 437
130592 End Guardrail EPF 75 438
130619 Easy Base Standard EVS 124 433
130621 Easy Standard EVM 200 433
130681 UH Spigot-2 439
130685 Universal Funnel 345
131061 DUO carrier rack end 107
131139 DUO prop adapter 106
131182 LIWA Adapter DUO 106
131205 DUO accessories bag 96
131225 DUO SB hook straps 108
131239 DUO foundation tie clamp 107
131240 DUO steel waler coupler 96
131241 DOMINO DUO adapters 107
131242 DUO front post holders 99
131245 DUO timber connector 97
131270 Hydraulic Oil ISO 11158 HM10, 20 l 344
131273 Hydraulic Oil ISO 11158 HM10, 210 l 344
131274 Hydraulic Oil ISO 11158 HVI22, 20 l 344
131275 Hydraulik Oil ISO 11158 HVI22, 210 l 344
131277 Hydraulic Oil ISO 11158 HVI46, 210 l 344
131313 Hydraulic Oil Filter Pump CE 345
131314 Hydraulic Oil Filter Element 5 MIC 345
131329 Post Pallet ESP 100 442
131329 Post Pallet ESP 100 443
131998 Horizontal Ledger UH-2 50 420
132004 Horizontal Ledger UH-2 100 420
132010 Horizontal Ledger UH-2 150 420
132016 Horizontal Ledger UH-2 200 420
132022 Horizontal Ledger UH-2 300 420
132025 Horizontal Ledger UH-2 250 420
132104 DUO repair plug 105
132123 Top Standard UVH-2 50 420
132194 Top Standard UVH-2 100 420
132196 Top Standard UVH-2 125 419
132198 Top Standard UVH-2 150 420
132200 Top Standard UVH-2 200 420
132213 Horizontal Ledger UH-2 75 420
132440 DUO stripping levers 102
132479 Steel Deck UDG-2 25X 50 425
132483 Steel Deck UDG-2 25X 67 425
132488 Steel Deck UDG-2 25X 75 425
132492 Steel Deck UDG-2 25X100 425
132502 Steel Deck UDG-2 25X125 425
132505 Steel Deck UDG-2 25X150 425
132508 Steel Deck UDG-2 25X200 425
132511 Steel Deck UDG-2 25X250 425
132515 Steel Deck UDG-2 25X300 425
132771 Ledger Brace UBL-2 100/ 50 423
132773 Ledger Brace UBL-2 100/100 423
132775 Ledger Brace UBL-2 100/150 423
132777 Ledger Brace UBL-2 100/200 423
132779 Ledger Brace UBL-2 150/ 50 423
132781 Ledger Brace UBL-2 150/100 423
132783 Ledger Brace UBL-2 150/150 423
132785 Ledger Brace UBL-2 150/200 423
132787 Ledger Brace UBL-2 175/200 423
132789 Ledger Brace UBL-2 200/ 50 423
132791 Ledger Brace UBL-2 200/100 423
132793 Ledger Brace UBL-2 200/150 423
132795 Ledger Brace UBL-2 200/200 423
132797 Ledger Brace UBL-2 225/ 50 423
132808 Ledger Brace UBL-2 225/100 423

Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX

132810	Ledger Brace UBL-2 225/200	423
132812	Ledger Brace UBL-2 250/100	423
132814	Ledger Brace UBL-2 250/150	423
132816	Ledger Brace UBL-2 250/200	423
132827	Ledger Brace UBL-2 300/ 50	423
132829	Ledger Brace UBL-2 300/100	423
132831	Ledger Brace UBL-2 300/150	423
132833	Ledger Brace UBL-2 300/200	423
133266	DUO carrier rack middle	107
133286	Access Deck EAW-2 67 x 250-L	436
133499	Base Standard UVB 25	418
133526	PP welding wire D 4	105
133906	DUO repair kit (for USA)	106
134104	End Guardrail End Guardrail UPA-2 100	437
135187	Base Standard UVB 50	418
135411	Conv. Set Climb Device-2 RCS 50	343
135413	Climbing Device-2 RCS 50	342
135498	Power Connection Cable RCS MAX 10m	340
135499	Power Cable RCS MAX CEE-32A 2M	340
135500	Hydraulic Pump RCS MAX 2 x 210	340
135501	Power Connection Cable RCS MAX 20m	340
135502	Connector Power Cable RCS MAX	341
135503	Data Connection Cable RCS MAX 10m	341
135504	Data Connection Cable RCS MAX 20m	341
135505	Connector Data Cable RCS MAX	341
135506	Remote Control RCS max. 15m	341
135507	Display RCS MAX	342
135606	Return Filter RCS MAX	342
135607	Tank Breather Filter RCS MAX	342
136582	Ledger to Ledger Coupler UHA-2	421
136918	Console Bracket ECM 75	429
136918	Console Bracket ECM 75	441
136923	Console Bracket ECM 50	428
136923	Console Bracket ECM 50	440
137020	Horizontal Ledger UHV-2 150	421
191003	Panel DP 135 x 60-6	92
201001	DW 15 Wingnut, galv.	153
201001	DW 15 Wingnut, galv.	177
201001	DW 15 Wingnut, galv.	213
201002	Tie Rod DW 15, l = 6.00 m	152
201002	Tie Rod DW 15, l = 6.00 m	265
201002	Tie Rod DW 15, l = 6.00 m	291
201002	Tie Rod DW 15, l = 6.00 m	333
201002	Tie Rod DW 15, l = 6.00 m	369
201002	Tie Rod DW 15, l = 6.00 m	176
201004	DW 15 Wingnut Pivot Plate, galv.	176
201004	DW 15 Wingnut Pivot Plate, galv.	203
201004	DW 15 Wingnut Pivot Plate, galv.	290
201005	Counterplate DW 15, 120 x 120 x 15	178
201020	DW 20 Wingnut, galv.	155
201020	DW 20 Wingnut, galv.	183
201020	DW 20 Wingnut, galv.	365
201021	DW 15 Hex. Nut	177
201021	DW 15 Hex. Nut	291
201022	DW 15 Hex. Coupler	153
201022	DW 15 Hex. Coupler	367
201023	DW 20 Hex. Coupler	155
201023	DW 20 Hex. Coupler	183
201024	DW 15 Wingnut Counterplate	176
201025	Counterplate DW 20, 120 x 120 x 20	155
201025	Counterplate DW 20, 120 x 120 x 20	184
201073	Cam Nut DW15	98
201090	Main Post 1.8m	261
201091	CBC Side Guardrail Post 1.8m	261
201092	CBC Intermediate Post 1.8M	262
201131	Handrail-Post Holder SRU/SRZ (GB)	386
201131	Handrail-Post Holder SRU/SRZ (GB)	403
201142	ASSEMBLY Bolt MPB24 with Nut	398
201146	DW 15 Rock Anchor HB	181
201150	Propping Brace AV 110	112
201202	GB 80 Bracket MK1 with Pin	127
201202	GB 80 Bracket MK1 with Pin	140
201202	GB 80 Bracket MK1 with Pin	214
201365	DW 15 Water Barrier	179
201410	Scaff. Tube Steel Ø 48.3 x 4.0, l = 6.4 m	152
201410	Scaff. Tube Steel Ø 48.3 x 4.0, l = 6.4 m	260
201410	Scaff. Tube Steel Ø 48.3 x 4.0, l = 6.4 m	292
201410	Scaff. Tube Steel Ø 48.3 x 4.0, l = 6.4 m	316
201410	Scaff. Tube Steel Ø 48.3 x 4.0, l = 6.4 m	410
201410	Scaff. Tube Steel Ø 48.3 x 4.0, l = 6.4 m	427
201410	Scaff. Tube Steel Ø 48.3 x 4.0, l = 6.4m	357
201411	Double Coupler Pressed Steel	411
201411	Double Coupler Pressed Steel	427
201412	Swivel Coupler Pressed Steel	260
201412	Swivel Coupler Pressed Steel	316
201412	Swivel Coupler Pressed Steel	357
201412	Swivel Coupler Pressed Steel	427
201415	SRU Scaffold Tube Coupler	389
201415	SRU Scaffold Tube Coupler	427
201592	Handrail Post Holder TRIO GB	40
201592	Handrail Post Holder TRIO GB	66
201616	DW 20 Water Barrier	184
201617	DW 20 Rock Anchor	184
201623	Spacer Tube for DW 20 26/30mm, l = 2.00 m	182
201624	12mm Cover Cone for 26 mm Tube	184
201627	50mm Cover Cone for 26 mm Tub	184
201630	10mm Cover Cone for 22mm Tube	182
201630	10mm Cover Cone for 22mm Tube	273
201630	50mm Cover Cone for 22mm Tube	182
201630	50mm Cover Cone for 22mm Tube	273
201684	DW 26 Wingnut	156
201684	DW 26 Wingnut	185
201687	DW 26 Tie Rod l = 6.00 m	156
201687	DW 26 Tie Rod l = 6.00 m	185
201687	DW 26 Tie Rod l = 6.00 m	362
201688	DW 26 Tie Rod l = 0.50 m	156
201688	DW 26 Tie Rod l = 0.50 m	185
201688	DW 26 Tie Rod l = 0.50 m	362
201689	DW 26 Tie Rod l = 1.50 m	156
201689	DW 26 Tie Rod l = 1.50 m	185
201689	DW 26 Tie Rod l = 1.50 m	362
201720	Spacer Tube for DW 15 22/26mm l = 2.00 m	181
201720	Spacer Tube for DW 15 22/26mm l = 2.00 m	273
201842	DW 20 Tie Rod l = 6.00 m	154
201842	DW 20 Tie Rod l = 6.00 m	360
201842	DW 20 Tie Rod l = 6.00 m	326
201842	Tie Rod DW 20 l = 3.00 m	182
201871	Platform Beam BR 100 X 65 X 10	284
201872	Platform Beam BR 125 X 65 X 15	284
201873	Platform Beam BR 150 X 75 X 18	284
201909	Platform Beam BR 180 X 75 X 20	284
201911	Platform Beam 200 x 75 x 26	258
201911	Platform Beam 200 x 75 x 26	284
201913	Platform Beam 230 x 75 x 26	258
201913	Platform Beam 230 x 75 x 26	284
201976	CB 240 Climbing Bracket (No Post)	254
202650	Crossbeam RCS 220, VARIO GB	301
400017	Ledger UH 75	422
400021	Ledger UH 150	422
400023	Ledger UH 200	422
400025	Ledger UH 250	422
400027	Ledger UH 300	422
401159	Ledger UH 100	422
404779	Ledger UH 50	422
406092	Industrial Deck UDI 25 x 100	424
407002	Industrial Deck UDI 25 x 150	424
408380	Industrial Deck UDI 25 x 200	424
408540	Industrial Deck UDI 25 x 250	424
408689	Industrial Deck UDI 25 x 300	424
409107	Ledger UHV 150	422
710240	F.H. Bolt DIN 603 M8 x 100 MU, galv.	263
710334	Nut ISO 4032 M20-8, galv.	151
723805	Skt Mutter ISO 4034 M 12-5	348
750303	Stacking Aid TRIO DW 20	65
750303	Stacking Aid TRIO DW 20	206
780356	Nut ISO 7042 M10-8, galv.	312
780702	Washer ISO 7089 200 HV, A 12, galv.	348
781053	Nut ISO 7042 M20-8, galv.	319
781053	Nut ISO 7042 M20-8, galv.	366
796061	Scaffold Builders Ratchet	30
796061	Scaffold Builders Ratchet	32
124,805	End Element ULS 50 Flex	446
124795	Additional Element ULS 100 Flex	446
124790	Additional Element ULS 125 Flex	446
124781	Additional Element ULS 150 Flex	446
124,806	Connector ULS Flex	446
100411	Base Plate UJB 38-50/30	452
100863	Spindle Locking UJS	452
100014	Base Standard UVB 24	452
133499	Base Standard UVB 25	452
117194	Base Standard UVB 49	452
135187	Base Standard UVB 50	452
102860	Standard UVR 150	453
100009	Standard UVR 200	453
100012	Standard UVR 300	453
100000	Top Standard UVH 100	453
132196	Top Standard UVH-2 125	453
132123	Top Standard UVH-2 50	454
132194	Top Standard UVH-2 100	454
132198	Top Standard UVH-2 150	454
132200	Top Standard UVH-2 200	454
100002	Top Standard UVH-2 250	454
114629	Ledger UH 75 Plus	454
114641	Ledger UH 150 Plus	454
114645	Ledger UH 200 Plus	454
114648	Ledger UH 250 Plus	454
114651	Ledger UH 300 Plus	454
132213	Horizontal Ledger UH-2 75	454
132010	Horizontal Ledger UH-2 150	454
132016	Horizontal Ledger UH-2 200	454
132025	Horizontal Ledger UH-2 250	454
132022	Horizontal Ledger UH-2 300	454
109764	UH Spigot	455
101731	Ledger to Ledger Coupler UHA	455
136582	Ledger to Ledger Coupler UHA-2	455
100065	Ledger Brace UBL 250/200	455
100069	Ledger Brace UBL 300/200	455
132771	Ledger Brace UBL-2 100/ 50	456
132773	Ledger Brace UBL-2 100/100	456
132775	Ledger Brace UBL-2 100/150	456
132777	Ledger Brace UBL-2 100/200	456
132779	Ledger Brace UBL-2 150/ 50	456
132781	Ledger Brace UBL-2 150/100	456
132783	Ledger Brace UBL-2 150/150	456
132785	Ledger Brace UBL-2 150/200	456
132787	Ledger Brace UBL-2 175/200	456
132789	Ledger Brace UBL-2 200/ 50	456
132791	Ledger Brace UBL-2 200/100	456
132793	Ledger Brace UBL-2 200/150	456
132795	Ledger Brace UBL-2 200/200	456
132797	Ledger Brace UBL-2 225/ 50	456
132808	Ledger Brace UBL-2 225/100	456
132810	Ledger Brace UBL-2 225/200	456
132812	Ledger Brace UBL-2 250/100	456
132814	Ledger Brace UBL-2 250/150	456
132816	Ledger Brace UBL-2 250/200	456
132827	Ledger Brace UBL-2 300/ 50	456
132829	Ledger Brace UBL-2 300/100	456
132831	Ledger Brace UBL-2 300/150	456
132833	Ledger Brace UBL-2 300/200	456
133418	Node Brace UBK-2 75/200	457
133421	Node Brace UBK-2 100/200	457
133424	Node Brace UBK-2 125/100	457
133427	Node Brace UBK-2 125/200	457
133430	Node Brace UBK-2 150/100	457
133433	Node Brace UBK-2 150/150	457
133436	Node Brace UBK-2 150/200	457
133439	Node Brace UBK-2 200/100	457
133442	Node Brace UBK-2 200/150	457
133445	Node Brace UBK-2 200/200	457
133448	Node Brace UBK-2 250/100	457
133451	Node Brace UBK-2 250/150	457
133454	Node Brace UBK-2 250/200	457
133457	Node Brace UBK-2 300/100	457
133460	Node Brace UBK-2 300/150	457
133463	Node Brace UBK-2 300/200	457
100742	Stair Guardrail UAG	457
100830	Stair Guardrail UAH	457
111117	Staircase UAS 75 x 250/200, Alu	458
111124	Staircase UAS 75 x 300/200, Alu	458
113228	Staircase UAS 75 x 75/50, Alu	458
111087	Staircase UAS 75 x 150/50 T, Alu	458
111095	Staircase UAS 75 x 150/50 S, Alu	459
114536	Staircase UAS 75 x 150/100 S, Alu	459
111103	Staircase UAS 75 x 150/100, Alu	459
115189	Waler on Staircase UAS 75	459
123771	Steel Deck UDG 25 x 250	460
124915	Steel Deck UDG 25 x 300	460
132479	Steel Deck UDG-2 25X 50	460
132483	Steel Deck UDG-2 25X 67	460
132488	Steel Deck UDG-2 25X 75	460
132492	Steel Deck UDG-2 25X100	460
132502	Steel Deck UDG-2 25X125	460
132505	Steel Deck UDG-2 25X150	460
132508	Steel Deck UDG-2 25X200	460
132511	Steel Deck UDG-2 25X250	460
132515	Steel Deck UDG-2 25X300	460
112678	Console UCM 75 with Spigot	460
112717	Console Bracket Brace UCM	461
201412	Swivel Coupler Pressed Steel	461
201411	Double Coupler Pressed Steel	461
111053	Locking Pin Ø 48/57	461
100719	Bolt ISO 4014 M10 x 70-8.8 MU, galv.	461
100088	Wall Tie UWT 45	462
102954	Wall Tie UWT 220	462
100693	Ring Bolt UFE 12/90	462

Numerical Index

100694 Ring Bolt UFE 12/120 462
100695 Ring Bolt UFE 12/190 462
100696 Wall Insert UFI 14/70 462
100697 Wall Insert UFI 14/100 462
100698 Wall Insert UFI 14/135 462
101306 Standard UVR 100 466
100009 Standard UVR 200 466
100012 Standard UVR 300 466
114629 Ledger UH 75 Plus 466
114632 Ledger UH 100 Plus 466
114638 Ledger UH 125 Plus 466
114645 Ledger UH 200 Plus 466
114648 Ledger UH 250 Plus 466
132213 Horizontal Ledger UH-2 75 467
132004 Horizontal Ledger UH-2 100 467
132007 Horizontal Ledger UH-2 125 467
132016 Horizontal Ledger UH-2 200 467
132025 Horizontal Ledger UH-2 250 467
114687 Ledger UHV 200 Plus 467
114691 Ledger UHV 250 Plus 467
137025 Horizontal Ledger UHV-2 200 467
137030 Horizontal Ledger UHV-2 250 467
101731 Ledger to Ledger Coupler UHA 468
136582 Ledger to Ledger Coupler UHA-2 468
100059 Ledger Brace UBL 200/100 468
100063 Ledger Brace UBL 250/100 468
100061 Ledger Brace UBL 200/200 468
100065 Ledger Brace UBL 250/200 468
132771 Ledger Brace UBL-2 100/ 50 469
132773 Ledger Brace UBL-2 100/100 469
132775 Ledger Brace UBL-2 100/150 469
132777 Ledger Brace UBL-2 100/200 469
132779 Ledger Brace UBL-2 150/ 50 469
132781 Ledger Brace UBL-2 150/100 469
132783 Ledger Brace UBL-2 150/150 469
132785 Ledger Brace UBL-2 150/200 469
132787 Ledger Brace UBL-2 175/200 469
132789 Ledger Brace UBL-2 200/ 50 469
132791 Ledger Brace UBL-2 200/100 469
132793 Ledger Brace UBL-2 200/150 469
132795 Ledger Brace UBL-2 200/200 469
132797 Ledger Brace UBL-2 225/ 50 469
132808 Ledger Brace UBL-2 225/100 469
132810 Ledger Brace UBL-2 225/200 469
132812 Ledger Brace UBL-2 250/100 469
132814 Ledger Brace UBL-2 250/150 469
132816 Ledger Brace UBL-2 250/200 469
132827 Ledger Brace UBL-2 300/ 50 469
132829 Ledger Brace UBL-2 300/100 469
132831 Ledger Brace UBL-2 300/150 469
132833 Ledger Brace UBL-2 300/200 469
114818 H-Brace UBH Flex 100/100 469
114904 H-Brace UBH Flex 125/125 469
114819 H-Brace UBH Flex 250/100 469
114996 H-Brace UBH Flex 250/125 469
115354 Node Brace UBK 125/100 470
100574 Node Brace UBK 250/200 470
133418 Node Brace UBK-2 75/200 470
133421 Node Brace UBK-2 100/200 470
133424 Node Brace UBK-2 125/100 470
133427 Node Brace UBK-2 125/200 470
133430 Node Brace UBK-2 150/100 470
133433 Node Brace UBK-2 150/150 470
133436 Node Brace UBK-2 150/200 470
133439 Node Brace UBK-2 200/100 470
133442 Node Brace UBK-2 200/150 470
133445 Node Brace UBK-2 200/200 470
133448 Node Brace UBK-2 250/100 470
133451 Node Brace UBK-2 250/150 470
133454 Node Brace UBK-2 250/200 470
133457 Node Brace UBK-2 300/100 470
133460 Node Brace UBK-2 300/150 470
133463 Node Brace UBK-2 300/200 470
114731 Stair Stringer UA 125/100 470
109219 Stair Stringer UA 250/200 470
109198 Stair Step UAR 100 471
109208 End Step UAE 100 471
114180 End Step UAE 125 471
114349 Edge Profile UH 100 471
124266 Distance Piece UA 76 471
124118 Steel Deck UDG 25 x 100 472
124115 Steel Deck UDG 25 x 125 472
124109 Steel Deck UDG 25 x 200 472
123771 Steel Deck UDG 25 x 250 472
132479 Steel Deck UDG-2 25X 50 472
132483 Steel Deck UDG-2 25X 67 472
132488 Steel Deck UDG-2 25X 75 472
132492 Steel Deck UDG-2 25X100 472
132502 Steel Deck UDG-2 25X125 472
132505 Steel Deck UDG-2 25X150 472
132508 Steel Deck UDG-2 25X200 472
132511 Steel Deck UDG-2 25X250 472
132515 Steel Deck UDG-2 25X300 472
201412 Swivel Coupler Pressed Steel 472
201411 Double Coupler Pressed Steel 472
201410 Scaff. Tube Steel Ø 48.3 x 4.0, l = 6.4 m 473
111053 Locking Pin Ø 48/57 473
100719 Bolt ISO 4014 M10 x 70-8.8 MU, galv. 473
100088 Wall Tie UWT 45 473
100093 Wall Tie UWT 140 473
100693 Ring Bolt UFE 12/90 473
100694 Ring Bolt UFE 12/120 473
100695 Ring Bolt UFE 12/190 473
100696 Wall Insert UFI 14/70 473
100697 Wall Insert UFI 14/100 473
100698 Wall Insert UFI 14/135 473
135766 LGS Standard Element URB 300/75 478
135793 LGS Eave Element URB 300/75 478
135773 LGS Intermediate Element URB 150/75 478
135782 LGS Ridge Element URR 75 479
128334 Ridge Bar HD UR 150° 479
104854 Support Roller UEW unstopped 479
104771 LGS Support URS 15° 480
135801 LGS Bearer URS 75 480
104777 Carriage URW 480
104790 Aluminium Rail URT 150 481
104791 Aluminium Rail URT 200 481
104796 Aluminium Rail URT 250 481
104797 Aluminium Rail URT 300 481
104853 Rail Support URF 481
104852 Rail End Piece URD 481
132553 Ledger URL 67/14 482
131869 Ledger URL 75/14 482
115018 Ledger URL 100/14 482
105386 Ledger URL 150/14 482
118022 Stopper URA-2 482
114613 Horizontal Ledger UH 25 Plus 482
114595 Horizontal Ledger UH 50 Plus 482

Numerical Index

114629 Horizontal Ledger UH 75 Plus 482
114632 Horizontal Ledger UH 100 Plus 482
114638 Horizontal Ledger UH 125 Plus 482
114641 Horizontal Ledger UH 150 Plus 482
117032 Horizontal Ledger UH 175 Plus 482
114645 Horizontal Ledger UH 200 Plus 482
116356 Horizontal Ledger UH 225 Plus 482
114648 Horizontal Ledger UH 250 Plus 482
114651 Horizontal Ledger UH 300 Plus 482
131995 Horizontal Ledger UH-2 25 483
133900 Horizontal Ledger UH-2 33 483
131998 Horizontal Ledger UH-2 50 483
133903 Horizontal Ledger UH-2 67 483
132213 Horizontal Ledger UH-2 75 483
132004 Horizontal Ledger UH-2 100 483
132007 Horizontal Ledger UH-2 125 483
132010 Horizontal Ledger UH-2 150 483
132013 Horizontal Ledger UH-2 175 483
132016 Horizontal Ledger UH-2 200 483
132019 Horizontal Ledger UH-2 225 483
132025 Horizontal Ledger UH-2 250 483
132022 Horizontal Ledger UH-2 300 483
114681 Horizontal Ledger UHV 150 Plus 483
114687 Horizontal Ledger UHV 200 Plus 483
114691 Horizontal Ledger UHV 250 Plus 483
114695 Horizontal Ledger UHV 300 Plus 483
137020 Horizontal Ledger UHV-2 150 483
137025 Horizontal Ledger UHV-2 200 483
137030 Horizontal Ledger UHV-2 250 483
137035 Horizontal Ledger UHV-2 300 483
130684 Ledger-To-Ledger Coupler UHA-2 half with pin 484
111053 Locking Pin Ø 48/57 484
128823 Suspension Tie Connector URU 484
128817 Anchor Tie Yoke URU 484
129435 Tie Rod Extension URU 484
201002 Tie Rod DW 15, l = 6.00 m 485
114818 Horizontal Brace UBH Flex 100/100 485
114821 Horizontal Brace UBH Flex 150/100 485
114912 Horizontal Brace UBH Flex 150/150 485
114820 Horizontal Brace UBH Flex 200/100 485
124097 Horizontal Brace UBH Flex 200/150 485
114819 Horizontal Brace UBH Flex 250/100 485
124101 Horizontal Brace UBH Flex 250/150 485
114892 Horizontal Brace UBH Flex 300/100 485
124105 Horizontal Brace UBH Flex 300/150 485
126009 LGS Keder Connector URV 486
125166 LGS Keder Connector URK 486
126051 LGS Ridge Rail URK 150 486
127501 LGS Keder Track URK 150 486
127500 LGS Keder Track URK 300 486
126071 LGS Keder Track URK 600 486
126491 LGS Eave Rail URK 486
126487 LGS Crank URG 486
126486 LGS Reel Connector URG 487
126484 LGS Tarpaulin Reel URG 250 487
126485 LGS Tarpaulin Reel URG 300 487
126488 LGS Handle URG 487
100719 Bolt ISO 4014 M10 x 70-8.8 487
710242 Bolt ISO 4014 M10 x 100-8.8, galv. 488
201021 DW 15 Hex. Nut 488
780356 Nut ISO 7040 M10-8, galv. 488
070890 Nut ISO 7040 M16-8, galv. 488
105032 Nut ISO 7040 M24-8, galv. 488
106031 Bolt Ø 16 x 70, coated 488
018060 Cotter pin 4/1, galv. 488
106191 Bolt Ø 24 x 105, coated 488
127468 Pin Ø 24 x 70, galv. 489
022230 Cotter pin 5/1, galv. 489
118349 Tension Belt PTB 12 489
065074 Turnbuckle 3.0 kN, M12 489
065073 Anchor chain 3.0 kN, l = 2.5 m 489
104768 LGS Basic Element URB 150/300 492
126483 LGS Eave Element URB 300/150 492
104792 LGS Additional Element URB 150/150 493
105334 LGS End Element URB 150 493
116122 LGS Middle Element URB 150/150 493
115978 LGS Connector URC 494
104769 LGS Ridge Element URR 150 494
104778 LGS Ridge Bar UR 120° 494
104891 LGS Ridge Bar UR 150° 494
128334 Ridge Bar HD UR 150° 495
104854 Support Roller UEW unstopped 495
105399 LGS Support URS 0° 495
104771 LGS Support URS 15° 496
104770 LGS Support URS 45° 496
105398 LGS Bearer URS 497
104777 Wheel URW 497
104790 Alu Rail URT 150 497
104791 Alu Rail URT 200 497
104796 Alu Rail URT 250 497
104797 Alu Rail URT 300 497
104853 Rail Support URF 498
104852 Rail End Element URD 498
105394 LGS Ledger URL 72/14 498
115018 LGS Ledger URL 100/14 498
105390 LGS Ledger URL 104/14 498
105386 LGS Ledger URL 150/14 498
118022 Stopper URA-2 498
114613 Ledger UH 25 Plus 499
114595 Ledger UH 50 Plus 499
114629 Ledger UH 75 Plus 499
114632 Ledger UH 100 Plus 499
114638 Ledger UH 125 Plus 499
114641 Ledger UH 150 Plus 499
117032 Ledger UH 175 Plus 499
114645 Ledger UH 200 Plus 499
116356 Ledger UH 225 Plus 499
114648 Ledger UH 250 Plus 499
114651 Ledger UH 300 Plus 499
105366 LGS Collar URP 499
105372 Spigot w. Spacer URE 4/42 500
404780 Ledger UH 25 500
404779 Ledger UH 50 500
400017 Ledger UH 75 500
401159 Ledger UH 100 500
410347 Ledger UH 125 500
400021 Ledger UH 150 500
400023 Ledger UH 200 500
400025 Ledger UH 250 500
400027 Ledger UH 300 500
128823 Suspension Tie Connector URU 500
128817 Tie Yoke URU 501
129435 Tie Rod Extension URU 501
201002 Tie Rod DW 15, l = 6.00 m 501
107867 Ledger Brace UBL 150/50 502
100055 Ledger Brace UBL 150/100 502
104391 Ledger Brace UBL 200/50 502
100059 Ledger Brace UBL 200/100 502

Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX

Numerical Index

100063 Ledger Brace UBL 250/100 502
104762 Ledger Brace UBL 300/50 502
100067 Ledger Brace UBL 300/100 502
132771 Ledger Brace UBL-2 100/ 50 503
132773 Ledger Brace UBL-2 100/100 503
132775 Ledger Brace UBL-2 100/150 503
132777 Ledger Brace UBL-2 100/200 503
132779 Ledger Brace UBL-2 150/ 50 503
132781 Ledger Brace UBL-2 150/100 503
132783 Ledger Brace UBL-2 150/150 503
132785 Ledger Brace UBL-2 150/200 503
132787 Ledger Brace UBL-2 175/200 503
132789 Ledger Brace UBL-2 200/ 50 503
132791 Ledger Brace UBL-2 200/100 503
132793 Ledger Brace UBL-2 200/150 503
132795 Ledger Brace UBL-2 200/200 503
132797 Ledger Brace UBL-2 225/ 50 503
132808 Ledger Brace UBL-2 225/100 503
132810 Ledger Brace UBL-2 225/200 503
132812 Ledger Brace UBL-2 250/100 503
132814 Ledger Brace UBL-2 250/150 503
132816 Ledger Brace UBL-2 250/200 503
132827 Ledger Brace UBL-2 300/ 50 503
132829 Ledger Brace UBL-2 300/100 503
132831 Ledger Brace UBL-2 300/150 503
132833 Ledger Brace UBL-2 300/200 503
114818 H-Brace UBH Flex 100/100 503
114821 H-Brace UBH Flex 150/100 503
114912 H-Brace UBH Flex 150/150 503
114820 H-Brace UBH Flex 200/100 503
124097 H-Brace UBH Flex 200/150 503
114819 H-Brace UBH Flex 250/100 503
124101 H-Brace UBH Flex 250/150 503
114892 H-Brace UBH Flex 300/100 503
124105 H-Brace UBH Flex 300/150 503
111863 Industrial Deck UDI 37.5 x 150 504
111865 Industrial Deck UDI 37.5 x 250 504
111969 Industrial Deck UDI 37.5 x 300 504
100265 Guardrail UPG 150 504
100267 Guardrail UPG 250 504
100268 Guardrail UPG 300 504
126489 LGS Ridge Console URH 504
126466 LGS Ridge Guardrail URH 505
126490 LGS Console URH 505
126009 LGS Keder Connector URV 505
125166 LGS Keder Connector URK 506
12605 LGS Ridge Rail URK 150 506
017000 Swivel Coupling DK 60/48, galv. 577
017030 Double Coupler NK 60/48, galv. 577
017040 Screw-On Coupler AK 48, galv. 577
102400 Swivel Coupling DK 38/48, galv. 577
127501 LGS Keder Rail URK 150 506
127500 LGS Keder Rail URK 300 506
126071 LGS Keder Rail URK 600 506
126491 LGS Eave Rail URK 506
126487 LGS Crank URG 506
126486 LGS Reel Connector URG 507
126484 LGS Tarpaulin Reel URG 250 507
126485 LGS Tarpaulin Reel URG 300 507
126488 LGS Handle URG 507
100719 Bolt ISO 4014 M10 x 70-8.8 MU 507
201412 Swivel Coupler Pressed Steel 577
710242 Bolt ISO 4014 M10 x 100-8.8, galv. 508
201021 DW 15 Hex. Nut 508
780356 Nut ISO 7042 M10-8, galv. 508
070890 Nut ISO 7042 M16-8, galv. 508
105032 Nut ISO 7042 M24-8, galv. 508
106031 Bolt Ø 16 x 70, galv. 508
018060 Cotter Pin 4/1, galv. 508
106191 Bolt Ø 24 x 105, galv. 508
127468 Bolt Ø 24 x 55, galv. 509
022230 Cotter Pin 5/1, galv. 509
118349 Tension Belt PTB 12 509
075100 Girder GT 24, l = 0.90 m 514
075120 Girder GT 24, l = 1.20 m 514
075150 Girder GT 24, l = 1.50 m 514
075180 Girder GT 24, l = 1.80 m 514
075210 Girder GT 24, l = 2.10 m 514
075240 Girder GT 24, l = 2.40 m 514
075270 Girder GT 24, l = 2.70 m 514
075300 Girder GT 24, l = 3.00 m 514
075330 Girder GT 24, l = 3.30 m 514
075360 Girder GT 24, l = 3.60 m 514
075390 Girder GT 24, l = 3.90 m 514
075420 Girder GT 24, l = 4.20 m 514
075450 Girder GT 24, l = 4.50 m 514
075480 Girder GT 24, l = 4.80 m 514
075510 Girder GT 24, l = 5.10 m 514
075540 Girder GT 24, l = 5.40 m 514
075570 Girder GT 24, l = 5.70 m 514
075600 Girder GT 24, l = 6.00 m 514
117326 Side-Mesh-Barrier PMB 260 518
117327 Side-Mesh-Barrier PMB 130 518
117325 Post PP 518
117323 Slab Foot PDF 518
117324 Side Foot PSF 519
118660 Uni-Clamp PUC 519
126330 Sheet Piling Clamp PSC 519
118296 Post Increase PPE 520
118670 Front Guardrail Holder ADJ PFH 520
117020 Anchor Bolt PERI 14 x 150 520
123970 Screw-On Sleeve PERI M16/164 520
123973 Bolt ISO 4014 M16 x 130-8.8, galv. 521
123960 Pallet EP 110 521
118350 Fold Mesh Room Height PFR 524
118408 Cable Tie PCT 524
126299 Plastic Slab Stopend Angle 534
065062 Formwork Bracket-2 534
065039 Stopend Sleeve DW 15 534
065060 Plug for Stopend Sleeve DW 15 534
030740 Tie Rod B 15, Spec. Length 534
030050 Cutting Cost Tie Rod DW 15, B 15 534
030150 Tie Rod B 15, l = 0.30 m 534
201024 DW 15 Wingnut Counterplate 535
065040 Stopend Trestle 535
065042 Peg 535
116292 Guardrail Post HSGP-2 535
065066 End Guardrail Frame 55 536
201147 Release Agent PERI Clean, 25 l 536
201148 Release Agent PERI Clean, 205 l 536
118778 PERI Plasto Clean 20 l 537
118779 PERI Plasto Clean 208 l 537
201008 Release Agent Pressure Sprayer 537
103434 Pallet RP-2 80 x 120, galv. 540
103429 Pallet RP-2 80 x 150, galv. 540
065067 Lid for Wire Crate Pallet 80 x 120, painted 540
106939 Pallet RP 110 x 125, painted 540
111396 Pallet RP 80 x 110, galv. 540

Numerical Index

065015 Euro Flat Bed Pallet 80 x 120 541
061500 Pallet SD 150 x 75, galv. 541
126580 Pallet Handrail Unit SD 150 541
126630 Pallet Handrail Unit SD 75 542
061530 Pallet SD 150 x 225, galv. 542
123960 Pallet EP 110 543
115058 Stacking Device MAXIMO 543
066094 Stacking Device DOMINO DSR, galv. 543
118103 Stacking Device L MXA 544
118105 Stacking Device R MXA 544
118110 Stacking Device L MXI 544
118112 Stacking Device R MXI 544
118100 Stacking Device MX Flat for Shaft Corner MXSE 545
124554 Stacking Device TRIO Corner 545
128313 Stacking Device TRIO LI 545
128494 Stacking Device TRIO RE 545
052460 Fin-Ply 30 mm 1250 x 3610 mm 548
052260 Fin-Ply 21 mm 1250 x 2500 mm 548
052060 Fin-Ply 21 mm 1500 x 2500 mm 548
052270 Fin-Ply 21 mm 1500 x 3000 mm 548
052065 Fin-Ply 21 mm 1500 x 3600 mm 548
052072 Fin-Ply 21 mm 2000 x 4000 mm 548
052240 Fin-Ply 18 mm 1500 x 3000 mm 548
052159 Fin-Ply 15 mm 1500 x 3000 mm 548
052150 Fin-Ply 12 mm 1500 x 3000 mm 548
052095 Fin-Ply 9 mm 1500 x 3000 mm 548
052823 Fin-Ply Maxi 20 mm 7500 x 2700 mm 548
052829 Fin-Ply Maxi 20 mm 5400 x 2000 mm 548
052261 Rus-Ply 21 mm 1250 x 2500 mm 548
052271 Rus-Ply 21 mm 1500 x 3000 mm 548
052824 PERI Birch 21 mm 625 x 2500 mm 549
052820 PERI Birch 21 mm 1250 x 2500 mm 549
052806 PERI Birch 21 mm 1500 x 3000 mm 549
052080 PERI Spruce 400 / 21 mm 2500 x 1250 mm 549
052020 Plywood 8 mm 2500 x 1250 mm 549
052010 Plywood 4 mm 2500 x 1250 mm 549
050824 Plywood 2.4 mm 2500 x 1250 mm 549
052622 Chinese Coated Ply 21 mm 1250 x 2500 mm 550
052624 Chinese Coated Ply 21 mm 500 x 2500 mm 550
052837 PERI Pine 21 mm 2500 x 1250 mm 550
050806 PINE Premium 21 mm 2500 x 1250 550
050190 3-Ply Panel 21 mm 2000 x 1000 mm (yellow) 551
050040 3-Ply Panel 21 mm 2500 x 1000 mm (yellow) 551
050200 3-Ply Panel 21 mm 3000 x 1000 mm (yellow) 551
050030 3-Ply Panel 21 mm 5000 x 1000 mm (yellow) 551
052590 3-Ply Panel 21 mm 2500 x 1500 mm (yellow) 551
052380 3-Ply Panel 21 mm 5000 x 2000 mm (yellow) 551
050070 3-Ply Panel 21 mm 1500 x 500 mm (red/yell) 551
050080 3-Ply Panel 21 mm 2000 x 500 mm (red/yell) 551
050000 3-Ply Panel 21 mm 2500 x 500 mm (red/yell) 551
052828 FinNa-Ply 21 mm 2500 x 1250 mm 551
052800 Conifer Plywood 20 mm 2500 x 1250 mm 551
031070 Tie Rod Wrench 15, galv. 554
031050 Tie Rod Wrench 20, galv. 554
108129 Tie Rod Spanner DW 15 554
031655 DK Cone Remover UNI 554
114290 Tie Rod Spanner MX-2 555
126696 Magnet Cone Spanner MX 15 / MX 18 555
031644 DK Tong for Concrete Cone 58 555
031656 SK Tong for Concrete Cone 67 555
031657 SK Tong for Concrete Cone 100 555
101995 Concrete Cone Gauge 555
110634 Cone Spanner TRH 556
027210 Spanner SW 80, for SB 556
027213 Spanner SW 70, for SB 556
027211 Spanner SW 46, for SB 556
027180 Ratchet Lever SW 19 556
027200 Insert Socket SW 19 556
070740 Erection Bar GT/VT, galv. 557
027212 Allen Key SW 14, long 557
021790 Ratchet Spanner SW 24 "Combi" 557
031480 Socket Wrench SW 36, chrome-plated 557
125337 Extraction Tool MX Sealing 557
710284 Bolt ISO 4014 M8 x 60-8.8, galv. 560
710285 Bolt ISO 4014 M8 x 100-8.8, galv. 560
722859 Bolt ISO 4014 M8 x 140-8.8, galv. 560
104929 Bolt ISO 4014 M8 x 150-8.8, galv. 560
103518 Bolt ISO 4014 M8 x 190-8.8, galv. 560
710593 Bolt ISO 4014 M10 x 80-8.8, galv. 560
710242 Bolt ISO 4014 M10 x 100-8.8, galv. 560
721817 Bolt ISO 4014 M10 x 50-8.8, galv. 560
710221 Bolt ISO 4014 M12 x 60-8.8, galv. 560
720610 Bolt ISO 4014 M12 x 70-8.8, galv. 560
710220 Bolt ISO 4014 M12 x 80-8.8, galv. 560
750330 Bolt ISO 4014 M12 x 100-8.8, galv. 560
710299 Bolt ISO 4014 M16 x 60-8.8, galv. 560
714093 Bolt ISO 4014 M16 x 70-8.8, galv. 560
710222 Bolt ISO 4014 M16 x 80-8.8, galv. 560
721729 Bolt ISO 4014 M16 x 90-8.8, galv. 560
710219 Bolt ISO 4014 M16 x 100-8.8, galv. 560
710233 Bolt ISO 4014 M16 x 110-8.8, galv. 560
105402 Bolt ISO 4014 M16 x 120-8.8, galv. 560
710232 Bolt ISO 4014 M16 x 130-8.8, galv. 560
722169 Bolt ISO 4014 M16 x 140-8.8, galv. 560
780155 Bolt ISO 4014 M16 x 160-8.8, galv. 560
024900 Bolt ISO 4014 M20 x 80-8.8, galv. 560
710226 Bolt ISO 4014 M20 x 90-8.8, galv. 560
024910 Bolt ISO 4014 M20 x 100-8.8, galv. 560
104477 Bolt ISO 4014 M20 x 120-8.8, galv. 560
711078 Bolt ISO 4014 M20 x 130-8.8, galv. 560
781054 Bolt ISO 4014 M20 x 160-8.8, galv. 560
706462 Bolt ISO 4014 M20 x 200-8.8, galv. 560
109612 Bolt ISO 4014 M24 x 130-8.8, galv. 560
113686 Bolt ISO 4014 M24 x 200-8.8, galv. 560
026430 Bolt ISO 4014 M24 x 70-10.9, glav. 560
026220 Bolt ISO 4014 M24 x 80-10.9, galv. 560
029560 Bolt ISO 4014 M24 x 120-10.9, galv. 560
106797 Bolt ISO 4014 M24 x 220-10.9, galv. 560
029540 Bolt ISO 4014 M30 x 130-10.9, galv. 560
029550 Bolt ISO 4014 M36 x 130-10.9, galv. 560
780353 Bolt ISO 4016 M8 x 25-4.6 MU, galv. 561
035440 Bolt ISO 4016 M12 x 40-4.6 MU, galv. 561
070100 Bolt ISO 4016 M12 x 120-4.6 MU, galv. 561
018330 Bolt ISO 4016 M12 x 140-4.6 MU, galv. 561
027340 Bolt ISO 4016 M12 x 180-4.6 MU, galv. 561
018320 Bolt ISO 4016 M16 x 140-4.6 MU, galv. 561
018350 Bolt ISO 4016 M16 x 160-4.6 MU, galv. 561
103740 Bolt ISO 4016 M16 x 280-4.6 MU, galv. 561
710266 Bolt ISO 4017 M12 x 25-8.8, galv. 561
102120 Bolt ISO 4017 M12 x 30-8.8, galv. 561
710224 Bolt ISO 4017 M12 x 40-8.8, galv. 561
110598 Bolt ISO 4017 M12 x 140-8.8, galv. 561
110599 Bolt ISO 4017 M12 x 240-8.8, galv. 561
710231 Bolt ISO 4017 M16 x 30-8.8, galv. 561
710225 Bolt ISO 4017 M16 x 45-8.8, galv. 561
710252 Bolt ISO 4017 M16 x 50-8.8, galv. 561
706458 Bolt ISO 4017 M20 x 40-8.8, galv. 561
780357 Bolt ISO 4017 M20 x 50-8.8, galv. 561

Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX

114727 Bolt ISO 4017 M20 x 100-8.8, galv. 561
029420 Bolt ISO 4017 M30 x 70-8.8, galv. 561
029430 Bolt ISO 4017 M36 x 70-8.8, galv. 561
104278 Cyl. Bolt ISO 4762 M12 x 60-8.8, galv. 561
104528 Cyl. Bolt ISO 4762 M12 x 90-8.8, galv. 561
113007 Cyl. Bolt ISO 4762 M30 x 70-8.8, galv. 561
026290 Bolt ISO 4017 M24 x 50-10.9, galv. 562
061230 Bolt EN 14399-4 M12 x 140-10.9 562
711060 Eye Bolt M20, left, galv. 562
110281 Eye Bolt M20, right, galv 562
024090 Nut ISO 4032 M8-8, galv. 562
710234 Nut ISO 4032 M10-8, galv. 562
710330 Nut ISO 4032 M12-8, galv. 562
710229 Nut ISO 4032 M16-8, galv. 562
710334 Nut ISO 4032 M20-8, galv. 562
022250 Nut ISO 4032 M24-8, galv. 562
710238 Nut ISO 4032 M16-10, galv. 562
706488 Nut ISO 4032 M24-10, galv. 562
710336 Nut ISO 4032 M30-10, galv. 562
722086 Nut ISO 7042 M6-8, galv. 563
711071 Nut ISO 7042 M8-8, galv. 563
780356 Nut ISO 7042 M10-8, galv. 563
710381 Nut ISO 7042 M12-8, galv. 563
070890 Nut ISO 7042 M16-8, galv. 563
781053 Nut ISO 7042 M20-8, galv. 563
105032 Nut ISO 7042 M24-8, galv. 563
750350 Washer ISO 7093-1 200 HV, A 12, galv. 563
710886 Washer ISO 7093-1 200 HV, A 16, galv. 563
780354 Washer ISO 7089 200 HV, A 8, galv. 563
780702 Washer ISO 7089 200 HV, A 12, galv. 563
725574 Washer ISO 7089 200 HV, A 14, galv. 563
711074 Washer ISO 7089 200 HV, A 16, galv. 563
706454 Washer ISO 7089 200 HV, A 20, galv. 563
710874 Washer ISO 7089 200 HV, A 24, galv. 563
113347 Washer ISO 7094 100 HV A 8, galv. 563
113348 Washer ISO 7094 100 HV A 12, galv. 563
113349 Washer ISO 7094 A16-100HV, galv. 563
113350 Washer ISO 7094 100 HV A 20, galv. 563
710880 Washer DIN 434 18, galv. 564
710139 Washer R11 DIN 440, galv. 564
112815 Clamping Plate M16 Nova Grip 564
115145 Clamping Plate M16 Nova Grip 564
029440 Lag Screw DIN 571 6 x 20, galv. 564
051640 Lag Screw DIN 571 6 x 80, galv. 564
024270 Lag Screw DIN 571 8 x 60, galv. 564
024260 Lag Screw DIN 571 8 x 80, galv. 564
024490 Lag Screw DIN 571 8 x 100, galv. 564
024500 Lag Screw DIN 571 8 x 130, galv. 564
024510 Lag Screw DIN 571 8 x 140, galv. 564
024520 Lag Screw DIN 571 8 x 160, galv. 564
024540 TSS-Torx 6 x 40, galv. 565
024470 TSS-Torx 6 x 60, galv. 565
024690 TSS-Torx 6 x 80, galv. 565
103444 TSS-Torx 8 x 38, galv. 565
104892 TSS-Torx 8 x 44, galv. 565
104647 TSS-Torx 8 x 58, galv. 565
103443 TSS-Torx 8 x 78, galv. 565
110272 TSS-Torx 6 x 60, ZKS, galv. 565
710262 Screw ISO 15482 5.5x45 TX 30, galv. 565
024550 Spax Screw TX 30 8 x 20, yellow galv. 566
024950 Spax Screw TX 30 6 x 100, yellow galv. 566
024960 Spax Screw TX 30 6 x 120, yellow galv. 566
024970 Spax Screw TX 30 6 x 140, yellow galv. 566
024980 Spax Screw TX 30 6 x 160, yellow galv. 566
024990 Spax Screw TX 30 6 x 180, yellow galv. 566
024530 Screwnail 40 mm, galv. 566
024310 Screwnail 70 mm, galv. 566
024350 Screwnail 90 mm, galv. 566
018280 Double Head Nail, l = 65 mm 566
021770 Selftapping Screw 6.3 x 32, galv. 566
722083 Rivet DIN 7337 A 4.8 x 23, Alu 566
780304 Rivet DIN 7337 A 5 x 12, Alu 566
722318 Rivet DIN 7337 A 6 x 10, Steel 566
780305 Rivet DIN 7337 B 5 x 20, GAV 566
780302 Rivet DIN 7337 B 5 x 25, Alu 566
730050 Rivet DIN 7337 B 5 x 30, Alu 566
051650 F.H. Bolt DIN 603 M6 x 180 MU, galv. 567
710295 F.H. Bolt DIN 603 M8 x 45 MU, galv. 567
710326 F.H. Bolt DIN 603 M8 x 60 MU, galv. 567
710709 F.H. Bolt DIN 603 M8 x 65 MU, galv. 567
024140 F.H. Bolt DIN 603 M8 x 70 MU, galv. 567
723439 F.H. Bolt DIN 603 M8 x 80 MU, galv. 567
750076 F.H. Bolt DIN 603 M8 x 90 MU, galv. 567
710240 F.H. Bolt DIN 603 M8 x 100 MU, galv. 567
024360 F.H. Bolt DIN 603 M8 x 125 MU, galv. 567
725462 F.H. Bolt DIN 603 M8 x 140 MU, galv. 567
024380 F.H. Bolt DIN 603 M8 x 160 MU, galv. 567
024390 F.H. Bolt DIN 603 M8 x 200 MU, galv. 567
024410 F.H. Bolt DIN 603 M8 x 250 MU, galv. 567
027990 Bolt Ø 14 x 107, galv. 567
027170 Pin Ø 16 x 42, galv. 567
018050 Pin Ø 16 x 65/86, galv. 568
027690 Bolt SB-TRIO/DOMINO, galv. 568
105400 Pin Ø 20 x 140, galv. 568
107579 Pin Ø 25 x 154, galv. 568
026200 Bolt Ø 25 x 160, KG, galv. 569
105435 Bolt Ø 50 x 330 569
104031 Fitting Pin Ø 21 x 120 569
111567 Fitting Pin Ø 26 x 120 569
037160 Bolt Ø 20 x 205, galv. 570
113012 Pin Ø 20 x 260, galv. 570
715585 Pin Ø 25 x 240, SKS, galv. 570
113247 Pin Ø 25 x 260, mont. 570
022210 Pin for GRB, galv. 571
022230 Cotter Pin 5/1, galv. 571
018060 Cotter Pin 4/1, galv. 571
018290 Framing Clip, galv. 575
018310 Beam Connector, galv. 575
024880 Hook Strap HB for VT, galv. 575
026250 Plug Ø 26 mm 574
030260 Formwork Joint 21/20, l = 2.50 m 574
030290 Plug Ø 20 mm 574
030300 Plug Ø 20/24 mm 574
031200 Chamfer Strip with Flange, l = 2.50 m 574
054240 Chamfer Strip, l = 2.70 m 575
065073 Anchor Chain 3.0 kN, l = 2.5 m 576
065074 Turnbuckle 3.0 kN, M12 576
101706 Formwork Joint 21/40, l = 3.00 m 574
123478 Toe Board Angle 90° 576
201410 Scaff. Tube Steel Ø 48.3 x 4.0, l = 6.4 m 576
201411 Double Coupler Pressed Steel 577
710618 Cotter Pin 8, galv. 571
710304 Cotter Pin 7, galv. 571
711063 Dowel Pin Ø 5 x 35 571
722457 Dowel Pin Ø 10 x 70, galv. 571

Numerical Index


Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX

For your Notes

For your Notes

Wall Formwork
Column Formwork
Slab Formwork
Climbing Systems
Bridge and Tunnel Formwork
Shoring
Scaffolding
Stair Towers
Weather Protection
System Indep. Products, Safety Systems
INDEX

PERI International





PERI

PERI GmbH
Formwork Scaffolding Engineering
Rudolf-Diesel-Strasse 19
89264 Weissenhorn
Germany
Tel. +49 (0)7309.950-0
Fax +49 (0)7309.951-0
info@peri.com
www.peri.com

North America

CA Canada
PERI Formwork Systems, Inc.
www.peri.ca

MX Mexico
PERI Cimbras y Andamios, S.A. de C.V.
www.peri.com.mx

PA Panama
PERI Panama Inc.
www.peri.com.pa

US USA
PERI Formwork Systems, Inc.
www.peri-usa.com

South America

AR Argentina
PERI S.A.
www.peri.com.ar

BR Brazil
PERI Formas e Escoramentos Ltda.
www.peribrasil.com.br

CL Chile
PERI Chile Ltda.
www.peri.cl

CO Colombia
PERI S.A.S.
www.peri.com.co

PE Peru
PERI Peruana S.A.C.
www.peri.com.pe

Africa

AO Angola
Pericofragens, Lda.
www.peri.pt

DZ Algeria
S.A.R.L. PERI
www.peri.dz

BW Botswana
PERI (Proprietary) Limited
www.peri.co.bw

EG Egypt
Egypt Branch Office
www.peri.com.eg

MA Morocco
PERI S.A.
www.peri.ma

MZ Mozambique
PERI (Pty.) Ltd.
www.peri.co.mz

NA Namibia
PERI (Pty.) Ltd.
www.peri.na

NG Nigeria
PERI Nigeria Ltd.
www.peri.ng

TN Tunisia
PERI S.A.U.
www.peri.es

TZ Tanzania
PERI Formwork and Scaffolding Ltd
www.peritanzania.com

ZA South Africa
PERI Formwork Scaffolding (Pty) Ltd
www.peri.co.za

Asia

AE United Arab Emirates
PERI (L.L.C.)
www.perime.com

AZ Azerbaijan
PERI Repesentative Office
www.peri.com.tr

HK Hong Kong
PERI (Hong Kong) Limited
www.perihk.com

ID Indonesia
PT Beton Perkasa Wijaksana
www.betonperkasa.com

IL Israel
PERI F.E. Ltd.
www.peri.co.il

IN India
PERI (India) Pvt Ltd
www.peri.in

IR Iran
PERI Pars. Ltd.
www.peri.ir

JO Jordan
PERI GmbH – Jordan
www.peri.com

JP Japan
PERI Japan K.K.
www.perijapan.jp

KR Korea
PERI (Korea) Ltd.
www.perikorea.com

KW Kuwait
PERI Kuwait W.L.L.
www.peri.com.kw

KZ Kazakhstan
TOO PERI Kazakhstan
www.peri.kz

LB Lebanon
PERI Lebanon Sarl
lebanon@peri.de

MY Malaysia
PERI Formwork Malaysia Sdn. Bhd.
www.perimalaysia.com

OM Oman
PERI (L.L.C.)
www.perime.com

PH Philippines
PERI-Asia Philippines, INC.
www.peri.com.ph

QA Qatar
PERI Qatar LLC
www.peri.qa

SA Saudi Arabia
PERI Saudi Arabia Ltd.
www.peri.com.sa

SG Singapore
PERI Asia Pte Ltd
www.periasia.com

TM Turkmenistan
PERI Kalıp ve İskeleleri
www.peri.com.tr

TH Thailand
Peri (Thailand) Co., Ltd.
www.peri.co.th

VN Vietnam
PERI ASIA PTE LTD
www.peri.com.vn

Oceania

AU Australia
PERI Australia Pty. Ltd.
www.periaus.com.au

NZ New Zealand
PERI Australia Pty. Limited
www.peri.co.nz

Europe

AL Albania
PERI Kalıp ve İskeleleri
www.peri.com.tr

AT Austria
PERI Ges.mbH
www.peri.at

BA Bosnia and Herzegovina
PERI oplate i skele d.o.o
www.peri.com.hr

BE Belgium
N.V. PERI S.A.
www.peri.be

BG Bulgaria
PERI Bulgaria EOOD
www.peri.bg

BY Belorussia
IOOO PERI
www.peri.by

CH Switzerland
PERI AG
www.peri.ch

CZ Czech Republic
PERI spol. s r.o.
www.peri.cz

DE Germany
PERI GmbH
www.peri.de

DK Denmark
PERI Danmark A/S
www.peri.dk

EE Estonia
PERI AS
www.peri.ee

ES Spain
PERI S.A.U.
www.peri.es

FI Finland
PERI Suomi Ltd. Oy
www.perisuomi.fi

FR France
PERI S.A.S.
www.peri.fr

GB United Kingdom
PERI Ltd.
www.peri.ltd.uk

GR Greece
PERI Hellas Ltd.
www.perihellas.gr

HR Croatia
PERI oplate i skele d.o.o.
www.peri.com.hr

HU Hungary
PERI Kft.
www.peri.hu

IR Ireland
Siteserv Access & Formwork
www.siteservaccess.ie

IS Iceland
Armar ehf.
www.armar.is

IT Italy
PERI S.r.l.
www.peri.it

LT Lithuania
PERI UAB
www.peri.lt

LU Luxembourg
N.V. PERI S.A.
www.peri.lu

LV Latvia
PERI SIA
www.peri-latvija.lv

NL Netherlands
PERI B.V.
www.peri.nl

NO Norway
PERI Norge AS
www.peri.no

PL Poland
PERI Polska Sp. z o.o.
www.peri.com.pl

PT Portugal
Pericofragens Lda.
www.peri.pt

RO Romania
PERI România SRL
www.peri.ro

RS Serbia
PERI oplate d.o.o.
www.peri.rs

RU Russia
OOO PERI
www.peri.ru

SE Sweden
PERI Sverige AB
www.peri.se

SI Slovania
PERI oplate i skele d.o.o
www.peri.com.hr

SK Slovakia
PERI spol. s. r.o.
www.peri.sk


TR Turkey
PERI Kalıp ve İskeleleri
www.peri.com.tr


UA Ukraine
TOW PERI
www.peri.ua

PERI

Formwork
Scaffolding
Engineering

www.peri.ltd.uk





UK en 02 | 2023 © PERI GmbH